

CAPÍTULO 7

REFERENCIAS

CAPÍTULO 7

7. REFERENCIAS

1. **Delloye C, Cnockaert N, Cornu O:** Bone substitutes in 2003: an overview. *Acta Orthop Belg* 2003 69: 1-8
2. **Stevenson S:** Biology of bone grafts. *Orthop Clin North Am* 1999; 30: 543-52
3. **Vallet-Regí M, Munuera L:** *Biomateriales: Aquí y ahora*. 2000; Madrid: Ed. Dykinson
4. **Gustilo R, Mendoza R, Williams D:** Problems in the management of type III (severe) open fractures. A new clasification of type III open fractures. *J Trauma* 1984; 24: 742-6
5. **Behairy Y, Jasty M:** Bone grafts and bone substitutes in hip and knee surgery. *Orthop Clin North Am* 1999; 30: 661-71
6. **Goulet JA, Senunas LE, DeSilva GL, Greenfield ML:** Autogenous iliac crest bone graft. Complications and functional assesment. *Clin Orthop* 1997; 339:76-81
7. **Arrington ED, Smith WJ, Chambers HG, Bucknell AL, Davino NA:** Complications of iliac crest bone graft harvesting. *Clin Orthop* 1996; 329: 300-9
8. **Banwart JC, Asher MA, Hassanein RS:** Iliac crest bone graft harvest donor site morbidity. Statistical evaluation. *Spine* 1995; 20: 1055-60
9. **Ilizarov GA:** The tension-stress effect on the genesis and growth of tissues. Part I. The influence of stability of fixation and soft-tissue preservation. *Clin Orthop* 1989; 238: 249-81
10. **Ilizarov GA:** The tension-stress effect on the genesis and growth of tissues. Part II. The influence of the rate and frequency of distraction. *Clin Orthop* 1989; 239: 263-85
11. **Taylor GI, Miller GD, Ham FJ:** The free vascularized bone graft: A clinical extension of microvascular techniques. *Plast Reconstr Surg* 1975; 55: 533-44
12. **Serafin D, Villareal-Ríos A, Georgiade N:** A rib-containing free flap to reconstruct mandibular defects. *Br J Plast Surg* 1977; 30: 263-6
13. **Suso S:** *Banco de huesos*. Monografías SECOT 4. 2002; Barcelona: Ed. Masson

-
14. **Segur JM:** Anàlisi dels factors d'optimització dels resultats d'un Banc d'Ossos Regional. *PhD Thesis* 1995; Departament de Cirurgia i Especialitats Quirúrgiques. Universitat de Barcelona.
15. **LeGeros RZ:** Properties of osteoconductive biomaterials: calcium phosphates. *Clin Orthop* 2002; 395: 81-98
16. **Hamadouche M, Sedel L:** Ceramics in orthopaedics. *J Bone Joint Surg* 2000; 82 B: 1095-9
17. **Hench LL:** Bioceramics. *J Am Ceram Soc* 1998; 81: 1705-28
18. **Ginebra MP, Driessens FCM, Planell JA:** Effect of the particle size on the micro and nanostructural features of a calcium phosphate cement: a kinetic analysis. *Biomaterials* 2004; 25: 3453-62
19. **Navarro M, Ginebra MP, Planell JA:** Cellular response to calcium phosphate glasses with controlled solubility. *J Biomed Mater Res* 2003; 67 A: 1009-15
20. **Bermúdez O:** Formulación y propiedades mecánicas de cementos óseos a base de fosfatos de calcio. *PhD Thesis* 1994; Departament de Ciència dels Materials i Enginyeria Metal·lúrgica. Universitat Politècnica de Catalunya. Barcelona
21. **Fernández E:** Obtención y caracterización de nuevos cementos óseos de fosfatos de calcio en el sistema $\text{CaHPO}_4\text{-}\alpha\text{-Ca}_3(\text{PO}_4)_2$. *PhD Thesis* 1996; Departament de Ciència dels Materials i Enginyeria Metal·lúrgica. Universitat Politècnica de Catalunya. Barcelona
22. **Ginebra MP:** Desarrollo y caracterización de un cemento óseo basado en fosfato tricálcico- α para aplicaciones quirúrgicas. *PhD Thesis* 1997; Departament de Ciència dels Materials i Enginyeria Metal·lúrgica. Universitat Politècnica de Catalunya. Barcelona
23. **Khairoun I:** Optimization of the properties of calcium phosphate based cements. *PhD Thesis* 1998; Departament de Ciència dels Materials i Enginyeria Metal·lúrgica. Universitat Politècnica de Catalunya. Barcelona
24. **Clément J:** Desarrollo y caracterización de un material compuesto totalmente biodegradable para aplicaciones quirúrgicas. *PhD Thesis* 2001; Departament de Ciència dels Materials i Enginyeria Metal·lúrgica. Universitat Politècnica de Catalunya. Barcelona
25. **Fernández de Retana P:** Osteointegración del homoinjerto óseo triturado en los defectos cavitarios. Estudio experimental en conejos. *PhD Thesis* 1993; Departament de Cirurgia i Especialitats Quirúrgiques. Universitat de Barcelona.
26. **Del Valle M:** El uso del cartílago costal criopreservado en defectos óseos experimentales. *PhD Thesis* 1999; Departament de Cirurgia i Especialitats Quirúrgiques. Universitat de Barcelona.
27. **Torner P:** Reparació del teixit ossi mitjançant osteotransducció amb ciment de fosfat càlcic. Estudi experimental. *PhD Thesis* 2001; Departament de Cirurgia i Especialitats Quirúrgiques. Universitat de Barcelona.

28. **Castillo F:** Evaluación del potencial osteogénico de los polímeros bioabsorbibles derivados del ácido láctico utilizados como sustitutivos óseos. Estudio experimental en conejos. *PhD Thesis* 2001; Departament de Cirurgia i Especialitats Quirúrgiques. Universitat de Barcelona.
29. **Rokkanen PU, Böstman O, Hirvensalo E, Mäkelä EA, Partio EK, Päätiälä H, Vainionpää S, Vihtonen K, Törmälä P:** Bioabsorbable fixation in orthopaedic surgery and traumatology. *Biomaterials* 2000; 21: 2607-13
30. **Bauer TW, Smith ST:** Bioactive materials in orthopaedic surgery. Overview and regulatory considerations. *Clin Orthop* 2002; 395: 11-22
31. **Böstman O, Pihlajamäki H:** Clinical biocompatibility of biodegradable orthopaedic implants for internal fixation: a review. *Biomaterials* 2000 21: 2615-21
32. **Temenoff JS, Mikos AG:** Injectable biodegradable materials for orthopedic tissue engineering. *Biomaterials* 2000; 2405-12
33. **Strong DM, Friedlaender GE, Tomford WW, Springfield DS, Shives TC, Burchardt H, Enneking WF, Mankin HJ:** Immunologic responses in human recipients of osseous and osteochondral allografts. *Clin Orthop* 1996; 326: 107-14
34. **Williams DF, Black J, Doherty PJ:** Second consensus conference on definitions in biomaterials. In: *Biomaterials Tissue Interfaces*. Ed. by Doherty PJ, Williams RI, Williams DF, Lee AJC. 1992; Amsterdam: Elsevier. pp 525-33
35. **Roether JA, Gough JE, Boccaccini AR, Hench LL, Maquet V, Jérôme R:** Novel bioresorbable and bioactive composites based on bioactive glass and polylactide foams for bone tissue engineering. *J Mater Sci Mater Med* 2002; 13: 1207-14
36. **Greenspan DC:** Bioactive ceramic implant materials. *Science* 1999; 4: 389-93
37. **Burchardt H:** The biology of bone graft repair. *Clin Orthop* 1983; 174: 28-42
38. **Bucholz RW:** Nonallograft osteoconductive bone graft substitutes. *Clin Orthop* 2002; 395: 44-52
39. **Toth JM, Lynch KL, Hackbarth DA:** Ceramic-induced osteogenesis following subcutaneous implantation of calcium phosphates. *Bioceramics* 1993; 6:9-13
40. **Yoon ST, Boden SD:** Osteoinductive molecules in orthopaedics: basic science and preclinical studies. *Clin Orthop* 2002; 395: 33-43
41. **Albrektsson T, Johansson C:** Osteoinduction, osteoconduction and osseointegration. *Eur Spine J* 2001; 10(Suppl) : S96-S101
42. **Driessens FCM, Planell JA, Boltong MG, Khairoun I, Ginebra MP:** Osteotransductive bone cements. *Proc Instn Mech Engrs [H]* 1998; 212: 427-35
43. **Lin FH, Lin CC, Liu HC, Huang YY, Wang CY, Lu CM:** Sintered porous DP-bioactive glass and hydroxyapatite as bone substitute. *Biomaterials* 1994; 15: 1087-98

44. **Pelker RR, Friedlaender GE:** Biomechanical aspects of bone autografts and allografts. *Orthop Clin North Am* 1987; 18: 235-9
45. **Passuti N, Delecrin J, Gouin F, Heymann D:** Substituts osseux. *Encycl Méd Chir* (Elsevier, Paris-France), Appareil locomoteur 1999; 14-015-B-10, 6 p.
46. **Sommerfeldt DW, Rubin CT:** Biology of bone and how it orchestrates the form and function of the skeleton. *Eur Spine J* 2001; 10(Suppl): S86-S95
47. **Buckwalter JA, Glimcher MJ, Cooper RR, Recker R:** Bone biology. I: Structure, blood supply, cells, matrix, and mineralization. *Instr Course Lect* 1996; 45: 371-86
48. **Comín M, Peris JL, Prat JM, Dejoz JR, Vera PM, Hoyos JV:** *Biomecánica de la fractura ósea y técnicas de reparación*. 1999; Instituto de Biomecánica de Valencia. Valencia: Ed. Martín
49. **Proubasta I, Gil J, Planell JA:** *Fundamentos de Biomecánica y Biomateriales*. 1999; Madrid: Ed. Ergon
50. **Biltz RM, Pellegrino ED:** The chemical anatomy of bone. I. A comparative study of bone composition in sixteen vertebrates. *J Bone Joint Surg* 1969; 51 A: 456-66
51. **Wiestner M, Fischer S, Dessau W, Müller PK:** Collagen types synthesized by isolated calvarium cells. *Exp Cell Res* 1981; 133: 115-25
52. **Gehron-Robey P:** The biochemistry of bone. *Endocrinol Metab Clin North Am* 1989; 18: 858-902
53. **Khan SN, Bostrom MP, Lane JM:** Bone growth factors. *Orthop Clin North Am* 2000; 31: 375-88
54. **Brown WE, Chow LC:** Chemical properties of bone mineral. *Ann Rev Mater Sci* 1976; 6: 213-36
55. **Glimcher MJ:** The nature of the mineral component of bone and the mechanism of calcification. *Instr Course Lect* 1987; 36: 49-69
56. **Chavassieux P, Meunier P:** Histologie et cytologie de l'os normal. *Encycl Méd Chir* (Elsevier, Paris-France), Appareil locomoteur 2003; 14-002-A-10, 6 p.
57. **Mackie EJ:** Osteoblasts: novel roles in orchestration of skeletal architecture. *Int J Biochem Cell Biol* 2003; 35: 1301-5
58. **Aarden EM, Burger EH, Nijweide PJ:** Function of the osteocytes in bone. *J Cell Biochem* 1994; 55: 287-99
59. **Pierce AM, Lindskog S, Hammarström L:** Osteoclasts: structure and function. *Electron Microsc Rev* 1991; 4: 1-45
60. **Cowin SC:** *Bone mechanics*. 1991; Boca Raton, Florida: CRC Press
61. **Buckwalter JA, Glimcher MJ, Cooper RR, Recker R:** Bone biology. II: Formation, form, modeling, remodeling, and regulation of cell function. *Instr Course Lect* 1996; 45: 387-99
62. **Gurley AM, Roth SI:** Bone In: *Histology for pathologists*. Sternberg SS. 1992; New York: Raven Press. pp 61-80

63. **Hernández JA, Serrano S, Mariñoso ML, Aubia J, Lloreta J, Marrugat J, Diez A:** Bone growth and modeling changes induced by periosteal stripping in the rat. *Clin Orthop* 1995; 320: 211-9
64. **Serrano S, Mariñoso ML:** Bases histológicas de la histomorfometría ósea. En: *Patología ósea metabólica*. Serrano S, Aubia J, Mariñoso ML. 1990; Barcelona: Doyma. pp 55-70
65. **Hulth A:** Current concepts on fracture healing. *Clin Orthop* 1989; 249: 265-84
66. **Brighton CT, Hunt RM:** Early histological and ultrastructural changes in medullary fracture callus. *J Bone Joint Surg* 1991; 73 A: 823-47
67. **Simmons DJ:** Fracture healing perspectives. *Clin Orthop* 1985; 200: 100-13
68. **Cornell CN:** Regeneration of bone in critical defects. *J Orthop Trauma* 1999; 13: 523-4
69. **Katthagen BD:** *Bone regeneration with bone substitutes. An animal study*. 1986; Berlin: Springer Verlag
70. **Finkemeier CG:** Bone-grafting and bone-graft substitutes. *J Bone Joint Surg* 2002; 84 A: 454-64
71. **Mainard D, Zanardo D, Galois L, Delagoutte JP:** Principes généraux et classification des substituts de l'os. *Rev Chir Orthop* 1997; 84(Suppl 1): S52-S56
72. **Hollinger JO, Brekke J, Gruskin E, Lee D:** Role of bone substitutes. *Clin Orthop* 1996; 324: 55-65
73. **Stevenson S:** Enhancement of fracture healing with autogenous and allogeneic bone grafts. *Clin Orthop* 1998; 355(Suppl): S239-S246
74. **Goldberg VM, Stevenson S:** Natural history of autografts and allografts. *Clin Orthop* 1987; 225: 7-16
75. **Friedlaender GE:** Bone grafts: The basic science rationale of clinical applications. *J Bone Joint Surg* 1987; 69 A: 786-90
76. **Gitelis S, Cole BJ:** The use of allografts in orthopaedic surgery. *Intr Course Lect* 2002; 51: 507-20
77. **Delloye C, Cornu O:** Allogreffes de l'appareil locomoteur et banques de tissus. *Encycl Méd Chir* (Elsevier, Paris-France), Appareil locomoteur 1998; 14-015-A-10, 8 p.
78. **Garbuz DS, Masri BA, Czitrom AA:** Biology of allografting. *Orthop Clin North Am* 1998; 29: 199-204
79. **Segur JM, Suso S, García S, Combalía A, Ramón R:** Bone allograft contamination in multiorgan and tissue donors. *Arch Orthop Trauma Surg* 1998; 118: 156-8
80. **Roder W, Muller H, Muller WEG, Merz H:** HIV infection in human bone. *J Bone Joint Surg* 1992; 74 B: 179-80
81. **Berrey BH, Lord CF, Gebhard MC, Mankin HJ:** Fractures in allografts. Frequency, treatment and end-results. *J Bone Joint Surg* 1990; 72 A: 825-39

82. **Lord CF, Gebhardt MC, Tomford WW, Mankin HJ:** Infection in bone allografts. *J Bone Joint Surg* 1988; 70 A: 369-76
83. **Elves MW, Pratt LM:** The pattern of new bone formation in isografts of bone. *Acta Orthop Scand* 1975; 46: 549-57
84. **Maatz R, Lentz W, Graf R:** Die knochenbildungsfähigkeit konservierter späne. I. Beitrag zur knochenbank. *Zentralbl Chir* 1952; 77: 1376-87
85. **Hernigou PH:** Conservation des allogreffes osseuses. *Rev Chir Orthop* 1988; 74 : 114-6
86. **Tomford WW, Thongphasuk J, Mankin HJ, Ferrano MJ:** Frozen musculoskeletal allografts. A study of the clinical incidence and causes of infection associated with their use. *J Bone Joint Surg* 1990; 72 A: 1137-44
87. **Salai M, Brosh T, Keller N, Perelman M, Dudkiewitz I:** The effect of prolonged cryopreservation on the biomechanical properties of bone allografts: a microbiological, histological and mechanical study. *Cell Tissue Banking* 2000; 1: 69-73
88. **Zasacki W:** The efficacy of application of lyophilized radiation-sterilized bone graft in orthopaedic surgery. *Clin Orthop* 1991; 272: 82-7
89. **Vastel L, Meunier A, Siney H, Sedel L, Courpied JP:** Effect of different sterilization processing methods on the mechanical properties of human cancellous bone allografts. *Biomaterials* 2004; 25: 2105-10
90. **Loty B:** Irradiation des allogreffes osseuses. *Rev Chir Orthop* 1988; 74: 116-7
91. **Herron LD, Newman MH:** The failure of ethylene oxide gas-sterilized freeze-dried bone graft for thoracic and lumbar spinal fusion. *Spine* 1989; 14: 496-500
92. **Thier R, Bolt HM:** Carcinogenicity and genotoxicity of ethylene oxide: new aspects and recent advances. *Crit Rev Toxicol* 2000; 30: 595-608
93. **Urist MR:** Bone transplantation. In: *Fundamental and clinical bone physiology*. Urist MR. 1980; Philadelphia: JB Lippincott. pp 331-68
94. **Burchardt H:** Biology of bone transplantation. *Orthop Clin North Am* 1987; 18: 187-96
95. **Burg KJL, Porter S, Kellam JF:** Biomaterials developments for bone tissue engineering. *Biomaterials* 2000; 21: 2347-59
96. **Katthagen BD, Mittelmeier H:** Nouveaux implants per la régénération de l'os. *Rev Chir Orthop* 1986; 72(Suppl 2): S81-S83
97. **Black J:** *Biological performance of materials. Fundamentals of biocompatibility*. 2th ed. 1992; New York: Marcel Dekker, Inc.
98. **Posner AS:** The structure of bone apatite surfaces. *J Biomed Mater Res* 1985; 19: 241-50

99. **Peru L, Daculsi G:** Synthetic calcium phosphates: models for biological crystals?. *Clin Mat* 1994; 15: 267-72
100. **Posner AS:** The mineral of bone. *Clin Orthop* 1985; 200: 87-99
101. **Ravaglioli A, Krajewski A, Celotti GC, Piancastelli A, Bacchini B, Montanari L, Zama G, Piombi L:** Mineral evolution of bone. *Biomaterials* 1996; 17: 617-22
102. **Brown WE, Smith JP, Lehr JR, Frazier AW:** Octocalcium phosphate and hydroxyapatite. *Nature* 1962; 196: 1048-54
103. **Daculsi G:** Biphasic calcium phosphate concept applied to artificial bone, implant coating and injectable bone substitute. *Biomaterials* 1998; 19: 1473-8
104. **Hench LL:** Bioceramics: from concept to clinic. *J Am Ceram Soc* 1991; 74: 1487-510
105. **Boutin P:** Arthroplastie totale de la hanche par prothèse en alumine frittée. Etude expérimentale et premières applications cliniques. *Rev Chir Orthop* 1972; 58: 229-46
106. **Piconi C, Maccauro G:** Zirconia as a ceramic biomaterial. *Biomaterials* 1999; 20: 1-25
107. **Roy DM, Linnehan SA:** Hydroxyapatite formed from coral skeleton carbonate by hydrothermic exchange. *Nature* 1974; 247: 220-7
108. **Guillemin G, Patat JL, Fournie J, Chetail M:** The use of coral as a bone graft substitute. *J Biomed Mater Res* 1987; 21: 557-67
109. **Shors EC:** Coralline bone graft substitutes. *Orthop Clin North Am* 1999; 30: 599-613
110. **Kokubo T:** Bioactive glass ceramics: properties and applications. *Biomaterials* 1991; 12: 155-63
111. **Hench LL, Splinter RJ, Allen WC, Greenlee Jr. TK:** Bonding mechanism at the interface of the ceramic prosthetic materials. *J Biomed Mater Res* 1971; 2: 117-41
112. **Burnie J, Gilchrist T:** *Controlled release glass (CRG). A new biomaterial. In Ceramics in surgery.* 17. Eds. P. 1983; Vicenzini: Elsevier (Lignano Sabbiadoro)
113. **Balas F:** Materiales bioactivos en el sistema CaO-P₂O₅-SiO₂. *PhD Thesis* 2001; Facultad de Ciencias Químicas. Universidad Complutense de Madrid. Madrid
114. **Vitale-Brovarone C, Di Nunzio S, Bretcanu O, Verné E:** Macroporous glass-ceramic materials with bioactive properties. *J Mater Sci Mater Med* 2004; 15: 209-17
115. **Ignatius A, Schnidt C, Kaspar D, Claes L:** *In vitro* biocompatibility of resorbable experimental glass ceramic for bone substitutes. *J Biomed Mater Res* 2001; 55: 285-94
116. **Galois L, Mainard D, Delagoutte JP:** β -tricalcium phosphate ceramic as a bone substitute in orthopaedic surgery. *Int Orthop* 2002; 26: 109-15
117. **Oonishi H:** Orthopaedic applications of hidroxiapatite. *Biomaterials* 1991; 12: 171-8

118. **Bucholz RW, Carlton A, Holmes RE:** Hydroxyapatite and tricalcium phosphate bone graft substitutes. *Orthop Clin North Am* 1987; 18: 323-34
119. **Jarcho M:** Calcium phosphate ceramics as hard tissue prothetics. *Clin Orthop* 1981; 157: 259-78
120. **Dressmann H:** Ueber knochenplombierung. *Beitr Klin Chir* 1892; 9: 804-6
121. **Peltier L:** The use of plaster of Paris to fill large defects in bone. *Am J Surg* 1959; 97: 311-5
122. **Coetzee AS:** Regeneration of bone in the presence of calcium sulfate. *Arch Otolaryngol* 1980; 106: 405-9
123. **Kelly CM, Wilkins RM, Gitelis S, Hartjen C, Watson JT, Kim PT:** The use of a surgical grade calcium sulfate as a bone graft substitute. Results of a multicenter trial. *Clin Orthop* 2001; 382: 42-50
124. **An YH, Woolf SK, Friedman RJ:** Pre-clinical *in vivo* evaluation of orthopaedic bioabsorbable devices. *Biomaterials* 2000; 21: 2635-52
125. **Middleton JC, Tipton AJ:** Synthetic biodegradable polymers as orthopedic devices. *Biomaterials* 2000; 21: 2335-46
126. **Athanasiou KA, Niederauer GG, Mauli Agrawal C:** Sterilization, toxicity, biocompatibility and clinical applications of polylactic acid / polyglycolic acid copolymers. *Biomaterials* 1996; 17: 93-102
127. **Ashammakhi N, Rokkanen P:** Absorbable polyglycolide devices in trauma and bone surgery. *Biomaterials* 1997; 18: 3-9
128. **Castillo F, Suso S, Fernández de Retana P:** Evaluación del potencial osteogénico de los polímeros bioabsorbibles derivados del ácido láctico utilizados como sustitutivos óseos. *Rev Ortop Traum* 2003; 47: 428-33
129. **Brekke JH, Toth JM:** Principles of tissue engineering applied to programmable osteogenesis. *J Biomed Mater Res* 1998; 43: 380-98
130. **Katthagen BD, Mittelmeier H:** Experimental animal investigation of bone regeneration with collagen-apatite. *Arch Orthop Trauma Surg* 1984; 103: 291-302
131. **Wang M, Joseph R, Bonfield W:** Hydroxyapatite-polyethylene composites for bone substitution: effects of ceramic particle size and morphology. *Biomaterials* 1998; 19: 2357-66
132. **Mickiewicz RA, Mayes AM, Knaack D:** Polymer-calcium phosphate cement composites for bone substitutes. *J Biomed Mater Res* 2002; 61: 581-92
133. **Frayssinet P, Mathon D, Lerch A, Autefage A, Collard P, Rouquet N:** Osseointegration of composite calcium phosphate bioceramics. *J Biomed Mater Res* 2000; 50: 125-30
134. **Gil-Albarova J, Gil R, Mόνton I, Clément J, Aldini-Nicolo N, Fini M, Giardino R, Planell JA, Herrera A:** Materiales biodegradables compuestos como posibles sustitutos óseos. Implantación experimental en conejos. *Patol Aparat Locom Mapfre* 2003; 1: 101-7

135. **Ruhé PQ, Kroese Deutman HC, Wolke JGC, Spauwen PHM, Jansen JA:** Bone inductive properties of rhBMP-2 loaded porous calcium phosphate cement implants in cranial defects in rabbits. *Biomaterials* 2004; 2123-32
136. **Ohura K, Hamanishi C, Tanaka S, Matsuda N:** Healing of segmental bone defects in rats induced by a β -TCP-MCPM cement combined with rhBMP-2. *J Biomed Mater Res* 1999; 44: 168-75
137. **Laffargue P, Hildebrand HF, Rtaimate M, Frayssinet P, Amoureux JP, Marchandise X:** Evaluation of human recombinant bone morphogenetic protein-2-loaded tricalcium phosphate implants in rabbits bone defects. *Bone* 1999; 25(Suppl 2):S55-S58
138. **Urist MR:** Bone: formation by autoinduction. *Science* 1965; 150: 893-9
139. **Valentin-Opran A, Wozney J, Csimma C, Lilly L, Riedel GE:** Clinical evaluation of recombinant human bone morphogenetic protein-2. *Clin Orthop* 2002; 395: 110-20
140. **Reddi AH:** Bone morphogenetic proteins: from basic science to clinical applications. *J Bone Joint Surg* 2001; 83 A (Suppl): S1-S6
141. **Bostrom MP, Camacho NP:** Potential role of bone morphogenetic proteins in fracture healing. *Clin Orthop* 1998; 355 (Suppl): S274-S282
142. **Dard M, Passuti N:** Les biomatériaux vecteurs de facteurs de croissance. *Rev Chir Orthop* 2000; 86(Suppl 1): S154-S156
143. **Mundy GR, Boyce B, Hughes D, Wright K, Bonewald L, Dallas S, Harris S, Ghosh Choudhury N, Chen D, Dunstan C:** The effects of cytokines and growth factors on osteoblastic cells. *Bone* 1995; 17(Suppl 2): S71-S75
144. **Bostrom MP, Saleh KJ, Einhorn TA:** Osteoinductive growth factors in preclinical fracture and long bone defects models. *Orthop Clin North Am* 1999; 30: 647-58
145. **Harris CT, Cooper LF:** Comparison of bone graft matrices for human mesenchymal stem cell-directed osteogenesis. *J Biomed Mater Res* 2004; 68 A: 747-55
146. **Vats A, Tolley NS, Buttery LDK, Polak JM:** The stem cell in orthopaedic surgery. *J Bone Joint Surg* 2004; 86 B: 159-64
147. **Livingston TL, Gordon S, Archambault M, Kadiyala S, McIntosh K, Smith A, Peter SJ:** Mesenchymal stem cells combined with biphasic calcium phosphate ceramics promote bone regeneration. *J Mater Sci Mater Med* 2003; 14: 211-8
148. **Triffitt JT:** Osteogenic stem cells and orthopedic engineering: summary and update. *J Biomed Mater Res* 2002; 63: 384-9
149. **Anselme K, Noel B, Flautre B, Blary MC, Delecourt C, Descamps M, Hardouin P:** Association of porous hydroxyapatite and bone marrow cells for bone regeneration. *Bone* 1999; 25(Suppl): S51-S54
150. **Hench LL, Polak JM:** Third-generation biomedical materials. *Science* 2002; 295: 1014-7

151. **Fleming JE Jr, Cornell CN, Muschler GF:** Bone cells and matrices in orthopedic tissue engineering. *Orthop Clin North Am* 2000; 31: 357-74
152. **Oreffo ROC, Triffitt JT:** Future potentials for using osteogenic stem cells and biomaterials in orthopedics. *Bone* 1999; 25(Suppl): S5-S9
153. **Anselme K, Hardouin P:** Culture de cellules et orthopédie. Applications médicales: diagnostic, évaluation de biomatériaux, thérapeutique. *Rev Chir Orthop* 1996; 82: 72-36
154. **Heymann D, Passuti N, Daculsi G:** Os hybride: un substitut osseux vivant. En Passuti N: Biomatériaux de substitution de l'os et du cartilage. *Cahiers d'enseignement de la SoFCOT* N° 57, 1996; Paris: Expansion Scientifique Française
155. **Albee FH, Morrison HF:** Studies in bone growth: triple calcium phosphate as a stimulus to osteogenesis. *Ann Surg* 1920; 71: 32-6
156. **Ray RD, Ward AA:** A preliminary report of studies of basic calcium phosphate in bone replacement. *Surg Form* 1951; 3: 429-34
157. **Bhaskar SN, Brady JM, Getter L, Grower MF, Driskell T:** Biodegradable ceramics implants in bone. *Oral Surg* 1971; 32: 336-46
158. **De Groot K:** Bioceramics consisting of calcium phosphate salts. *Biomaterials* 1980; 1: 47-50
159. **Osborn JF, Newesely H:** The material science of calcium phosphate ceramics. *Biomaterials* 1980; 1: 108-11
160. **Winter M, Griss P, De Groot K, Tagai H, Heimke G, Van Dijk HJA, Sawai K:** Comparative histocompatibility testing of seven calcium phosphate ceramics. *Biomaterials* 1981; 2: 159-60
161. **Cüneyt-Tas A, Korkusuz F, Timucin M, Akkas N:** An investigation of the chemical synthesis and high-temperature sintering behavior of calcium hydroxyapatite (HA) and tricalcium phosphate (TCP) bioceramics. *J Mater Sci Mater Med* 1997; 8: 91-6
162. **Rangavittal N, Landa-Canovas AR, González-Calbet JM, Vallet-Regí M:** Structural study and stability of hydroxyapatite and β -tricalcium phosphate: Two important bioceramics. *J Biomed Mater Res* 2000; 51: 660-8
163. **Flautre B, Maynou C, Lemaitre J, Van Landuyt P, Hardouin P:** Bone colonization of β -TCP granules incorporated in brushite cements. *J Biomed Mater Res* 2002; 63: 413-7
164. **Tampieri A, Celotti G, Szontagh F, Landi E:** Sintering and characterization of HA and TCP bioceramics with control of their strength and phase purity. *J Mater Sci Mater Med* 1997; 8: 29-37
165. **Ripamonti U:** Calvarial reconstruction in baboons with porous hydroxyapatite. *J Craniofac Surg* 1992; 3: 149-59

166. **Byrd HS, Hobar PC, Shewmake K:** Augmentation of the craneofacial skeleton with porous hydroxyapatite granules. *Plast Reconstr Surg* 1993; 91: 15-22
167. **Daculsi G, Dard M:** Bone-calcium phosphate ceramic interface. *Osteosynthese Internat* 1994; 2: 153-6
168. **Klein CPAT, De Groot K, Weiqun C, Yubao L, Xingdong Z:** Osseous substance formation induced in porous calcium phosphate ceramics in soft tissues. *Biomaterials* 1994; 15: 31-4
169. **Ripamonti U:** Osteoinduction in porous hydroxyapatite implanted in heterotopic sites of different animal models. *Biomaterials* 1996; 17: 31-5
170. **Yuan H, Van den Doel M, Li S, Van Blitterswijk CA, De Groot K, De Bruijn JD:** A comparison of the osteoinductive potential of two calcium phosphate ceramics implanted intramuscularly in goats. *J Mater Sci Mater Med* 2002; 13: 1271-5
171. **Yuan H, Yang Z, Li Y, Zhang X, De Bruijn JD, De Groot K:** Osteoinduction by calcium phosphate biomaterials. *J Mater Sci Mater Med* 1998; 9: 723-6
172. **Klein CPAT, Driessen AA, De Groot K, Van den Hooff A:** Biodegradation behaviour of various calcium phosphate materials in bone tissue. *J Biomed Mater Res* 1983; 17: 769-84
173. **Büsing CM, Zöllner C, Heimke G:** The degradation of calcium phosphate ceramics. *Clin Mat* 1987; 2: 303-7
174. **LeGeros RZ:** Biodegradation / bioresorption on calcium phosphate materials. *Clin Mater* 1993; 14: 65-8
175. **Koerten HK, Van der Meulen J:** Degradation of calcium phosphate ceramics. *J Biomed Mater Res* 1999; 44: 78-86
176. **Jarcho M, Salsbury RL, Thomas MB, Doremus RH:** Synthesis and fabrication of β -tricalcium phosphate ceramics for potential prosthetic applications. *J Mater Sci Mater Med* 1979; 14: 142-50
177. **Urist MR, Lietze A, Dawson E:** β -tricalcium phosphate (TCP) delivery system for bone morphogenetic protein. *Clin Orthop* 1984; 187: 277-80
178. **Flautre B, Descamps M, Delecourt C, Blary MC, Hardouin P:** Porous HA ceramic for bone replacement: Role of the pores and interconnections-experimental study in the rabbit. *J Mater Sci Mater Med* 2001; 12: 679-82
179. **Bignon A, Chouteau J, Chevalier J, Fantozzi G, Carret JP, Chavassieux P, Boivin G, Melin M, Hartmann D:** Effect of micro and macroporosity of bone substitutes on their mechanical properties and cellular response. *J Mater Sci Mater Med* 2003; 14: 1089-97
180. **Vaz L, Lopes AB, Almeida M:** Porosity control of hydroxyapatite implants. *J Mater Sci Mater Med* 1999; 10: 239-42
181. **Martin RI, Brown PW:** Mechanical properties of hydroxyapatite formed at physiological temperature. *J Mater Sci Mater Med* 1995; 6: 138-43

182. **Daculsi G, Laboux O, Malard O, Weiss P:** Current state of the art of biphasic calcium phosphate bioceramics. *J Mater Sci Mater Med* 2003; 14: 195-200
183. **LeGeros RZ, Lin S, Rohanizadeh R, Mijares D, LeGeros JP:** Biphasic calcium phosphate bioceramics: preparation, properties and applications. *J Mater Sci Mater Med* 2003; 14: 201-9
184. **Trecant M, Delecrin J, Royer J, Goyenvalle E, Daculsi G:** Mechanical changes in macroporous calcium phosphate ceramics after implantation in bone. *Clin Mat* 1994; 15: 233-240
185. **De Groot K, Wolke JG, Jansen JA:** Calcium phosphate coatings for medical implants. *Proc Inst Mech Eng [H]* 1998; 212: 137-47
186. **De Bruijn JD, Van Blitterswijk CA, Davies JE:** Initial bone matrix formation at the hydroxyapatite interface *in vivo*. *J Biomed Mater Res* 1995; 29: 89-99
187. **Driessens FCM, Ramselaar MMA, Schaecken HU, Stols LH, Van Mullem PJ:** Chemical reactions of calcium phosphate implants after implantation *in vivo*. *J Mater Sci Mater Med* 1992; 3: 413-7
188. **Arita IH, Wilkinson DS, Mondragon MA, Castaño VM:** Chemistry and sintering behaviour of thin hydroxyapatite ceramics with controlled porosity. *Biomaterials* 1995; 403-8
189. **Lin FH, Liao CJ, Chen KS, Sun JS:** Preparation of high-temperature stabilized β -tricalcium phosphate by heating deficient hydroxyapatite with $\text{Na}_4\text{P}_2\text{O}_7 \cdot 10\text{H}_2\text{O}$ addition. *Biomaterials* 1998; 19: 1101-7
190. **Mochales C, El Briak-BenAbdeslam H, Ginebra MP, Perol A, Planell JA, Boudeville P:** Dry mechanochemical synthesis of hydroxyapatites from DCPD and CaO: influence of instrumental parameters on the reaction kinetics. *Biomaterials* 2004; 25: 1151-8
191. **El Briak-BenAbdeslam H, Mochales C, Ginebra MP, Nurit J, Planell JA, Boudeville P:** Dry mechanochemical synthesis of hidroxiapatites from dicalcium phosphate dihydrate and calcium oxide: A kinetic study. *J Biomed Mater Res* 2003; 67 A: 927-37
192. **Liu D:** Fabrication and characterization of porous hydroxyapatite granules. *Biomaterials* 1996; 17: 1955-7
193. **Kenny SM, Buggy M:** Bone cements and fillers: a review. *J Mater Sci Mater Med* 2003; 14: 923-38
194. **Larsson S, Bauer TW:** Use of injectable calcium phosphate cement for fracture fixation: a review. *Clin Orthop* 2002; 395: 23-32
195. **Charnley J:** Anchorage of the femoral head prosthesis total shaft of the femur. *J Bone Joint Surg* 1960; 42 B: 28-30
196. **Driessens FCM, Boltong MG, Planell JA, Bermúdez O, Ginebra MP, Fernández E:** A new apatitic calcium phosphate bone cement: preliminary results. *Bioceramics* 1993; 6: 469-73

197. **Fernández E, Ginebra MP, Bermúdez O, Boltong MG, Driessens FCM, Planell JA:** Dimensional and thermal behavior of calcium phosphate cements during setting compared to PMMA bone cements. *J Mat Sci Let* 1995; 14: 4-5
198. **Elvira C, Vazquez B, San Román J, Levenfeld B, Ginebra MP, Gil X, Planell JA:** Acrylic bone cements incorporating polymeric active components derived from salicylic acid: curing parameters and properties. *J Mater Sci Mater Med* 1998; 679-85
199. **Pascual B, Gurruchaga M, Ginebra MP, Gil FJ, Planell JA, Goñi I:** Influence of the modification of P/L ratio on a new formulation of acrylic bone cement. *Biomaterials* 1999; 20: 465-74
200. **Ginebra MP, Albuixech L, Fernández-Barragán E, Aparicio C, Gil FJ, San Román J, Vazquez B, Planell JA:** Mechanical performance of acrylic bone cements containing different radiopacifying agents. *Biomaterials* 2002; 23: 1873-82
201. **Ginebra MP, Fernández E, Boltong MG, Bermúdez O, Planell JA, Driessens FCM:** Compliance of an apatitic calcium phosphate cement with short-term clinical requirements in bone surgery, orthopaedics and dentistry. *Clin Mat* 1994; 17: 99-104
202. **Ishikawa K, Takagi S, Chow LC, Suzuki K:** Reaction of calcium phosphate cement with different amounts of tetracalcium phosphate and dicalcium phosphate anhydrous. *J Biomed Mater Res* 1999; 46: 504-10
203. **Gbureck U, Grolms O, Barralet JE, Grover LM, Thull R:** Mechanical activation and cement formation of β -tricalcium phosphate. *Biomaterials* 2003; 24: 4123-31
204. **Bohner M:** New hydraulic cement based on α -tricalcium phosphate-calcium sulfate dihydrate mixtures. *Biomaterials* 2004; 25: 741-9
205. **Driessens FCM, Boltong MG, Bermúdez O, Planell JA:** Formulation and setting-times of some calcium orthophosphate cements: a pilot study. *J Mater Sci Mater Med* 1993; 4: 503-8
206. **Bermúdez O, Boltong MG, Driessens FCM, Planell JA:** Development of an octocalcium phosphate cement. *J Mater Sci Mater Med* 1994; 5: 144-6
207. **Driessens FCM, Boltong MG, Bermúdez O, Planell JA, Ginebra MP, Fernández E:** Effective formulations for the preparation of calcium phosphate bone cements. *J Mater Sci Mater Med* 1994; 5: 164-70
208. **Bermúdez O, Boltong MG, Driessens FCM, Planell JA:** Optimization of a calcium orthophosphate cement formulation occurring in the combination of monocalcium phosphate monohydrate with calcium oxide. *J Mater Sci Mater Med* 1994; 5: 67-71
209. **Ginebra MP, Boltong MG, Driessens FCM, Bermúdez O, Planell JA:** Preparation and properties of some magnesium containing calcium phosphate cements. *J Mater Sci Mater Med* 1994; 5: 103-7

210. **Bermúdez O, Boltong MG, Driessens FCM, Ginebra MP, Fernández E, Planell JA:** Chloride - and alkali - containing calcium phosphates as basic materials to prepare calcium phosphate cements. *Biomaterials* 1994; 15: 1019-23
211. **Fernández E, Boltong MG, Ginebra MP, Bermúdez O, Driessens FCM, Planell JA:** Common ion effect on some phosphate cements. *Clin Mat* 1994; 16: 99-103
212. **Bermúdez O, Boltong MG, Driessens FCM, Planell JA:** Development of some calcium phosphate cements from combinations of α -TCP, MCPM and CaO. *J Mater Sci Mater Med* 1994; 5:160-3
213. **LeGeros RZ, Chohayeb A, Shulman A:** Apatitic calcium phosphate: possible restorative materials. *J Dent Res* 1982; 61: 343
214. **Brown WE, Chow LC:** A new calcium phosphate setting cement. *J Dent Res* 1983; 62: 672
215. **Brown WE, Chow LC:** US Patent 4, 612, 053, 1986
216. **Brown WE, Fulmer M:** Kinetics of hydroxyapatite formation at low temperature. *J Am Ceram Soc* 1991; 74: 934-40
217. **Chow LC, Takagi S, Constantino PD, Friedman CD:** Self-setting calcium phosphate cements. *Mat Res Soc Symp Proc* 1991; 179: 3-24
218. **Chow LC:** Development of self-setting calcium phosphate cements. *J Ceram Soc Japan Int* 1992; 99: 927-36
219. **Chow LC:** Calcium phosphate cements. *Monogr Oral Sci* 2001; 18: 148-63
220. **Ginebra MP, Fernández E, De Maeyer EAP, Verbeek RMH, Boltong MG, Ginebra J, Driessens FCM, Planell JA:** Setting reaction and hardening of an apatitic calcium phosphate cement. *J Dent Res* 1997; 76: 905-12
221. **Fernández E, Gil FJ, Ginebra MP, Driessens FCM, Planell JA:** Production and characterization of new calcium phosphate bone cements in the CaHPO_4 - α - $\text{Ca}_3(\text{PO}_4)_2$ system: pH, workability and setting times. *J Mater Sci Mater Med* 1999; 10: 223-30
222. **Fernández E, Gil FJ, Ginebra MP, Driessens FCM, Planell JA, Best SM:** Calcium phosphate bone cements for clinical applications. Part I: solution chemistry. *J Mater Sci Mat Med* 1999; 10: 169-76
223. **Fernández E, Gil FJ, Ginebra MP, Driessens FCM, Planell JA, Best SM:** Calcium phosphate bone cements for clinical applications. Part II: Precipitate formation during setting reactions. *J Mater Sci Mater Med* 1999; 10: 177-83
224. **Driessens FCM, Verbeek RMH:** *Biomaterials*. 1990; Boca Raton, Florida: CRC Press
225. **Miyazaki K, Horibe T, Antonucci JM, Takagi S, Chow LC:** Polymeric calcium phosphate cements: analysis of reaction products and properties. *Dent Mater* 1993; 9: 41-5

226. **Miyazaki K, Horibe T, Antonucci JM, Takagi S, Chow LC:** Polymeric calcium phosphate cements: setting reactions modifiers. *Dent Mater* 1993; 9: 46-50
227. **Gruninger SE, Siew C, Chow LC, O'Young A, Ts'ao NK, Brown WE:** Evaluation of the biocompatibility of a new calcium phosphate setting cement. *J Dent Res* 1984; 63: 200
228. **Chohayeb AA, Chow LC, Tsaknis PJ:** Evaluation of calcium phosphate as a root canal sealer-filler material. *J Endodontics* 1987; 13: 384-7
229. **Sugawara A, Kusama K, Nishimura S, Nishimura M, Ohashi M, Moro I, Chow LC, Takagi S:** Biocompatibility and osteoconductivity of calcium phosphate cement. *J Dent Res* 1990; 69: 312
230. **Dandurand J, Delpech V, Lebugle A, Lamure A, Lacabanne C:** Study of the mineral-organic linkage in an apatitic reinforced bone cement. *J Biomed Mater Res* 1990; 24: 1377-84
231. **Yoshimine Y, Akamine A, Mukai M:** Biocompatibility of tetracalcium phosphate cement when used as a bone substitute. *Biomaterials* 1993; 14: 403-6
232. **Ishikawa K, Asaoka K:** Estimation of ideal mechanical strength and critical porosity of calcium phosphate cement. *J Biomed Mater Res* 1995; 29: 1537-43
233. **Del Real RP, Wolke JGC, Vallet-Regí M, Jansen JA:** A new method to produce macropores in calcium phosphate cements. *Biomaterials* 2002; 23: 3673-80
234. **Almirall A, Larrecq G, Delgado JA, Martínez S, Planell JA, Ginebra MP:** Fabrication of low temperature macroporous hydroxyapatite scaffolds by foaming and hydrolysis of an α -TCP paste. *Biomaterials* 2004; 25: 3671-80
235. **Nilsson M, Fernández E, Sarda S, Lidgren L, Planell JA:** Characterization of a novel calcium phosphate / sulphate bone cement. *J Biomed Mater Res* 2002; 61: 600-7
236. **Sarda S, Fernández E, Nilsson M, Planell JA:** Influence of surfactant molecules as air-entraining agent of bone cement macroporosity. *J Biomed Mater Res* 2003; 65 A: 215-21
237. **Fernández E, Boltong MG, Ginebra MP, Driessens F, Bermúdez O, Planell JA:** Development of a method to measure the period of swelling of calcium phosphate cements. *J Mater Sci Let* 1996; 15: 1004-5
238. **Dos Santos LA, De Oliveria LC, Rigo ECS, Carrodegua RG, Boschi AO, De Arruda ACF:** Influence of polymeric additives on the mechanical properties of α tricalcium phosphate cement. *Bone* 1999; 25(Suppl 2): S99-S102
239. **Khairoun I, Boltong MG, Gil FJ, Driessens FCM, Planell JA:** Incorporation of a controlled-release glass into a calcium phosphate cement. *J Mater Sci Mater Med* 1999; 10: 215-8
240. **De Maeyer EAP, Verbeeck RMH, Vercruysse CWJ:** Conversion of octacalcium phosphate in calcium phosphate cements. *J Biomed Mater Res* 2000; 52: 95-106

241. **Dos Santos LA, De Oliveira LC, Da Silva Rigo EC, Carrodeguas RG, Boschi AO, Fonseca de Arruda AC:** Fiber reinforced calcium phosphate cement. *Artif Organs* 2000; 24: 212-6
242. **Takezawa Y, Doi Y, Shibata S, Wakamatsu N, Kamemica H, Goto T, Ijima M, Moriwaki Y, Uno K, Kubo F, Haeuchi Y:** Self-setting apatite cement II. Hydroxyapatite as setting accelerator. *J Japan Soc Dent Mater Devices* 1987; 6: 426-31
243. **Mirtchi AA, Lemaitre J, Munting E:** Calcium phosphate cements: action of setting regulators on the properties of the β -tricalcium phosphate - monocalcium phosphate cements. *Biomaterials* 1989; 10: 634-8
244. **Bermúdez O, Boltong MG, Driessens FCM, Planell JA:** Compressive strength and diametral tensile strength of some calcium orthophosphate cements: a pilot study. *J Mater Sci Mater Med* 1993; 4: 389-93
245. **Otsuka M, Matsuda Y, Suwa Y, Fox JL, Higushi WI:** Particle size effect of metastable calcium phosphates on crushing strength of self-setting bioactive calcium phosphate cement. *Chem Pharm Bull* 1993; 41: 2055-7
246. **Yang Q, Troczynski T, Liu D:** Influence of apatite seeds on the synthesis of calcium phosphate cement. *Biomaterials* 2002; 23: 2751-60
247. **Bigi A, Bracci B, Panzavolta S:** Effect of added gelatin on the properties of calcium phosphate cement. *Biomaterials* 2004; 25: 2893-9
248. **Driessens FCM, De Maeyer EAP, Fernández E, Boltong MG, Berger G, Verbeeck RMH, Ginebra MP, Planell JA:** Amorphous calcium phosphate cements and their transformation into calcium deficient hydroxyapatite. *Bioceramics* 1996; 9: 231-4
249. **Almirall A, Ginebra MP, Planell JA:** Caracterización de un cemento de fosfato de calcio, sodio y potasio. *Terceres Jornades de Recerca en Enginyeria Biomèdica* 2002; Vic: pp. 259-63
250. **Takechi M, Miyamoto Y, Momota Y, Yuasa T, Tetsuhara S, Nagayama M, Ishikawa K:** Effects of various sterilization methods on the setting and mechanical properties of apatite cement. *J Biomed Mater Res* 2004; 69 B: 58-63
251. **Khairoun I, Boltong MG, Driessens FC, Planell JA:** Effect of calcium carbonate on clinical compliance of apatitic calcium phosphate bone cement. *J Biomed Mater Res* 1997; 38: 356-60
252. **Fernández E, Gil FJ, Best S, Ginebra MP, Driessens F, Planell JA:** The cement setting reaction in the CaHPO_4 - α - $\text{Ca}_3(\text{PO}_4)_2$ system: an X-ray diffraction study. *J Biomed Mater Res* 1998; 42: 403-6
253. **Blom EJ, Klein-Nulend J, Klein CP, Kurashina K, Van Maas MA, Burger EH:** Transforming growth factor- β 1 incorporated during setting in calcium phosphate cement stimulates bone cell differentiation *in vitro*. *J Biomed Mater Res* 2000; 50: 67-74

254. **Blom EJ, Klein-Nulend J, Wolke JG, Van Waas MA, Driessens FCM, Burger EH:** Transforming growth factor- β 1 incorporation in a calcium phosphate bone cement: material properties and release characteristics. *J Biomed Mater Res* 2002; 59: 265-72
255. **Li RH, Bouxsein ML, Blake CA, Augusta D, Kim H, Li XJ, Wozney JM, Seeherman HJ:** rhBMP-2 injected in a calcium phosphate paste (α -BSM) accelerates healing in the rabbit ulnar osteotomy model. *J Orthop Res* 2003; 21: 997-1004
256. **Khairoun L, Boltong MG, Driessens FCM, Planell JA:** Some factors controlling the injectability of calcium phosphate bone cements. *J Mater Sci Mater Med* 1998; 9: 425-8
257. **Nilsson M, Wielanek L, Wang JS, Tanner KE, Lidgren L:** Factors influencing the compressive strength of an injectable calcium sulfate-hydroxyapatite cement. *J Mater Sci Mater Med* 2003; 14: 399-404
258. **Gbureck U, Barralet JE, Spatz K, Grover LM, Thull R:** Ionic modification of calcium phosphate cement viscosity. Part I. hypodermic injection and strength improvement of apatite cement. *Biomaterials* 2004; 25: 2187-95
259. **Dickens-Venz SH, Takagi S, Chow LC, Bowen RL, Johnson AD, Dickens B:** Physical and chemical properties of resin-reinforced calcium phosphate cements. *Dent Mater* 1994; 10: 100-6
260. **Liu C, Shao H, Chen F, Zheng H:** Effects of the granularity of raw materials on the hydration and hardening process of calcium phosphate cement. *Biomaterials* 2003; 24: 4103-13
261. **Liu C, Huang Y, Chen J:** The physicochemical properties of the solidification of calcium phosphate cement. *J Biomed Mater Res* 2004; 69 B: 73-8
262. **Fernández E, Ginebra MP, Boltong MG, Driessens FCM, Ginebra J, De Maeyer EA, Verbeeck RM, Planell JA:** Kinetic study of the setting reaction of a calcium phosphate bone cement. *J Biomed Mater Res* 1996; 32: 367-74
263. **Ginebra MP, Boltong MG, Fernández E, Planell JA, Driessens FCM:** Effect of various additives and temperature on some properties of an apatitic calcium phosphate cement. *J Mater Sci Mater Med* 1995; 6: 612-6
264. **Ginebra MP, Fernández E, Driessens FCM, Boltong MG, Planell JA:** Influence of the particle size of the powder phase in the setting and hardening behaviour of a calcium phosphate cement. *Bioceramics* 1997; 10: 481-4
265. **Ginebra MP, Fernández E, Driessens FCM, Planell JA:** The effect of Na_2HPO_4 addition on the setting reaction kinetics of an α -TCP cement. *Bioceramics* 1998; 11: 243-6
266. **Fernández E, Planell JA, Best SM:** Precipitation of carbonated apatite in the cement system $\alpha\text{-Ca}_3(\text{PO}_4)_2\text{-Ca}(\text{H}_2\text{PO}_4)_2\text{-CaCO}_3$. *J Biomed Mater Res* 1999; 47: 466-71

267. **Leroux L, Hatim Z, Frèche M, Lacout JL:** Effects of various adjuvants (lactic acid, glycerol and chitosan) on the injectability of a calcium phosphate cement. *Bone* 1999; 25(Suppl 2): S31-S34
268. **Ginebra MP, Rilliard A, Fernández E, Elvira C, San Román J, Planell JA:** Mechanical and rheological improvement of a calcium phosphate cement by the addition of a polymeric drug. *J Biomed Mater Res* 2001; 57: 113-8
269. **Ratier A, Gibson IR, Best SM, Freche M, Lacout JL, Rodríguez F:** Setting characteristics and mechanical behaviour of a calcium phosphate bone cement containing tetracycline. *Biomaterials* 2001; 22: 897-901
270. **Driessens FCM, Boltong MG, De Maeyer EA, Wenz R, Nies B, Planell JA:** The Ca/P range of nanoapatitic calcium phosphate cements. *Biomaterials* 2002; 23: 4011-7
271. **Sarda S, Fernández E, Nilsson M, Balcells M, Planell JA:** Kinetic study of citric acid influence on calcium phosphate bone cements as water-reducing agent. *J Biomed Mater Res* 2002; 61: 653-9
272. **Ishikawa K, Miyamoto Y, Kon M, Nagayama M, Asaoka K:** Non decay type fast-setting calcium phosphate cement: composite with sodium alginate. *Biomaterials* 1995; 16: 527-32
273. **Miyamoto Y, Ishikawa K, Fukao H, Sawada M, Nagayama M, Kon M, Asaoka K:** *In vivo* setting behaviour of fast-setting calcium phosphate cement. *Biomaterials* 1995; 16: 855-60
274. **Takechi M, Miyamoto Y, Ishikawa K, Yuasa M, Nagayama M, Kon M, Asaoka K:** Non decay type fast-setting calcium phosphate cement: using chitosan. *J Mater Sci Mater Med* 1996; 7: 315-22
275. **Khairoun I, Driessens FCM, Boltong MG, Planell JA, Wenz R:** Addition of cohesion promoters to calcium phosphate cements. *Biomaterials* 1999; 20:393-8
276. **Sarda S, Fernández E, Llorens J, Martínez S, Nilsson M:** Rheological properties of an apatitic bone cement during initial setting. *J Mater Sci Mater Med* 2001; 12: 905-9
277. **Ginebra MP, Fernández E, Driessens FCM, Boltong M, Muntasell J, Font J, Planell JA:** The effects of temperature on the behavior of an apatitic calcium phosphate cement. *J Mater Sci Mater Med* 1995; 6: 857-60
278. **Driessens FCM, Boltong MG, De Maeyer EAP, Verbeeck RMH:** Effect of temperature and immersion on the setting of some calcium phosphate cements. *J Mater Sci Mater Med* 2000; 11: 453-7
279. **Fernández E, Gil FJ, Best S, Ginebra MP, Driessens F, Planell JA:** Improvement of the mechanical properties of new calcium phosphate bone cements in the $\text{CaHPO}_4\text{-}\alpha\text{-Ca}_3(\text{PO}_4)_2$ system: compressive strength and microstructural development. *J Biomed Mater Res* 1998; 41: 560-7
280. **Costantino PD, Friedman CD, Jones K, Chow LC, Pelzer HJ, Sisson GA:** Hydroxyapatite cement. Basic chemistry and histologic properties. *Arch Otolaryngol Head Neck Surg* 1991; 117: 379-84

281. **Shindo ML, Costantino PD, Friedman CD, Chow LC:** Facial skeletal augmentation using hydroxyapatite cement. *Arch Otolaryngol Head Neck Surg* 1993; 119:185-90
282. **Munting E, Mirtchi AA, Lemaitre J:** Bone repair of defects filled with phosphocalcic hydraulic cement: an *in vivo* study. *J Mater Sci Mater Med* 1993; 4: 337-44
283. **Constantz BR, Ison IC, Fulmer MT, Poser RD, Smith ST, Van Wagoner M, Ross J, Goldstein SA, Jupiter JB, Rosenthal DI:** Skeletal repair by *in situ* formation of the mineral phase of bone. *Science* 1995; 267: 1796-99
284. **Driessens FCM, Boltong MG, Zapatero MI, Verbeek RMA, Bonfield W, Bermúdez O, Fernández E, Ginebra MP, Planell JA:** *In vivo* behavior of three calcium phosphate cements and a magnesium phosphate cement. *J Mater Sci Mater Med* 1995; 6: 272-8
285. **Khairoun L, Boltong MG, Driessens FCM, Planell JA:** Limited compliance of some apatitic calcium phosphate bone cements with clinical requirements. *J Mater Sci Mater Med* 1998; 9: 667-71
286. **Oreffo ROC, Driessens FCM, Planell JA, Triffitt JT:** Effects of novel calcium phosphate cements on human bone marrow fibroblastic cells. *Tissue Eng* 1998; 4: 293-303
287. **Jansen JA, De Ruijter JE, Schaeken HG, Van der Waerden JPCM, Planell JA, Driessens FCM:** Evaluation of tricalciumphosphate / hydroxyapatite cement for tooth replacement: an experimental animal study. *J Mater Sci Mater Med* 1995; 6: 653-7
288. **Ooms EM, Wolke JG, Van der Waerden JP, Jansen JA:** Trabecular bone response to injectable calcium phosphate (Ca-P) cement. *J Biomed Mater Res* 2002; 61: 9-18
289. **Ooms EM, Wolke JG, Van de Heuvel MT, Jeschke B, Jansen JA:** Histological evaluation of the bone response to calcium phosphate cement implanted in cortical bone. *Biomaterials* 2003; 24: 989-1000
290. **Hamanishi C, Kitamoto K, Ohura K, Tanaka S, Doi Y:** Self-setting, bioactive and biodegradable TTCP-DCPD apatite cement. *J Biomed Mater Res* 1996; 32: 383-9
291. **Ohura K, Böhner M, Hardouin P, Lemaitre J, Pasquier G, Flautre B:** Resorption of, and bone formation from, new β -tricalcium phosphate - monocalcium phosphate cements: an *in vivo* study. *J Biomed Mater Res* 1996; 30: 193-200
292. **Constantz BR, Barr BM, Ison IC, Fulmer MT, Baker J, McKinney L, Goodman SB, Gunasekaran S, Delaney DC, Ross J, Poser RD:** Histological, chemical, and crystallographic analysis of four calcium phosphate cements in different rabbit osseous sites. *J Biomed Mater Res* 1998; 43: 451-61
293. **Frankenburg EP, Goldstein SA, Bauer TW, Harris SA, Poser RD:** Biomechanical and histological evaluation of a calcium phosphate cement. *J Bone Joint Surg* 1998; 80 A: 1112-24

294. **Oreffo ROC, Driessens FCM, Planell JA, Triffitt JT:** Growth and differentiation of human bone marrow osteoprogenitors on novel calcium phosphate cements. *Biomaterials* 1998; 19: 1845-54
295. **Frayssinet P, Gineste L, Conte P, Fages J, Rouquet N:** Short-term implantation effects of a DCPD-based calcium phosphate cement. *Biomaterials* 1998; 19: 971-7
296. **Yuan H, Li Y, De Bruijn JD, De Groot K, Zhang X:** Tissue responses of calcium phosphate cement: a study in dogs. *Biomaterials* 2000; 21: 1283-90
297. **Ishikawa K, Takagi S, Chow LC, Ishikawa Y, Eanes ED, Asaoka K:** Behavior of a calcium phosphate cement in simulated blood plasma *in vitro*. *Dent Mater* 1994; 10: 26-32
298. **Yoshimine Y, Sumi M, Isobe R, Anan H, Maeda K:** *In vitro* interaction between tetracalcium phosphate-based cement and calvarial osteogenic cells. *Biomaterials* 1996; 17: 2241-5
299. **Miyamoto Y, Ishikawa K, Takechi M, Toh T, Yoshida Y, Nagayama M, Kon M, Asaoka K:** Tissue response to fast-setting calcium phosphate cement in bone. *J Biomed Mater Res* 1997; 37: 457-64
300. **Kurashina K, Kurita H, Hirano M, Kotani A, Klein CPAT, De Groot K:** *In vivo* study of calcium phosphate cements: implantation of an α tricalcium phosphate / dicalcium phosphate dibasic / tetracalcium phosphate monoxide cement paste. *Biomaterials* 1997; 18: 539-43
301. **Miyamoto Y, Ishikawa K, Takechi M, Toh T, Yuasa T, Nagayama M, Suzuki K:** Histological and compositional evaluations of three types of calcium phosphate cements when implanted in subcutaneous tissue immediately after mixing. *J Biomed Mater Res* 1999; 48: 36-42
302. **Ingham E, Green TR, Stone MH, Kowalski R, Watkins N, Fisher J:** Production of TNF- α and bone resorbing activity by macrophages in response to different types of bone cement particles. *Biomaterials* 2000; 21: 1005-13
303. **Pioletti DP, Takei H, Lin T, Van Landuyt P, Ma QJ, Kwon SY, Sung KL:** The effects of calcium phosphate cement particles on osteoblast functions. *Biomaterials* 2000; 21: 1103-14
304. **Knabe C, Driessens FCM, Planell JA, Gildenhaar R, Berger G, Reif D, Fitzner R, Radlanski RJ, Gross U:** Evaluation of calcium phosphates and experimental calcium phosphate bone cements using osteogenic cultures. *J Biomed Mater Res* 2000; 52: 498-508
305. **Khairoun I, Magne D, Gauthier O, Boulter JM, Aguado E, Daculsi G, Weiss P:** *In vitro* characterization and *in vivo* properties of a carbonated apatite bone cement. *J Biomed Mater Res* 2002; 60: 633-42
306. **Ooms EM, Egglezos EA, Wolke JGC, Jansen JA:** Soft-tissue response to injectable calcium phosphate cements. *Biomaterials* 2003; 24: 749-57

307. **Ehara A, Ogata K, Imazato S, Ebisu S, Nakano T, Umakoshi Y:** Effects of α -TCP and TetCP on MC3T3-E1 proliferation, differentiation and mineralization. *Biomaterials* 2003; 24: 831-6
308. **Hong YC, Wang JT, Hong CY, Brown WE, Chow LC:** The periapical tissue reactions to calcium phosphate cement in the teeth of monkeys. *J Biomed Mater Res* 1991; 25: 485-98
309. **Costantino PD, Friedman CD, Jones K, Chow LC, Sisson GA:** Experimental hydroxyapatite cement cranioplasty. *Plast Reconstr Surg* 1992; 90: 174-85
310. **Fujikawa K, Sugawara A, Murai S, Nishiyama M, Takagi S, Chow LC:** Histopatological reaction of calcium phosphate cement in periodontal bone defect. *Dent Mater J* 1995; 14: 45-57
311. **Kurashina K, Kurita H, Kotani A, Takeuchi H, Hirano M:** *In vivo* study of calcium phosphate cement consisting of α tricalcium phosphate / dicalcium phosphate dibasic / tetracalcium phosphate monoxide. *Biomaterials* 1997; 18: 147-51
312. **Kurashina K, Kurita H, Kotani A, Kobayashi S, Kyoshima K, Hirano M:** Experimental cranioplasty and skeletal augmentation using an α -tricalcium phosphate / dicalcium phosphate dibasic / tetracalcium phosphate monoxide cement: a preliminary short-term experiment in rabbits. *Biomaterials* 1998; 19: 701-6
313. **Yamamoto H, Niwa S, Hori M, Hattori H, Sawai K, Aoki S, Hirano M, Takeuchi H:** Mechanical strength of calcium phosphate cement *in vivo* and *in vitro*. *Biomaterials* 1998; 19: 1587-91
314. **Ikenaga M, Hardouin P, Lemaitre J, Andrianjatovo H, Flautre B:** Biomechanical characterization of a biodegradable calcium phosphate hydraulic cement: a comparison with porous biphasic calcium phosphate ceramics. *J Biomed Mater Res* 1998; 40: 139-44
315. **Flautre B, Delecourt C, Blary MC, Van Landuyt P, Lemaitre J, Hardouin P:** Volume effect on biological properties of a calcium phosphate hydraulic cement: experimental study in sheep. *Bone* 1999; 25(Suppl 2):S35-S39
316. **Lu JX, About I, Stephan G, Van Landuyt P, Dejoux J, Fiocchi M, Lemaitre J, Proust JP:** Histological and biomechanical studies of two bone colonizable cements in rabbits. *Bone* 1999; 25(Suppl 2): S41-S45
317. **Bohner M, Theiss F, Apelt D, Hirsiger W, Houriet R, Rizzoli G, Gnos E, Frei C, Auer JA, Von Rechenberg B:** Compositional changes of a dicalcium phosphate dihydrate cement after implantation in sheep. *Biomaterials* 2003; 24: 3463-74
318. **Hoshikawa A, Fukui N, Fukuda A, Sawamura T, Hattori M, Nakamura K, Oda H:** Quantitative analysis of the resorption and osteoconduction process of a calcium phosphate cement and its mechanical effect for screw fixation. *Biomaterials* 2003; 24: 4967-75

319. **Ooms EM, Wolke JGC, Van der Waerden JPCM, Jansen JA:** Use of injectable calcium-phosphate cement for the fixation of titanium implants: an experimental study in goats. *J Biomed Mater Res* 2003; 66 B: 447-456
320. **Apelt D, Theiss F, El-Warrak AO, Zlinszky K, Bettschart-Wolfisberger R, Bohner M, Matter S, Auer JA, Von Rechenberg B:** *In vivo* behavior of three different injectable hydraulic calcium phosphate cements. *Biomaterials* 2004; 25: 1439-51
321. **Otsuka M, Matsuda Y, Yu D, Wong J, Fox JL, Higuchi WI:** A novel skeletal drug delivery system for anti-bacterial drugs using self-setting hydroxyapatite cement. *Chem Pharm Bull* 1990; 38: 3500-2
322. **Hamanishi C, Kitamoto K, Tanaka S, Otsuka M, Doi Y, Kitahashi T:** A self-setting TTCP-DCPD apatite cement for release of vancomycin. *J Biomed Mater Res* 1996; 33: 139-43
323. **Bohner M, Lemaitre J, Van Landuyt P, Zambelli PY, Merkle HP, Gander B:** Gentamicin-loaded hydraulic calcium phosphate bone cement as antibiotic delivery system. *J Pharm Sci* 1997; 86: 565-72
324. **Sasaki S, Ishii Y:** Apatite cement containing antibiotics: efficacy in treating experimental osteomyelitis. *J Orthop Sci* 1999; 4:361-9
325. **Stankewich CJ, Swiontkowski MF, Tencer AF, Yetkinler DN, Poser RD:** Augmentation of femoral neck fracture fixation with an injectable calcium-phosphate bone mineral cement. *J Orthop Res* 1996; 14: 786-93
326. **Mermelstein LE, Chow LC, Friedman C, Crisco JJ:** The reinforcement of cancellous bone screws with calcium phosphate cement. *J Orthop Trauma* 1996; 10: 15-20
327. **Moore DC, Frankenburg EP, Goulet JA, Goldstein SA:** Hip screw augmentation with an *in situ*-setting calcium phosphate cement: an *in vitro* biomechanical analysis. *J Orthop Trauma* 1997; 11: 577-83
328. **Yetkinler DN, Ladd AL, Poser RD, Constantz BR, Carter D:** Biomechanical evaluation of fixation of intra-articular fractures of the distal part of the radius in cadavera: Kirschner wires compared with calcium-phosphate bone cement. *J Bone Joint Surg* 1999; 81 A: 391-9
329. **Higgins TF, Dodds SD, Wolfe SW:** A biomechanical analysis of fixation of intra-articular distal radial fractures with calcium-phosphate bone cement. *J Bone Joint Surg* 2002; 84 A: 1579-86
330. **Kopylov P, Jonsson K, Thorngren KG, Aspenberg P:** Injectable calcium phosphate in the treatment of distal radial fractures. *J Hand Surg* 1996; 21: 768-71
331. **Bai B, Jazrawi LM, Kummer FJ, Spivak JM:** The use of an injectable, biodegradable calcium phosphate bone substitute for the prophylactic augmentation of osteoporotic vertebrae and the management of vertebral compression fractures. *Spine* 1999; 24: 1521-6

332. **Sánchez-Sotelo J, Munuera L, Madero R:** Treatment of the distal radius with a remodelable bone cement: a prospective, randomised study using Norian SRS. *J Bone Joint Surg* 2000; 82 B: 856-63
333. **Kamano M, Honda Y, Kazuki K, Yasudab M:** Palmar plating with calcium phosphate bone cement for unstable Colles fractures. *Clin Orthop* 2003; 416: 285-90
334. **Cassidy C, Jupiter JB, Cohen M, Delli-Santi M, Fennell C, Leinberry C, Husband J, Ladd A, Seitz WR, Constanz B:** Norian SRS cement compared with conventional fixation in distal radial fractures. A randomized study. *J Bone Joint Surg* 2003; 85 A: 2127-37
335. **Keating JF, Hajducka CL, Harper J:** Minimal internal fixation and calcium-phosphate cement in the treatment of fractures of the tibial plateau. A pilot study. *J Bone Joint Surg* 2003; 85 B: 68-73
336. **Nishikawa S, Toh S, Tsukahara S, Takahashi I:** Endoscopic treatment of delayed unions and nonunions with calcium phosphate paste. *Arthroscopy* 2003; 19: 436-9
337. **Hench LL, Paschall HA:** Direct chemical bond of bioactive glass-ceramic materials to bone and muscle. *J Biomed Mater Res* 1973; 7: 25-42
338. **Hench LL, Paschall HA:** Histochemical responses at a biomaterial's interface. *J Biomed Mater Res* 1974; 8: 49-64
339. **Hench LL, Wilson J:** Surface-active biomaterials. *Science* 1984; 226: 630-6
340. **Wheeler DL, Stokes KE, Park HM, Hollinger JO:** Evaluation of particulate Bioglass in a rabbit radius osteotomy model. *J Biomed Mater Res* 1997; 35: 249-54
341. **Oonishi H, Kushitani S, Yasukawa E, Iwaki H, Hench LL, Wilson J, Tsuji E, Sugihara T:** Particulate Bioglass compared with hydroxyapatite as a bone graft substitute. *Clin Orthop* 1997; 334: 316-25
342. **Wang CX, Chen ZQ, Wang M:** Fabrication and characterization of bioactive glass coating produced by the ion beam sputter deposition technique. *J Mater Sci Mater Med* 2002; 13: 247-51
343. **Domínguez ZR, Cortés ME, Gomes TA, Diniz HF, Freitas CS, Gomes JB, Faria AMC, Sinisterra RD:** Bioactive glass as a drug delivery system of tetracycline and tetracycline associated with β -Cyclodextrin. *Biomaterials* 2004; 25: 327-33
344. **Vallet-Regí M, Izquierdo-Barba I, Salinas AJ:** Influence of P_2O_5 on crystallinity of apatite formed *in vitro* on surface of bioactive glasses. *J Biomed Mater Res* 1999; 46: 560-5
345. **Andersson OH, Kangasniemi I:** Calcium phosphate formation at the surface of bioactive glass *in vitro*. *J Biomed Mater Res* 1991; 25: 1019-30
346. **Silver I, Deas J, Erecinska M:** Interactions of bioactive glasses with osteoblasts *in vitro*: effects of 45S5 Bioglass and 58S and 77S bioactive glasses on metabolism, intracellular ion concentrations and cell viability. *Biomaterials* 2001; 22: 175-85

347. **Ogino M, Hench LL:** Formation of calcium phosphate films on silicate glasses. *J Non-Cryst Solids*. 1980; 38-39: 673-8
348. **Kokubo T, Kim H, Kawashita M:** Novel bioactive materials with different mechanical properties. *Biomaterials* 2003; 24: 2161-75
349. **Brow RK:** Review: the structure of simple phosphate glasses. *J Non-Cryst Solids* 2000; 263-264: 1-28
350. **Van Wazer JR:** *Phosphorous and its compounds*, Vol. I: Chemistry. 1958; New York; Rds. Interscience Publisher, Inc.
351. **Burnie J, Gilchrist T, Duff SRI, Drake CF, Harding NGL, Malcolm AJ:** Controlled release glasses (C.R.G.) for biomedical uses. *Biomaterials* 1981; 2: 244-6
352. **Franks K, Abrahams I, Knowles JC:** Development of soluble glasses for biomedical use. Part I: *In vitro* solubility measurement. *J Mater Sci Mater Med* 2000; 11: 609-614
353. **Salih V, Franks K, James M, Hastings GW, Knowles JC, Olsen I:** Development of soluble glasses for biomedical use. Part II: The biological response of human osteoblast cell lines to phosphate-based soluble glasses. *J Mater Sci Mater Med* 2000; 11: 615-20
354. **Clément J, Ekeberg L, Martínez S, Ginebra MP, Gil FJ, Planell JA:** Influence of the chemical composition on the mechanical properties and *in vitro* solubility of phosphate glasses in the system P_2O_5 -CaO- Na_2O . *Bioceramics* 1998; 11: 141-4
355. **Shaw CM, Shelby JE:** The effects of stannous oxide on the properties of stannous fluorophosphate glasses. *Phys Chem Glasses* 1988; 29: 87
356. **Sales BC, Boatner LA:** Physical and chemical characteristics of lead - iron phosphate nuclear waste glasses. *J Non-Cryst Solids* 1986; 79: 83-116
357. **Loong CK, Suzuya K, Price DL, Sales BC, Boatner LA:** Structure and dynamics of phosphate glasses: from ultra to orthophosphate composition. *Physica B* 1998; 241-243: 890
358. **Vogel J, Wange P, Hartmann P:** Phosphate glasses and glass-ceramics for medical applications. *Glass Tech Ver Glass Sci Tech* 1997; 70: 220-3
359. **McKenzie JD:** General aspects of the vitreous state. In *Modern aspects of the vitreous state* 1960; London; Eds. J.D. McKenzie, Butterworths
360. **Martin AW:** Review of the structures of phosphate glasses. *Eur J Solid State Inorg Chemistry* 1991; 28: 163-205
361. **Chen WS, Monroe EA:** Phosphate glass cement bone graft. *Biomaterials* 1991; 12: 561-4
362. **Georgiou G, Knowles JC:** Glass reinforced hydroxyapatite for hard tissue surgery. Part I: mechanical properties. *Biomaterials* 2001; 22: 2811-5

363. **Salih V, Georgiou G, Knowles JC, Olsen I:** Glass reinforced hydroxyapatite for hard tissue surgery-Part II: *in vitro* evaluation of bone cell growth and function. ***Biomaterials*** 2001; 22:2817-24
364. **Brow RK, Tallant DR, Hidgens JJ, Martin SW, Irwin AD:** The short range structure of sodium ultraphosphate glasses. ***J Non-Cryst Solids*** 1994; 177: 221-8
365. **Delahaye F, Montagne L, Palavit G, Touray JC, Baillif P:** Acid dissolution of sodium-calcium metaphosphate glasses. ***J Non-Cryst Solids*** 1998; 242: 25-32
366. **Kasuga T, Sawada M, Nogami M, Abe Y:** Bioactive ceramics prepared by sintering and crystallization of calcium phosphate invert glasses. ***Biomaterials*** 1999; 20: 1415-20
367. **Kasuga T, Hosoi Y, Nogami M, Niinomi M:** Apatite formation on calcium phosphate invert glasses in simulated body fluid. ***J Am Ceram Soc*** 2001; 84: 450-2
368. **Navarro M, Clément J, Ginebra MP, Ávila G, Martínez S, Planell JA:** Desarrollo de biovidrios solubles para aplicaciones biomédicas. ***Terceres Jornades de Recerca en Enginyeria Biomèdica*** 2002; Vic: pp 231-6
369. **Clément J, Manero JM, Planell JA, Ávila G, Martínez S:** Analysis of the structural changes of a phosphate glass during its dissolution in simulated body fluid. ***J Mater Sci Mater Med*** 1999; 10: 729-32
370. **Nagase M, Abe Y, Chigira M, Udagawa F:** Toxicity of silica-containing calcium phosphate glasses demonstrated in mice. ***Biomaterials*** 1992; 13: 172-5
371. **Bunker BC, Arnold G, Wilder J:** Phosphate glass dissolution in aqueous solutions. ***J Non - Cryst Solids*** 1984; 64: 291-316
372. **Clément J, Bjelkemyr A, Martínez S, Fernández E, Ginebra MP, Planell JA:** Analysis of the kinetics of dissolution and the evolution of the mechanical properties of a phosphate glasses stored in simulated body fluid. ***Bioceramics*** 1999; 12: 375-8
373. **Yunfei L, Yan Z, Weiwei H, Kunquan L, Yaqin Z:** Structural study of iron in phosphate glasses. ***J Non- Cryst Solids*** 1989; 112: 136-41
374. **Lin ST, Krebs SL, Kadiyala S, Leong KW, LaCourse WC, Kumar B:** Development of bioabsorbable glass fibres. ***Biomaterials*** 1994; 15: 1057-61
375. **Yu X, Day DE, Long GJ, Brow RK:** Properties and structure of sodium-iron phosphate glasses. ***J Non-Cryst Solids*** 1997; 215: 21-31
376. **Clément J, Ávila G, Navarro M, Martínez S, Ginebra MP, Planell JA:** Chemical durability and mechanical properties of calcium phosphate glasses with the addition of Fe₂O₃, TiO₂ and ZnO. ***Bioceramics*** 2000; 13: 621-4
377. **Franks K, Abrahams I, Georgiou G, Knowles JC:** Investigation of thermal parameters and crystallization in a ternary CaO-Na₂O-P₂O₅ - based glass system. ***Biomaterials*** 2001; 22: 497-501

378. **Franks K, Salih V, Knowles JC, Olsen I:** The effect of MgO on the solubility behavior and cell proliferation in a quaternary soluble phosphate based glass system. *J Mater Sci Mater Med* 2002; 13: 549-56
379. **Navarro M, Clément J, Ginebra MP, Martínez S, Ávila G, Planell JA:** Improvement of the stability and mechanical properties of resorbable phosphate glasses by the addition of TiO₂. *Bioceramics* 2002; 14: 275-8
380. **Clément J, Torres P, Gil FJ, Planell JA, Terradas R, Martínez S:** Evaluation by Vickers indentation of fracture toughness of a phosphate biodegradable glass. *J Mater Sci Mater Med* 1999; 10: 437-41
381. **Gil-Albarova J, Montón I, Clément J, Castiella T, Esteva F, Planell JA, Herrera A:** Desarrollo experimental de nuevos materiales biodegradables para la reparación ósea. Implantación subcutánea en conejos. *Mapfre Medicina* 2002; 13: 252-7
382. **Kokubo T, Kushitani H, Sakka S:** Solutions able to reproduce *in vivo* surface-structure changes in bioactive glass-ceramic A-W. *J Biomed Mater Res* 1990; 24: 721-34
383. **Sheridan R, Doherty PJ, Gilchrist T, Healy DM:** The effect of antibacterial agents on the behaviour of cultured mammalian fibroblasts. *J Mater Sci Mater Med* 1995; 6: 853-7
384. **Cartmell SH, Doherty PJ, Hunt JA, Healy DM, Gilchrist T:** Soft tissue response to glycerol-suspended controlled-release glass particulate. *J Mater Sci Mater Med* 1998; 9: 773-7
385. **Cartmell SH, Doherty PJ, Rhodes NP, Hunt JA, Healy DM, Gilchrist T:** Haemocompatibility of controlled release glass. *J Mater Sci Mater Med* 1998; 9: 1-7
386. **Bitar M, Salih V, Mudera V, Knowles JC, Lewis MP:** Soluble phosphate glasses: *in vitro* studies using human cells of hard and soft tissue origin. *Biomaterials* 2004; 25: 2283-92
387. **Uo M, Mizuno M, Kuboki Y, Makishima A, Watari F:** Properties and cytotoxicity of water soluble Na₂O-CaO-P₂O₅ glasses. *Biomaterials* 1998; 19: 2277-84
388. **Kesisoglou A, Knowles JC, Olsen I:** Effects of phosphate-based glasses on T lymphocytes *in vitro*. *J Mater Sci Mater Med* 2002; 13: 1189-92
389. **Ahmed I, Lewis M, Olsen I, Knowles JC:** Phosphate glasses for tissue engineering: Part 1. Processing and characterization of a ternary-based P₂O₅-CaO-Na₂O glass system. *Biomaterials* 2004; 25: 491-9
390. **Ahmed I, Lewis M, Olsen I, Knowles JC:** Phosphate glasses for tissue engineering: Part 2. Processing and characterization of a ternary - based P₂O₅-CaO-Na₂O glass fibre system. *Biomaterials* 2004; 25: 501-7
391. **Navarro M, Ginebra MP, Clément J, Martínez S, Ávila G, Planell JA:** Physicochemical degradation of titania-stabilized soluble phosphate glasses for medical applications. *J Am Ceram Soc* 2003; 86: 1345-52

392. **Boden SD, Schimandle J, Hutton W:** An experimental lumbar intertransverse process spinal fusion model. Radiographic, histologic, and biomechanical healing characteristics. *Spine* 1995; 20: 412-20
393. **Weiland AJ, Phillips TW, Randolph MA:** Bone grafts: a radiologic, histologic and biomechanical model comparing autografts, allografts and free vascularized bone grafts. *Plast Reconstr Surg* 1984; 74: 368-79
394. **Goldberg VM, Powell A, Shaffer JW, Zika J, Bos GD, Heiple KG:** Bone grafting: role of hiscompatibility in transplantation. *J Orthop Res* 1985; 3: 389-404
395. **Lane JM, Sandhu HS:** Current approaches to experimental bone grafting. *Orthop Clin North Am* 1987; 18: 213-25
396. **Serrano S, Mariñoso ML:** Histomorfometría ósea. En: *Patología ósea metabólica*. Serrano S, Aubia J, Mariñoso ML. Barcelona: Doyma. 1990; 71-89
397. **Van Meekeren J:** *Heel en geneeskonstige aanmerkingen*. Commelijjn 1668; Amsterdam
398. **Von Walter P:** Wiedereinheilung der bei der trapanation ausgebohrten knochenscheibe. *J Chir Augen-Heilkunde* 1821; 2: 571
399. **Ollier L:** *Traité experimental et clinique de la régénération del' os*. Paris: Victor Masson et Fils; 1867
400. **McEwen W:** Observations concerning transplantation on bone. Illustrated by a case of inter-human osseus transplantation, whereby over two-thirds of the shaft of the humerus was restored. London. *Proceedings of the Royal Society of London*. 1881; 32: 232-47
401. **Barth A:** Über histologische befunde nach knochen-implantationen. *Arch Klin Chir* 1883; 46: 409-35
402. **Curtis BF:** Cases of bone implantation and transplantation for cyst of tibia, osteomyelitic cavities and ununited fractures. *Am J Med Sci* 1893; 106: 30-43
403. **Huntington TW:** Case of bone transference: Use of a segment of fibula to supply a defect in the tibia. *Ann Surg* 1905; 41: 249-51
404. **Buchmann PI:** Treatment of elbow ankylosis by means of transplantation of the entire joint. *Zentralbl Chir* 1908; 19: 582-4
405. **Phemister DB:** The fate of transplanted bone and regenerative power of its various constituents. *Surg Gynecol Obstet* 1914; 19: 303-33
406. **Albee FH:** *Bone-Graft Surgery*. Philadelphia: W. B. Saunders; 1915
407. **Lexer E:** Joint transplantation and arthroplasty. *Surg Gynecol Obstet* 1925; 40: 782-809
408. **Inclán A:** The use of preserved bone graft in orthopaedic surgery. *J Bone Joint Surg* 1942; 24 A: 81-97
409. **Wilson PD:** Experiences with a bone bank. *Ann Surg* 1947; 40: 932-45
410. **Sanchiz Olmos V:** El banco de huesos del Hospital Provincial de Madrid. *Acta Ortop Traum* 1953; 1: 3-15

411. **Narváez S:** Banco de huesos. *Rev Chil Ortop Traum* 1953; 1: 17-21
412. **Bonfiglio M, Jeter WS, Smith CL:** The immune concept. Its relation to bone transplantation. *Ann NY Acad Sci* 1955; 59: 417-38
413. **Burwell RG:** Studies in the transplantation of bone. VI. Further observations concerning the antigenicity of homologous cortical and cancellous bone. *J Bone Joint Surg* 1963; 45 B: 597-612
414. **Ottolenghi CE:** Massive osteoarticular bone grafts. *J Bone Joint Surg* 1966; 48 B: 646-59
415. **Volkov M:** Allotransplantation of joints. *J Bone Joint Surg* 1970; 52 B: 49-53
416. **Ooms EM, Verdonschot N, Wolke JGC, Van de Wijdeven W, Willems MMM, Schoenmaker MFT, Jansen JA:** Enhancement of initial stability of press-fit femoral stems using injectable calcium phosphosphate cement: an *in vitro* study in dog bones. *Biomaterials* 2004; 25: 3887-94
417. **Navarro M, Del Valle S, Martínez S, Zeppetelli S, Ambrosio L, Planell JA, Ginebra MP:** New macroporous calcium phosphate glass ceramic for guided bone regeneration. *Biomaterials* 2004; 25: 4233-41

 **Edgardo S. Sanzana**
Firma no verificada

Firmado digitalmente por Edgardo S. Sanzana
Número de reconocimiento (DN): cn=Edgardo S. Sanzana, o=Department of Surgery, ou=University of Concepcion, c=CL
Fecha: 2004.09.11 20:11:50 -04'00'