

**UNIVERSITAT DE BARCELONA**

**FACULTAT DE FARMÀCIA**

**DEPARTAMENT DE NUTRICIÓ I BROMATOLOGIA**

**Estudios de estabilidad en preparados  
de base láctea suplementados con  
diferentes fuentes de ácidos grasos  
poliinsaturados de cadena larga.**

**Jorge Luis Chávez-Servín, 2007**



## VII. BIBLIOGRAFÍA



## VII. BIBLIOGRAFÍA

- 2006/141/CE. (2006). Directiva 2006/141/CE de la Comisión de 22 de diciembre de 2006 relativa a los preparados para lactantes y preparados de continuación y por la que se modifica la Directiva 1999/21/CE. L 401, 1-33.
- 96/4/CE. (1996). Directiva 96/4/CE de la Comisión, de 16 de febrero de 1996, por la que se modifica la directiva 91/321/CEE relativa a los preparados para lactantes y preparados de continuación. DOUE n. 49 de 28/02/1996, 12-16.
- Abidi, S. L. and Mounts, T. L. (1996). Normal phase high-performance liquid chromatography of tocopherols on polar phases. *Journal of Liquid Chromatography & Related Technologies*, 19(4), 509-520.
- Agostoni, C., Marangoni, F., Bernardo, L., Lammardo, A. M., Galli, C., & Riva, E. (1999). Long-chain polyunsaturated fatty acids in human milk. *Acta Paediatrica*, 88, 68-71.
- Albalá-Hurtado, S., Bover-Cid, S., Izquierdo-Pulido, M., Veciana-Nogues, M. T., & Vidal-Carou, M. C. (1997a). Determination of available lysine in infant milk formulae by high-performance liquid chromatography. *Journal of Chromatography A*, 778(1-2), 235-241.
- Albalá-Hurtado, S., Veciana-Nogues, M. T., Izquierdo-Pulido, M., & Vidal-Carou, M. C. (1997b). Determination of free and total furfural compounds in infant milk formulas by high-performance liquid chromatography. *Journal of Agricultural and Food Chemistry*, 45(6), 2128-2133.
- Albalá-Hurtado, S., Veciana-Nogues, M. T., Marine-Font, A., & Vidal-Carou, M. C. (1998). Changes in furfural compounds during storage of infant milks. *Journal of Agricultural and Food Chemistry*, 46(8), 2998-3003.
- Alessandri, J. M., Goustard, B., Guesnet, P., & Durand, A. (1998). Docosahexaenoic acid concentrations in retinal phospholipids of piglets fed an infant formula enriched with long-chain polyunsaturated fatty acids: effects of egg phospholipids and fish oils with different ratios of eicosapentaenoic acid to docosahexaenoic acid. *American Journal of Clinical Nutrition*, 67(3), 377-385.
- Amano, N., Shinmen, Y., Akimoto, K., Kawashima, H., Amachi, T., Shimizu, S., & Yamada, H. (1992). Chemotaxonomic Significance of Fatty-Acid Composition in the Genus *Mortierella* (Zygomycetes, Mortierellaceae). *Mycotaxon*, 44(2), 257-265.
- Andrews, G. R. (1986). Formation and Occurrence of Lactulose in Heated Milk. *Journal of Dairy Research*, 53(4), 665-680.
- Andrikopoulos, N. K., Brueschweiler, H., Felber, H., & Taeschler, C. (1991). Hplc Analysis of Phenolic Antioxidants, Tocopherols and Triglycerides. *Journal of the American Oil Chemists Society*, 68(6), 359-364.

- Anonymous. (1976). Commentary on Breast-Feeding and Infant Formulas, Including Proposed Standards for Formulas. *Pediatrics*, 57(2), 278-285.
- Arnoldi, A., Resta, D., Brambilla, F., Boschini, G., D'Agostina, A., Sirtori, E., & O'Kane, F. (2007). Parameters for the evaluation of the thermal damage and nutraceutical potential of lupin-based ingredients and food products. *Molecular Nutrition & Food Research*, 51(4), 431-436.
- Arterburn, L. M., Boswell, K. D., Henwood, S. M., & Kyle, D. J. (2000). A developmental safety study in rats using DHA- and ARA-rich single-cell oils. *Food and Chemical Toxicology*, 38(9), 763-771.
- Badui, S. (1999). Química de los Alimentos. Editorial el Manual Moderno, S.A. de C.V. México, D.F.
- Baker, S. K. (1983). The Keeping Quality of Refrigerated Pasteurized Milk. *Australian Journal of Dairy Technology*, 38(3), 124-127.
- Ballabio, C., Bertino, E., Coscia, A., Fabris, C., Fuggetta, D., Molfino, S., Testa, T., Sgarrella, M. C., Sabatino, G., & Restani, P. (2007). Immunoglobulin-A profile in breast milk from mothers delivering full term and preterm infants. *International Journal of Immunopathology and Pharmacology*, 20(1), 119-128.
- Ballabriga, A. and Martinez, M. (1978). Chemical Study on Development of Human Forebrain and Cerebellum During Brain Growth Spurt Period .2. Phosphoglyceride Fatty-Acids. *Brain Research*, 159(2), 363-370.
- Balz, M. K., Schulte, E., & Thier, H. P. (1993). Simultaneous Determination of Alpha-Tocopheryl Acetate, Tocopherols and Tocotrienols by HPLC with Fluorescence Detection in Foods. *Fett Wissenschaft Technologie-Fat Science Technology*, 95(6), 215-220.
- Bassette, R. and Jeon, I. J. (1983). Effect of Process-Times and Storage-Times and Temperatures on Concentrations of Volatile Materials in Ultra-High-Temperature Steam Infusion Processed Milk. *Journal of Food Protection*, 46(11), 950-953.
- Bazaraa, W. A. and Hassan, E. E. (1996). Response surface optimization for the continuous glucose isomerization process. *Journal of Industrial Microbiology*, 17(2), 100-103.
- Bell, E. F. (1989). Upper limit of vitamin E in infant formulas. *J Nutr.*, 119(12 Suppl), 1829-1831.
- Bell, E. F. (1987). History of vitamin E in infant nutrition. *Am.J Clin.Nutr.*, 46(1 Suppl), 183-186.
- Belloque, J., Villamiel, M., Lopez-Fandino, R., & Olano, A. (2001). Release of galactose and N-acetylglucosamine during the storage of UHT milk. *Food Chemistry*, 72(4), 407-412.

- Billeaud, C., Bougle, D., Sarda, P., Combe, N., Mazette, S., Babin, F., Entressangles, B., Descomps, B., Nouvelot, A., & Mendy, F. (1997). Effects of preterm infant formula supplementation with alpha-linolenic acid with a linolete/alpha-linolenate ratio of 6: a multicentric study. *European Journal of Clinical Nutrition*, 51(8), 520-526.
- Blake, C. J. (2005). Committee on food nutrition - Fat-soluble vitamins. *Journal of AOAC International*, 88(1), 325-329.
- Blake, C. J. (2004). Committee on food nutrition. *Journal of AOAC International*, 87(1), 285-286.
- Bondia-Pons, I., Castellote, A. I., & López-Sabater, M. C. (2004). Comparison of conventional and fast gas chromatography in human plasma fatty acid determination. *Journal of Chromatography B*, 809(2), 339-344.
- Brands, C. M. J. and van Boekel, M. A. J. S. (2001). Reactions of monosaccharides during heating of sugar-casein systems: Building of a reaction network model. *Journal of Agricultural and Food Chemistry*, 49(10), 4667-4675.
- Brigelius-Flohe, R. (2006). Bioactivity of vitamin E. *Nutrition Research Reviews*, 19(2), 174-186.
- Brin, M. and Bauernfeind, J. C. (1978). Nutrition Needs of Elderly .4. Vitamin Needs of Elderly. *Postgraduate Medicine*, 63(3), 155-163.
- Cadwallader, K. R. and Howard, C. L. (1997). Analysis of aroma-active components in light-activated milk. *Abstracts of Papers of the American Chemical Society*, 214, 44-AGFD.
- Canfield, L. M., Taren, D. L., Neilson, E., deKaminsky, R., & Zavala, G. (1995). Beta-Carotene in Human-Milk Provides Vitamin-A for the Breast-Fed Infant. *Faseb Journal*, 9(3), A85.
- Carlson, S. E. (2000). Behavioral methods used in the study of long-chain polyunsaturated fatty acid nutrition in primate infants. *The American Journal Of Clinical Nutrition*, 71(1), 268S-274S.
- Carpenter, KJ. (1960). The estimation of the available lysine in animal-protein foods. *The Biochemical Journal*, 77, 604-610.
- Casterline, J. L., Oles, C. J., & Ku, Y. O. (1999). Measurement of sugars and starches in foods by a modification of the AOAC total dietary fiber method. *Journal of AOAC International*, 82(3), 759-765.
- Cataldi, T. R. I., Campa, C., & De Benedetto, G. E. (2000). Carbohydrate analysis by high-performance anion-exchange chromatography with pulsed amperometric detection: The potential is still growing. *Fresenius Journal of Analytical Chemistry*, 368(8), 739-758.

- Certik, M. and Shimizu, S. (1999). Biosynthesis and regulation of microbial polyunsaturated fatty acid production. *Journal of Bioscience and Bioengineering*, 87(1), 1-14.
- Chase, G. W., Akoh, C. C., & Eitenmiller, R. R. (1994). Analysis Of Tocopherols in Vegetable-Oils by High-Performance Liquid-Chromatography - Comparison of Fluorescence and Evaporative Light-Scattering Detection. *Journal of the American Oil Chemists Society*, 71(8), 877-880.
- Chase, G. W., Eitenmiller, R. R., & Long, A. R. (1997). Liquid chromatographic analysis of all-rac-alpha-tocopheryl acetate, tocopherols, and retinyl palmitate in SRM 1846. *Journal of Liquid Chromatography & Related Technologies*, 20(20), 3317-3327.
- Chase, G. W. and Long, A. R. (1998a). Liquid chromatographic method for analysis of all-rac-alpha-tocopheryl acetate and retinyl palmitate in milk-based infant formula using matrix solid-phase dispersion. *Journal of AOAC International*, 81(3), 582-586.
- Chase, G. W., Long, A. R., & Eitenmiller, R. R. (1998b). Liquid chromatographic method for analysis of all-rac-alpha-tocopheryl acetate and retinyl palmitate in soy-based infant formula using a zero-control reference material (ZRM) as a method development tool. *Journal of AOAC International*, 81(3), 577-581.
- Cladman, W., Scheffer, S., Goodrich, N., & Griffiths, M. W. (1998). Shelf-life of milk packaged in plastic containers with and without treatment to reduce light transmission. *International Dairy Journal*, 8(7), 629-636.
- Connor, W. E. (2000). Importance of n-3 fatty acids in health and disease. *The American Journal Of Clinical Nutrition*, 71(1), 171S-175S.
- Contarini, G., Povolo, M., Leardi, R., & Toppino, P. M. (1997). Influence of heat treatment on the volatile compounds of milk. *Journal of Agricultural and Food Chemistry*, 45(8), 3171-3177.
- CraigSchmidt, M. C., Stieh, K. E., & Lien, E. L. (1996). Retinal fatty acids of piglets fed docosahexaenoic and arachidonic acids from microbial sources. *Lipids*, 31(1), 53-59.
- Cruwys, J. A., Dinsdale, R. M., Hawkes, F. R., & Hawkes, D. L. (2002). Development of a static headspace gas chromatographic procedure for the routine analysis of volatile fatty acids in wastewaters. *Journal of Chromatography A*, 945(1-2), 195-209.
- Dary, O. and Mora, J. O. (2002). Food fortification to reduce vitamin A deficiency: International vitamin A consultative group recommendations. *Journal of Nutrition*, 132(9), 2927S-2933S.
- De Block, J., Merchiers, M., Mortier, L., Braekman, A., Ooghe, W., & Van Renterghem, R. (2003). Monitoring nutritional quality of milk powders: capillary electrophoresis of the whey protein fraction compared with other methods. *International Dairy Journal*, 13(2-3), 87-94.

- Dhariwal, K. R., Washko, P. W., & Levine, M. (1990). Determination of Dehydroascorbic Acid Using High-Performance Liquid-Chromatography with Coulometric Electrochemical Detection. *Analytical Biochemistry*, 189(1), 18-23.
- Dinsmore, H. L. and Nagy, S. (1974). Improved Colorimetric Determination for Furfural in Citrus Juices. *Journal of the Association of Official Analytical Chemists*, 57(2), 332-335.
- Elnemr, S. E., Ismail, I. A., & Askar, A. (1988). Aroma Changes in Mango Juice During Processing and Storage. *Food Chemistry*, 30(4), 269-275.
- Englard, S. and Seifter, S. (1986). The Biochemical Functions of Ascorbic-Acid. *Annual Review of Nutrition*, 6, 365-406.
- Erbersdobler, H. F. and Somoza, V. (2007). Forty years of furosine - Forty years of using Maillard reaction products as indicators of the nutritional quality of foods. *Molecular Nutrition & Food Research*, 51(4), 423-430.
- Eroshin, V. K., Dedyukhina, E. G., Chistyakova, T. I., Zhelifonova, V. P., Kurtzman, C. P., & Bothast, R. J. (1996). Arachidonic-acid production by species of *Mortierella*. *World Journal of Microbiology & Biotechnology*, 12(1), 91-96.
- Esteve, M. J., Farre, R., Frigola, A., & GarciaCantabella, J. M. (1997). Determination of ascorbic and dehydroascorbic acids in blood plasma and serum by liquid chromatography. *Journal of Chromatography B*, 688(2), 345-349.
- Falk, M. (1998). LSRO report: Assessment of nutrient requirements for infant formulas - Foreword. *Journal of Nutrition*, 128(11), II.
- Fanaro, S., Cristofori, G., Mosca, F., Savino, F., & Vigi, V. (2005). Considerations and approaches in determining the protein and energy composition of preterm infant formulas. *Acta Paediatrica*, 94, 57-63.
- Farrell, P. M. and Roberts, R. J. (1994). Vitamin E. In: 8th (Shils, M. E., Olson, J. A., and Shike, M., ed.) Philadelphia., pp. 326-341.
- Feinberg, M., Dupont, D., Efstathiou, T., Louapre, V., & Guyonnet, J. P. (2006). Evaluation of tracers for the authentication of thermal treatments of milks. *Food Chemistry*, 98(1), 188-194.
- Fenaille, F., Visani, P., Fumeaux, R., Milo, C., & Guy, P. A. (2003). Comparison of mass spectrometry-based electronic nose and solid phase MicroExtraction gas chromatography mass spectrometry technique to assess infant formula oxidation. *Journal of Agricultural and Food Chemistry*, 51(9), 2790-2796.
- Fennema, O. R. (2000). *Química de los Alimentos*. 2da edición. Editorial Acribia. Zaragoza, España.
- Ferreira, I. M. P. L., Gomes, A. M. P., & Ferreira, M. A. (1998). Determination of sugars, and some other compounds in infant formulae, follow-up milks and human milk by HPLC-UV/RI. *Carbohydrate Polymers*, 37(3), 225-229.



- Ferrer, E., Alegria, A., Farre, R., Abellan, P., & Romero, F. (2000). Effects of thermal processing and storage on available lysine and furfural compounds contents of infant formulas. *Journal of Agricultural and Food Chemistry*, 48(5), 1817-1822.
- Ferrer, E., Alegria, A., Farre, R., Abellan, P., & Romero, F. (2002). High-performance liquid chromatographic determination of furfural compounds in infant formulas. Changes during heat treatment and storage. *Journal of Chromatography A*, 947(1), 85-95.
- Ferrer, E., Alegria, A., Farre, R., Abellan, P., & Romero, F. (2005). High-performance liquid chromatographic determination of furfural compounds in infant formulas during full shelf-life. *Food Chemistry*, 89(4), 639-645.
- FIL-IDF. (1991). Anhydrous milk fat- Determination of the peroxide value. Standard 74A. *International Standard FIL-IDF. International Dairy Federation*, Brussels, Belgium.
- Finot, P. A., Mottu, F., & Bujard, E. (1976). Biological Availability of True Schiffs Bases of Lysine - Chemical Evaluation of Schiffs Base Between Lysine and Lactose in Milk. *Abstracts of Papers of the American Chemical Society*, 172(SEP3), 70.
- Fleith, M. and Clandinin, M. T. (2005). Dietary PUFA for preterm and term infants: Review of clinical studies. *Critical Reviews in Food Science and Nutrition*, 45(3), 205-229.
- Fliesler, S. J. and Anderson, R. E. (1983). Chemistry and Metabolism of Lipids in the Vertebrate Retina. *Progress in Lipid Research*, 22(2), 79-131.
- Folch, J., Lees, M., & Stanley, G. H. S. (1957). A Simple Method for the Isolation and Purification of Total Lipides from Animal Tissues. *Journal of Biological Chemistry*, 226(1), 497-509.
- Friedman, M. (1996). Food browning and its prevention: An overview. *Journal of Agricultural and Food Chemistry*, 44(3), 631-653.
- Furusawa, N. (2001). Rapid high-performance liquid chromatographic identification/quantification of total vitamin C in fruit drinks. *Food Control*, 12(1), 27-29.
- Garcia, C., Millet, V., Pitel, S., Mimoun, M., Ridet, A., Costel, T. C., & Armand, M. (2007). Lipid composition of human milk from mediterranean lactating women: interest of polyunsaturated fatty acids vectors and plasmalogen? *Faseb Journal*, 21(5), A688.
- Garza, S., Giner, J., Martin, O., Costa, E., & Ibarz, A. (1996). Colour, sugars and HMF evolution during thermal treatment of apple juice. *Food Science and Technology International*, 2(2), 101-110.
- Georgieff, M. K. (2007). Nutrition and the developing brain: nutrient priorities and measurement. *American Journal of Clinical Nutrition*, 85(2), 614S-620S.

- Gibson, R. A. and Makrides, M. (2000). n-3 polyunsaturated fatty acid requirements of term infants. *American Journal of Clinical Nutrition*, 71(1), 251S-255S.
- Giovannini, M., Riva, E., & Agostoni, C. (1995). Fatty-Acids in Pediatric Nutrition. *Pediatric Clinics of North America*, 42(4), 861-877.
- Graham, W. D. and Annette, D. (1992). Determination of Ascorbic and Dehydroascorbic Acid in Potatoes (*Solanum-Tuberosum*) and Strawberries Using Ion-Exclusion Chromatography. *Journal of Chromatography*, 594(1-2), 187-194.
- Guesry, P. (1998). The Role of Nutrition in Brain Development. *Preventive Medicine*, 27(2), 189-194.
- Hardas, N., Danviriyakul, S., Foley, J. L., Nawar, W. W., & Chinachoti, P. (2002). Effect of relative humidity on the oxidative and physical stability of encapsulated milk fat. *Journal of the American Oil Chemists Society*, 79(2), 151-158.
- Hernell, O. (1991). Comment on the Content and Composition of Lipids in Infant Formulas. *Acta Paediatrica Scandinavica*, 80(8-9), 887-896.
- Hodge, J. E. (1955). The Amadori rearrangement. *Adv. Carbohydr. Chem.*, 10, 169-205.
- Huo, J. Z., Nelis, H. J., Lavens, P., Sorgeloos, P., & Deleenheer, A. P. (1996). Determination of vitamin E in aquatic organisms by high-performance liquid chromatography with fluorescence detection. *Analytical Biochemistry*, 242(1), 123-128.
- Iida, I., Nakahara, T., Yokochi, T., Kamisaka, Y., Yagi, H., Yamaoka, M., & Suzuki, O. (1996). Improvement of docosahexaenoic acid production in a culture of *Thraustochytrium aureum* by medium optimization. *Journal of Fermentation and Bioengineering*, 81(1), 76-78.
- Innis, S. M. (2007). Dietary (n-3) fatty acids and brain development. *Journal of Nutrition*, 137(4), 855-859.
- Innis, S. M. and Kuhnlein, H. V. (1988). Long-Chain N-3 Fatty-Acids in Breast-Milk of Inuit Women Consuming Traditional Foods. *Early Human Development*, 18(2-3), 185-189.
- Jeffrey, B. G., Weisinger, H. S., Neuringer, M., & Mitchell, D. C. (2001). The role of docosahexaenoic acid in retinal function. *Lipids*, 36(9), 859-871.
- Jensen, R. G. (1996). The lipids in human milk. *Progress in Lipid Research*, 35(1), 53-92.
- Jiang, Y. and Chen, F. (2000). Effects of temperature and temperature shift on docosahexaenoic acid production by the marine microalga *Cryptocodinium cohnii*. *Journal of the American Oil Chemists Society*, 77(6), 613-617.

- Jiang, Y., Chen, F., & Liang, S. Z. (1999). Production potential of docosahexaenoic acid by the heterotrophic marine dinoflagellate *Cryptocodinium cohnii*. *Process Biochemistry*, 34(6-7), 633-637.
- Judge, M. P., Harel, O., & Lammi-Keefe, C. J. (2007). A docosahexaenoic acid-functional food during pregnancy benefits infant visual acuity at four but not six months of age. *Lipids*, 42(2), 117-122.
- Jumpsen, J., Lien, E. L., Goh, Y. K., & Clandinin, M. T. (1997). Small changes of dietary (n-6) and (n-3) fatty acid content ratio alter phosphatidylethanolamine and phosphatidylcholine fatty acid composition during development of neuronal and glial cells in rats. *Journal of Nutrition*, 127(5), 724-731.
- Kamal-Eldin, A., Gorgen, S., Pettersson, J., & Lampi, A. M. (2000). Normal-phase high-performance liquid chromatography of tocopherols and tocotrienols - Comparison of different chromatographic columns. *Journal of Chromatography A*, 881(1-2), 217-227.
- Karatapanis, A. E., Badeka, A. V., Riganakos, K. A., Savvaidis, I. N., & Kontominas, M. G. (2006). Changes in flavour volatiles of whole pasteurized milk as affected by packaging material and storage time. *International Dairy Journal*, 16(7), 750-761.
- Keeney, M. and Bassette, R. (1959). Detection of Intermediate Compounds in the Early Stages of Browning Reaction in Milk Products. *Journal of Dairy Science*, 42(6), 945-960.
- Kennedy, M. J., Reader, S. L., & Davies, R. J. (1993). Fatty-Acid Production Characteristics of Fungi with Particular Emphasis on Gamma-Linolenic Acid Production. *Biotechnology and Bioengineering*, 42(5), 625-634.
- Khattab, F. and Haroun, I. (1978). New spectrophotometric method for the determination of reducing sugars. *J Pharm.Belg.*, 33(4), 261-263.
- Kim, Y. D. and Morr, C. V. (1996). Dynamic headspace analysis of light activated flavor in milk. *International Dairy Journal*, 6(2), 185-193.
- Klein, C. J. (2002). Nutrient requirements for preterm infant formulas. *Journal of Nutrition*, 132(6), 1395S-1577S.
- Kockel, T. K., Allen, S., Hennigs, C., & Langrish, T. A. G. (2002). An experimental study of the equilibrium for skim milk powder at elevated temperatures. *Journal of Food Engineering*, 51(4), 291-297.
- Kolb, B. (1999). Headspace sampling with capillary columns. *Journal of Chromatography A*, 842(1-2), 163-205.
- Krabbendam, L., Bakker, E., Hornstra, G., & van Os, J. (2007). Relationship between DHA status at birth and child problem behaviour at 7 years of age. *Prostaglandins Leukotrienes and Essential Fatty Acids*, 76(1), 29-34.

- Kramer, J. K. G., Blais, L., Fouchard, R. C., Melnyk, R. A., & Kallury, K. M. R. (1997). A rapid method for the determination of vitamin E forms in tissues and diet by high-performance liquid chromatography using a normal-phase diol column. *Lipids*, 32(3), 323-330.
- Kuhn, L. (2002). A comment on 'beyond informed choice' by Louise Kuhn - Rejoinder to Forsyth and Natrass. *Social Dynamics-A Journal of the Centre for African Studies University of Cape Town*, 28(1), 162-169.
- Landen, W. O., Hines, D. M., Hamill, T. W., Martin, J. I., Young, E. R., Eitenmiller, R. R., & Soliman, A. G. M. (1985). Vitamin-A and Vitamin-E Content of Infant Formulas Produced in the United-States. *Journal of the Association of Official Analytical Chemists*, 68(3), 509-511.
- Lapillonne, A., Picaud, J. C., Chirouze, V., Goudable, J., Reygrobellet, B., Caris, O., & Salle, B. L. (2000). The use of low-EPA fish oil for long-chain polyunsaturated fatty acid supplementation of preterm infants. *Pediatric Research*, 48(6), 835-841.
- Lawson, L. D. and Hughes, B. G. (1988). Triacylglycerol Structure of Plant and Fungal Oils Containing Gamma-Linolenic Acid. *Lipids*, 23(4), 313-317.
- Lee, S. K. and Kader, A. A. (2000). Preharvest and postharvest factors influencing vitamin C content of horticultural crops. *Postharvest Biology and Technology*, 20(3), 207-220.
- Levine, M., ConryCantilena, C., Wang, Y. H., Welch, R. W., Washko, P. W., Dhariwal, K. R., Park, J. B., Lazarev, A., Graumlich, J. F., King, J., & Cantilena, L. R. (1996). Vitamin C pharmacokinetics in healthy volunteers: Evidence for a recommended dietary allowance. *Proceedings of the National Academy of Sciences of the United States of America*, 93(8), 3704-3709.
- Lopez-Fandino, R. and Olano, A. (1999). Selected indicators of the quality of thermal processed milk. *Food Science and Technology International*, 5(2), 121-137.
- López-López, A., Castellote-Bargallo, A. I., & López-Sabater, M. C. (2001). Comparison of two direct methods for the determination of fatty acids in human milk. *Chromatographia*, 54(11-12), 743-747.
- Lucas, A., Morley, R., Cole, T. J., Lister, G., & Leesonpayne, C. (1992). Breast-Milk and Subsequent Intelligence Quotient in Children Born Preterm. *Lancet*, 339(8788), 261-264.
- Mackrides, M. and Gibson, R. A. (1995). Long-Chain Polyunsaturated Fatty-Acids and Visual Function in Infants - A Current Review. *British Journal of Clinical Practice*, 37-44.
- Makrides, M., Neumann, M. A., & Gibson, R. A. (1996). Effect of maternal docosahexaenoic acid (DHA) supplementation on breast milk composition. *European Journal Of Clinical Nutrition*, 50(6), 352-357.

- Makrides, M., Neumann, M. A., Simmer, K., & Gibson, R. A. (2000). A critical appraisal of the role of dietary long-chain polyunsaturated fatty acids on neural indices of term infants: A randomized, controlled trial. *Pediatrics*, 105(1), 32-38.
- Manso, M. A., Miguel, M., & Lopez-Fandino, R. (2007). Application of capillary zone electrophoresis to the characterisation of the human milk protein profile and its evolution throughout lactation. *Journal of Chromatography A*, 1146(1), 110-117.
- Marmor, M. F., Arden, G. B., Nilsson, S. E. G., & Zrenner, E. (1989). Standard for Clinical Electroretinography. *Archives of Ophthalmology*, 107(6), 816-819.
- Martinez, M. and Ballabriga, A. (1978). Chemical Study on Development of Human Forebrain and Cerebellum During Brain Growth Spurt Period .I. Gangliosides and Plasmalogens. *Brain Research*, 159(2), 351-362.
- Martins, S. I. F. S., Jongen, W. M. F., & van Boekel, M. A. J. S. (2000). A review of Maillard reaction in food and implications to kinetic modelling. *Trends in Food Science & Technology*, 11(9-10), 364-373.
- McSweeney, S. L., Mulvihill, D. M., & O'Callaghan, D. M. (2004). The influence of pH on the heat-induced aggregation of model milk protein ingredient systems and model infant formula emulsions stabilized by milk protein ingredients. *Food Hydrocolloids*, 18(1), 109-125.
- Meilgaard, M., Civille, G. V., & Carr, B. T. (1987). Sensory evaluation techniques. Vol. I. CRC Press Inc. Detroit, MI, USA.
- Merritt, R. J., Auestad, N., Kruger, C., & Buchanan, S. (2003). Safety evaluation of sources of docosahexaenoic acid and arachidonic acid for use in infant formulas in newborn piglets. *Food and Chemical Toxicology*, 41(6), 897-904.
- Mijares, R. M., Park, G. L., Nelson, D. B., & Mciver, R. C. (1986). HPLC Analysis of HMF in Orange Juice. *Journal of Food Science*, 51(3), 843-844.
- Morales, F. J. and Jimenez-Perez, S. (1998). Study of hydroxymethylfurfural formation from acid degradation of the amadori product in milk-resembling systems. *Journal of Agricultural and Food Chemistry*, 46(10), 3885-3890.
- Morales, F. J., Romero, C., & Jimenez-Perez, S. (1997). A kinetic study on 5-hydroxymethylfurfural formation in Spanish UHT milk stored at different temperatures. *Journal of Food Science and Technology-Mysore*, 34(1), 28-32.
- Morales, F. J., Romero, C., & Jimenez-Perez, S. (1992). An Enhanced Liquid-Chromatographic Method for 5-Hydroxymethylfurfural Determination in Uht Milk. *Chromatographia*, 33(1-2), 45-48.
- Neuringer, M. (2000). Infant vision and retinal function in studies of dietary long-chain polyunsaturated fatty acids: methods, results, and implications. *The American Journal Of Clinical Nutrition*, 71(1), 256S-267S.

- Olano, A., Calvo, M. M., & Corzo, N. (1989). Changes in the carbohydrate fraction of milk during heating processes. *Food Chemistry*, 31(4), 259-265.
- Olano, A., Santa-Maria, G., Corzo, N., Calvo, M. M., Martinez-Castro, I., & Jimeno, M. L. (1992). Determination of free carbohydrates and Amadori compounds formed at the early stages of non-enzymic browning. *Food Chemistry*, 43(5), 351-358.
- Olson, J. A. (1989). Upper Limits of Vitamin-A in Infant Formulas, with Some Comments on Vitamin-K. *Journal of Nutrition*, 119(12), 1820-1824.
- Olson, J. A. (1994). Vitamins - the Tortuous Path from Needs to Fantasies. *Journal of Nutrition*, 124(9), S1771-S1776.
- Oski, F. A. and Barness, L. A. (1967). Vitamin E deficiency: a previously unrecognized cause of hemolytic anemia in the premature infant. *J Pediatr.*, 70(2), 211-220.
- Parrish, D. B. (1980). Determination of Vitamin-E in Foods - A Review. *Crc Critical Reviews in Food Science and Nutrition*, 13(2), 161-187.
- Pellegrino, L., Denoni, I., & Resmini, P. (1995). Coupling of Lactulose and Furosine Indexes for Quality Evaluation of Sterilized Milk. *International Dairy Journal*, 5(7), 647-659.
- Pereyra Gonzales, A. S., Naranjo, G. B., Malec, L. S., & Vigo, M. S. (2003). Available lysine, protein digestibility and lactulose in commercial infant formulas. *International Dairy Journal*, 13(2-3), 95-99.
- Podda, M., Weber, C., Traber, M. G., & Packer, L. (1996). Simultaneous determination of tissue tocopherols, tocotrienols, ubiquinol, and ubiquinone. *Journal of Lipid Research*, 37(4), 893-901.
- Quinn, E. A. and Kuzawa, C. W. (2007). Human milk varies in composition across ecologic contexts: Implications for adaptation and health. *American Journal of Human Biology*, 19(2), 273-274.
- Rabasseda, J., Rauret, G., & Galceran, M. T. (1988). Liquid-Chromatographic Determination of Available Lysine in Soybean and Fish-Meal. *Journal of the Association of Official Analytical Chemists*, 71(2), 350-353.
- Rada-Mendoza, M., Sanz, M. L., Olano, A., & Villamiel, M. (2004). Formation of hydroxymethylfurfural and furosine during the storage of jams and fruit-based infant foods. *Food Chemistry*, 85(4), 605-609.
- Raiten, D. J., Kalhan, S. C., & Hay, W. W. (2007). Maternal nutrition and optimal infant feeding practices: executive summary. *American Journal of Clinical Nutrition*, 85(2), 577S-583S.
- Raiten, D. J., Talbot, J. M., & Waters, J. H. (1998). LSRO report: Assessment of nutrient requirements for infant formulas. *Journal of Nutrition*, 128(11), 2059S-2293S.

- Raiten, D. J., Talbot, J. M., & Waters, J. H. (1999). Life sciences research office report: Assessment of nutrient requirements for infant formulas (vol 128, pg 2059S, 1998). *Journal of Nutrition*, 129(5), 1090.
- Ramirez-Jimenez, A., Garcia-Villanova, B., & Guerra-Hernandez, E. (2000). Hydroxymethylfurfural and methylfurfural content of selected bakery products. *Food Research International*, 33(10), 833-838.
- Ratledge, C., Kanagachandran, K., Anderson, A. J., Grantham, D. J., & Stephenson, J. C. (2001). Production of docosahexaenoic acid by *Cryptocodium cohnii* grown in a pH-auxostat culture with acetic acid as principal carbon source. *Lipids*, 36(11), 1241-1246.
- Reichrath, J., Lehmann, B., Carlberg, C., Varani, J., & Zouboulis, C. C. (2007). Vitamins as hormones. *Hormone and Metabolic Research*, 39(2), 71-84.
- Rodas Mendoza, B., Morera Pons, S., Castellote Bargallo, A. I., & Lopez-Sabater, M. C. (2003). Rapid determination by reversed-phase high-performance liquid chromatography of Vitamins A and E in infant formulas. *Journal of Chromatography A*, 1018(2), 197-202.
- Rodrigo, N., Alegria, A., Barbera, R., & Farre, R. (2002). High-performance liquid chromatographic determination of tocopherols in infant formulas. *Journal of Chromatography A*, 947(1), 97-102.
- Romero, I. M. V., Sans, R. G., & Chozas, M. G. (1997). Use of the 2-thiobarbituric acid (TBA) test for evaluation of the autoxidative process in foods. *Grasas y Aceites*, 48(2), 96-102.
- Romeu-Nadal, M., Castellote, A. I., & Lopez-Sabater, M. C. (2004). Headspace gas chromatographic method for determining volatile compounds in infant formulas. *Journal of Chromatography A*, 1046(1-2), 235-239.
- Romeu-Nadal, M., Morera-Pons, S., Castellote, A. I., & Lopez-Sabater, M. C. (2006). Rapid high-performance liquid chromatographic method for Vitamin C determination in human milk versus an enzymatic method. *Journal of Chromatography B-Analytical Technologies in the Biomedical and Life Sciences*, 830(1), 41-46.
- Roizen, J. P. and Linssen, J. P. H. (1992). Factors Affecting Lipid Autoxidation of A Spray-Dried Milk Base for Baby Food. *Acs Symposium Series*, 500, 302-309.
- Schlimme, E. and Martin, D. (1999). Supplementation of infant formulae with nucleotides. *Kieler Milchwirtschaftliche Forschungsberichte*, 51(3), 215-224.
- Schmit, J. A., Henry, R. A., Williams, R. C., & Dieckman, J. F. (1971). Applications of High Speed Reversed-Phase Liquid Chromatography. *Journal of Chromatographic Science*, 9(11), 645-&.
- Shoji, H. and Koletzko, B. (2007). Oxidative stress and antioxidant protection in the perinatal period. *Current Opinion in Clinical Nutrition and Metabolic Care*, 10(3), 324-328.

- Sievers, E. (2003). Nutrient requirements for preterm infant formulas - Molybdenum. *Journal of Nutrition*, 133(1), 236-237.
- Sinclair, A. J., Begg, D., Mathai, M., & Weisinger, R. S. (2007). Omega 3 fatty acids and the brain: review of studies in depression. *Asia Pacific Journal of Clinical Nutrition*, 16, 391-397.
- Singh, A. and Ward, O. P. (1997). Microbial production of docosahexaenoic acid (DHA, C22:6). *Advances in Applied Microbiology*, Vol 45, 45, 271-312.
- Singhal, A., Morley, R., Cole, T. J., Kennedy, K., Sonksen, P., Isaacs, E., Fewtrell, M., Elias-Jones, A., Stephenson, T., & Lucas, A. (2007). Infant nutrition and stereoacuity at age 4-6 y. *American Journal of Clinical Nutrition*, 85(1), 152-159.
- Snodgrass, S. R. (1992). Vitamin Neurotoxicity. *Molecular Neurobiology*, 6(1), 41-73.
- Snyder, J. M., Frankel, E. N., Selke, E., & Warner, K. (1988). Comparison of Gas-Chromatographic Methods for Volatile Lipid Oxidation Compounds in Soybean Oil. *Journal of the American Oil Chemists Society*, 65(10), 1617-1620.
- Speek, A. J., Schrijver, J., & Schreurs, W. H. P. (1985). Vitamin-e Composition of Some Seed Oils As Determined by High-Performance Liquid-Chromatography with Fluorometric Detection. *Journal of Food Science*, 50(1), 121-124.
- Stredanska, S., Slugen, D., Stredansky, M., & Grego, J. (1993). Arachidonic-Acid Production by *Mortierella-Alpina* Grown on Solid Substrates. *World Journal of Microbiology & Biotechnology*, 9(5), 511-513.
- Streekstra, H. (1997). On the safety of *Mortierella alpina* for the production of food ingredients, such as arachidonic acid. *Journal of Biotechnology*, 56(3), 153-165.
- Syvaoja, E. L., Piironen, V., Varo, P., Koivistoinen, P., & Salminen, K. (1985). Tocopherols and Tocotrienols in Finnish Foods - Human-Milk and Infant Formulas. *International Journal for Vitamin and Nutrition Research*, 55(2), 159-166.
- Tan, B. and Brzuskiwicz, L. (1989). Separation of Tocopherol and Tocotrienol Isomers Using Normal-Phase and Reverse-Phase Liquid-Chromatography. *Analytical Biochemistry*, 180(2), 368-373.
- Thompson, J. N. and Hatina, G. (1979). Determination of Tocopherols and Tocotrienols in Foods and Tissues by High-Performance Liquid-Chromatography. *Journal of Liquid Chromatography*, 2(3), 327-344.
- Tojo, R. (2001). Tratado de Nutrición Pediátrica. Ediciones Doyma, S.L., SORPAMA, S.A. Barcelona, España.
- Tomarelli, R. M., Yuhas, R. J., Fisher, A., & Weaber, J. R. (1985). An Hplc Method for the Determination of Reactive (Available) Lysine in Milk and Infant Formulas. *Journal of Agricultural and Food Chemistry*, 33(2), 316-318.



- Totani, N. and Oba, K. (1988). A Simple Method for Production of Arachidonic-Acid by *Mortierella-Alpina*. *Applied Microbiology and Biotechnology*, 28(2), 135-137.
- Troyano, E., Olano, A., Fernandezdiaz, M., Sanz, J., & Martinez-Castro, I. (1991). Gas-Chromatographic Analysis of Free Monosaccharides in Milk. *Chromatographia*, 32(7-8), 379-382.
- Troyano, E., Olano, A., & Martinez-Castro, I. (1994). Changes in Free Monosaccharides During Storage of Dried Milk. *Journal of Agricultural and Food Chemistry*, 42(7), 1543-1545.
- Troyano, E., Villamiel, M., Olano, A., Sanz, J., & Martinez-Castro, I. (1996). Monosaccharides and myo-inositol in commercial milks. *Journal of Agricultural and Food Chemistry*, 44(3), 815-817.
- Truedsson, L. A. and Smith, B. E. F. (1981). Study of Retention Behavior of Primary, Secondary and Tertiary Anilines in Normal-Phase and Reversed-Phase Liquid-Chromatography. *Journal of Chromatography*, 214(3), 291-306.
- Tuan, S., Lee, T. F., Chou, C. C., & Wei, Q. K. (1989). Determination of Vitamin-e Homologs in Infant Formulas by Hplc Using Fluorometric Detection. *Journal of Micronutrient Analysis*, 6(1), 35-45.
- Tudela, J. A., Espin, J. C., & Gil, M. I. (2002). Vitamin C retention in fresh-cut potatoes. *Postharvest Biology and Technology*, 26(1), 75-84.
- Uauy, R. D., Birch, D. G., Birch, E. E., Tyson, J. E., & Hoffman, D. R. (1990). Effect of Dietary Omega-3-Fatty-Acids on Retinal Function of Very-Low-Birth-Weight Neonates. *Pediatric Research*, 28(5), 485-492.
- Ulberth, F. and Roubicek, D. (1995). Monitoring of oxidative deterioration of milk powder by headspace gas chromatography. *International Dairy Journal*, 5(6), 523-531.
- Valero, E., Villamiel, M., Miralles, B., Sanz, J., & Martinez-Castro, I. (2001). Changes in flavour and volatile components during storage of whole and skimmed UHT milk. *Food Chemistry*, 72(1), 51-58.
- Valero, E., Villamiel, M., Sanz, J., & Martinez-Castro, I. (2000). Chemical and sensorial changes in milk pasteurised by microwave and conventional systems during cold storage. *Food Chemistry*, 70(1), 77-81.
- van Boekel, M. A. J. S. (1998). Effect of heating on Maillard reactions in milk. *Food Chemistry*, 62(4), 403-414.
- van Boekel, M. A. J. S. and Zia-ur-Rehman. (1987). Determination of Hydroxymethylfurfural in Heated Milk by High-Performance Liquid-Chromatography. *Netherlands Milk and Dairy Journal*, 41(4), 297-306.
- Van Niekerk, P. J. (1973). Direct Determination of Free Tocopherols in Plant Oils by Liquid-Solid Chromatography. *Analytical Biochemistry*, 52(2), 533-537.

- Vendrell-Pascuas, S., Castellote-Bargallo, A. I., & Lopez-Sabater, M. C. (2000). Determination of inulin in meat products by high-performance liquid chromatography with refractive index detection. *Journal of Chromatography A*, 881(1-2), 591-597.
- Vidailhet, M. (2007). Omega 3: is there a situation of deficiency in young children? *Archives de Pediatrie*, 14(1), 116-123.
- Villamiel, M., Corzo, N., Foda, M. I., Montes, F., & Olano, A. (2002). Lactulose formation catalysed by alkaline-substituted sepiolites in milk permeate. *Food Chemistry*, 76(1), 7-11.
- Wang, L. H. and Wang, J. F. (2001). Determination of retinoids in human serum, tocopherol and retinyl acetate in pharmaceuticals by RP-LC with electrochemical detection. *Journal of Pharmaceutical and Biomedical Analysis*, 25(5-6), 785-793.
- Ward, O. P. and Singh, A. (2005). Omega-3/6 fatty acids: Alternative sources of production. *Process Biochemistry*, 40(12), 3627-3652.
- Warner, K. and Mounts, T. L. (1990). Analysis of Tocopherols and Phytosterols in Vegetable-Oils by Hplc with Evaporative Light-Scattering Detection. *Journal of the American Oil Chemists Society*, 67(11), 827-831.
- Wibert, G. J., Burns, R. A., ersen-Schade, D. A., & Kelly, C. M. (1997). Evaluation of single cell sources of docosahexaenoic acid and arachidonic acid: a 4-week oral safety study in rats. *Food and Chemical Toxicology*, 35(10-11), 967-974.
- Wiedmann, T. S., Pates, R. D., Beach, J. M., Salmon, A., & Brown, M. F. (1988). Lipid Protein Interactions Mediate the Photochemical Function of Rhodopsin. *Biochemistry*, 27(17), 6469-6474.
- Xiang, M. and Zetterstrom, R. (1999). Relation between polyunsaturated fatty acids and growth. *Acta Paediatrica Supplement*, 88(430), 78-82.
- Yeh, Y. Y., Yeh, S. M., & Lien, E. L. (1998). Modification of milk formula to enhance accretion of long-chain n-6 and n-3 polyunsaturated fatty acids in artificially reared infant rats. *Lipids*, 33(5), 513-520.
- Yuan, J. P. and Chen, F. (1999). Simultaneous separation and determination of sugars, ascorbic acid and furanic compounds by HPLC—dual detection. *Food Chemistry*, 64(3), 423-427.
- Yuhas, R., Pramuk, K., & Lien, E. L. (2006). Human milk fatty acid composition from nine countries varies most in DHA. *Lipids*, 41(9), 851-858.
- Zia-ur-Rehman, Saeed, A., & Zafar, S. I. (2000). Hydroxymethylfurfural as an indicator for the detection of dried powder in liquid milk. *Milchwissenschaft-Milk Science International*, 55(5), 256-257.

