

CAPÍTULO VIII

REFERENCIAS

8. REFERENCIAS

[Alonso, 1997]

M. Alonso, J.I. Velasco, and J.A. de Saja, *European Polymer Journal*, 33, N° 3, pp.255-262 (1997)

[Asp, 1997]

L.E. Asp, B.A. Sjogren and L.A. Berglund, *Polymer Composites*, 18, N° 1, pp. 9-15 (1997)

[ASTM, 1981]

ASTM E813-81, "Standard Test Method for J_{IC} , A Measure of Fracture Toughness", Annual Book of ASTM standards, Part 10, ASTM, Philadelphia, p.810 (1981)

[ASTM, 1987-a]

ASTM E813-87, "Standard Test Method for J_{IC} , A Measure of Fracture Toughness", Annual Book of ASTM standards, Part 10, ASTM, Philadelphia, p.968 (1987)

[ASTM, 1987-b]

ASTM E1152-87, "Standard Test Method for Determining J-R Curves", Annual Book of ASTM Standards, Part 10, ASTM, Philadelphia, p. 825 (1987)

[ASTM, 1990]

ASTM D-1238, "Standard Test Method for Flow Rates of Thermoplastics by Extrusion Plastometer", Philadelphia (1990)

[ASTM, 1995]

ASTM D638-95, "Standard test Method for Tensile Properties of Plastics", ASTM, Philadelphia, (1995)

[Badran, 1982]

B.M. Badran, A. Galeski and M. Kryszewski, *Journal of Applied Polymer Science*, 27, p. 3669 (1982). Citado por [Demjen, 1997]

[Begley, 1972]

J.R. Begley and J.D. Landes, in "Fracture Toughness", STP 514, ASTM, Philadelphia, p.1 (1972)

[Bernal, 1995]

C.R. Bernal, A.N. Cassanelli and P.M. Frontini, *Polymer Testing*, 14, pp. 85-96 (1995)

[Bernal, 1996-a]

C.R. Bernal, P.E. Montemartini and P.M. Frontini, *Journal of Polymer Science: Part B: Polymer Physics*, 34, pp. 1869-1880 (1996)

[Bernal, 1996-b]

C. Bernal, A. Cassanelli and P. Frontini, *Polymer*, 37, N° 18, pp. 4033-4039 (1996)

[Bernal, 1999]

C. Bernal, M. Rink and P. Frontini, *Macromolecular Symposium*, 147, pp. 235-248 (1999)

[Boatra, 1977]

M.S. Boatra and C.E. Chaffey, *Polymer Engineering and Science*, 17, p. 715 (1977). Citado por [Demjen, 1997]

[Bowman, 1981]

J. Bowman, *Journal of Materials Science*, 16, pp. 151-166 (1981)

[Broek, 1987]

D. Broek, "Elementary Engineering Fracture Mechanics", 4th Ed., Kluwer Academic Publishers, p. 114 (1987)

[Bruckner, 1999]

S. Bruckner and S.V. Meille, in *Polypropylene: An A-Z Reference*, Edited by J. Karger-Kocsis, Kluwer Publishers, Dordrecht, pp. 606-614 (1999)

[Casiraghi, 1988]

T. Casiraghi, G. Castiglioni and t. Ronchetti, *Journal of Materials Science*, 23, pp. 459-466 (1988)

[Cassanelli, 1997]

A.N. Cassanelli and L.A. De Vedia, *International Journal of Fracture*, 83, pp. 167-173 (1997)

[Che, 1997]

M. Che, W. Grellmann, S. Seidler and J.D. Landes, *Fatigue and Fracture of Engineering Materials and Structures*, 20, N° 2, pp. 119-127 (1997)

[Cherapanow, 1967]

G.P. Cherepanow, *Journal of Applied Mathematics and Mechanics Translation*, 31 p.504 (1967)

[Chiu, 1998]

S.H. Chiu and W.K. Wang, *Journal of Applied Polymer Science*, 67, pp. 989-995 (1998)

[Chung, 1989]

W.N. Chung and J.G. Williams, 2nd Symposium on *User experience with elastic plastic fracture test methods*, Orlando, Florida, November 1989

[Clarke, 1979]

G.A. Clarke and J.D. Landes, *Journal of Testing and Evaluation*, 7, N° 5, pp. 264-269 (1979). Citado por [Sharobeam, 1991]

[Cook, 1996]

M. Cook and J.F. Harper, *Plastics, Rubber and Composites Processing and Applications*, 25, N° 2, pp. 99-105 (1996)

[Cook, 1998]

M. Cook and J.F. Harper, *Advanced Polymer Technology*, 17, N° 1, pp. 53-62 (1998)

[CORDIS, 1992]

CORDIS Projets RDT Ref: BRE20218, “Mineral Fillers and Polymer Matrix Compatibilisation for Perfecting Materials Used as Insulation And Sheath Of Electrical Cables”, Program BRITE/EURAM 2 (1992)

[Delvag, 1975]

H. Delvag, C. Klason and H.E. Stromvall, *International Journal of Polymeric Materials*, 11, p. 9 (1975).
Citado por [Demjen, 1997]

[Demjen ,1997]

Z. Demjen and B. Pukanszky, *Polymer Composites*, 18, N° 6, pp.741-747 (1997)

[Denault, 1988]

J. Denault and T. Vu-Khanh, *Polymer Composites*, 9, N°5, pp. 360-367 (1988)

[Díez-Gutiérrez, 1998]

S. Diez-Gutierrez, Tesina de licenciatura, Universidad de Valladolid (1999)

[Díez-Gutiérrez, 1999]

S. Diez-Gutierrez, M.A. Rodriguez-Perez, J.A. de Saja and J.I. Velasco, *Polymer*, 40, pp. 5345-5353 (1999)

[Díez-Gutiérrez, 2000]

S. Diez-Gutierrez, M.A. Rodriguez-Perez, J.A. de Saja and J.I. Velasco, *Journal of Applied Polymer Science*, 77, pp. 1275-1283 (2000)

[Dobрева, 1991]

A. Dobрева, A. Stoyanov and I. Gutzow, *Journal of Applied Polymer Science Applied Polymer Symposium*, 48, p. 473 (1991)

[Dubnikova, 1997]

I.L. Dubnikova, V.G. Oshmyan and A.YA. Gorenberg, *Journal of Materials Science*, 32, pp. 1613-1622 (1997)

[Dufton, 1995]

P.W. Dufton, in “*Fire – Additives and Materials*”, RAPRA Report, p. 83 (1995)

[Dutton, 1991]

A.G. Dutton and R.A.W. Mines, *International Journal of Fracture*, 51, pp. 187-206 (1991)

[EGF, 1990]

EGF Task Group on Polymers and Composites, “*A Linear Elastic Fracture Mechanics (LEFM) Standards for Determining K_C and G_C for Plastics*”, March 1990

[Ernst, 1979]

H.A. Ernst, P.C. Paris, M. Rossow and J.W. Hutchinson, in *Fracture Mechanics*, STP 677, ASTM, Philadelphia, pp. 581-599 (1979)

[Ernst, 1981]

H.A. Ernst, P.C. Paris and J.D. Landes, in *Fracture Mechanics, Thirteenth Conference*, STP 743, ASTM, Philadelphia, pp. 476-502 (1981)

[Eshelby, 1974]

J.D. Eshelby, in *Prospects of Fracture Mechanics*, Sih, Van Elst, Broek, Ed., Noordhoff, pp. 69-84 (1974)

[ESIS, 1991]

ESIS Technical Committee 4: Polymers and Composites, “*A testing Protocol for Conducting J-R Curve Tests on Plastics*”, March 1991

[ESIS, 1995]

ESIS Technical Committee 4: Polymers and Composites, “*A Linear Elastic Fracture Mechanics (LEFM) Standard for Determining K_C and G_C for Plastics*”, October 1995

[Ess, 1987]

J.W. Ess and P.R. Hornsby, *Plastics and Rubber Processing and Applications*, 8, pp. 147-156 (1987)

[Frontini, 1995]

P.M. Frontini and A. Fave, *Journal of Materials Science*, 30, pp. 2446-2454 (1995)

[Fujiyama, 1991-a]

M. Fujiyama and T. Wakino, *Journal of Applied Polymer Science*, 42, pp. 9-20 (1991)

[Fujiyama, 1991-b]

M. Fujiyama and T. Wakino, *Journal of Applied Polymer Science*, 42, pp. 2739-2747 (1991)

[Fujiyama, 1992]

M. Fujiyama, *International Polymer Processing*, 8, p. 84 (1992)

[Fujiyama, 1995]

M. Fujiyama, in *Polypropylene: Structure, Blends and Composites, Vol. 1, Structure and Morphology*, Chapman & Hall Ed., London, pp. 167-204 (1995)

[Fujiyama, 1999-a]

M. Fujiyama, in *Polypropylene: An A-Z Reference*, Edited by J. Karger-Kocsis, Kluwer Publishers, Dordrecht, pp. 519-526 (1999)

[Fujiyama, 1999-b]

M. Fujiyama, in *Polypropylene: An A-Z Reference*, Edited by J. Karger-Kocsis, Kluwer Publishers, Dordrecht, pp. 668-677 (1999)

[Garcia-Brosa, 1999]

V. Garcia-Brosa, C. Bernal and P. Frontini, *Engineering Fracture Mechanics*, 62, pp. 231-248 (1999)

[Gilbert, 1999]

M. Gilbert and C. Raymond, "Determination of Filler/Polymer Orientation in Mouldings". Proceeding of Eurofillers'99, Vileurbanne (1999)

[Goodier, 1933]

J.N. Goodier, *Journal of Applied Mechanics*, 55, p. 39 (1933)

[Gordillo, 2000]

A. Gordillo, “*Influencia de la Inyección sobre el Comportamiento Mecánico de Compuestos de Polipropileno*”, Tesis Doctoral, Universidad Politécnica de Catalunya (Junio 2000)

[Greco, 1986]

R. Greco and F. Coppola, *Plastics and Rubber Processing and Applications*, 6, pp. 35-41 (1986)

[Greco, 1988]

R. Greco and G. Racosta, *Journal of Materials Science*, 23, pp. 4171 (1988)

[Grellmann, 1997]

W. Grellmann and M. Che, *Journal of Applied Polymer Science*, 66, pp. 1237-1249 (1997)

[Greszczuk, 1982]

L.B. Greszczuk, “*Impact Dynamics: Damage in Composite materials due to low velocity impact*”, Wiley & Sons Ed., New York, pp.55-94 (1982)

[Griffith, 1920]

A.A. Griffith, *Phil. Trans. Roy. Soc., A221*, p. 163 (1920)

[Halpin, 1969]

J.C. Halpin, *Journal of Composite Materials*, 3, pp. 732-734 (1969)

[Han, 1999]

Y. Han, R. Lach and W. Grellmann, *Die Angewandte Makromolekulare Chemie*, 270, pp. 5-12 (1999)

[Hashemi, 1986-a]

S. Hashemi and J.G. Williams, *Polymer Engineering and Science*, 26, N° 11, pp. 760-767 (1986)

[Hashemi, 1986-b]

S. Hashemi and J.G. Williams, *Plastics and Rubber Processing and Applications*, 6, pp. 363-375 (1986)

[Hashemi, 1991]

S. Hashemi and J.G. Williams, *Journal of Materials Science*, 26, pp. 621-630 (1991)

[Herrera, 1990]

R. Herrera and J.D. Landes, "Direct J-R curve analysis: A guide to the methodology", in *Fracture Mechanics: Twenty-First Symposium, ASTM STP 1074*, J.P. Gudas, J.A. Joyce and E.M. Hackett, Eds., ASTM, Philadelphia, pp. 24-43 (1990)

[Hertz, 1881]

H. Hertz, *J. Reine Ang. Math. (Crelle's J.)*, 92, p. 156 (1881) Citado por [Sullcahuamán, 1999]

[Hornbogen, 1980]

E. Hornbogen and K. Friedrich, *Journal of Materials Science*, 15, pp. 2175- (1980)

[Hornsby, 1994]

P.R. Hornsby and A. Mthupha, *Journal of Materials Science*, 29, pp. 5293-5301 (1994)

[Hornsby, 1995]

P.R. Hornsby and C.L. Watson, *Journal of Materials Science*, 30, pp. 5347-5355 (1995)

[Hornsby, 1996]

P.R. Hornsby and A. Mthupha, *Plastics, Rubber and Composites Processing and Applications*, 25, pp. 347-355 (1996)

[Hull, 1987]

D. Hull, *Materiales Compuestos*, Editorial Reverté, Barcelona (1987)

[Ibahon, 1998]

A.O. Ibahon, *Journal of Applied Polymer Science*, 69, pp. 2657-2661 (1998)

[Irwin, 1958]

G.R. Irwin, Fracture, *Handbuch der Physik VI*, pp. 551-590, Flügge Ed., Springer (1958)

[Irwin, 1960]

G.R. Irwin, "Plastic zone near a crack and fracture toughness", Proceedings of 7th Sagamore Conference, p. IV-63 (1960)

[Irwin, 1962]

G.R. Irwin, *Journal of Applied Mechanics*, 29, p.651 (1962). Citado por [Grellmann, 1997]

[Irwin, 1964]

G.R. Irwin, *Applied Materials Research*, 3, p. 65 (1964)

[Irwin, 1971]

G.R. Irwin and P.C. Paris in "Fracture, an advanced treatise", Vol. 3, Ed. by H. Libowitz, Academic Press, New York (1971) p. 13.

[Irwin, 1977]

G.R. Irwin, *Journal of Applied Mechanics*, 29 651 (1962)

[Jancar, 1988]

J. Jancar, J. Kucera and P. Vesely, *Journal of Materials Science Letters*, 7, pp. 1377-1378 (1988)

[Jancar, 1989-a]

J. Jancar, *Journal of Materials Science*, 24, pp. 3947-3955 (1989)

[Jancar, 1989-b]

J. Jancar, *Journal of Materials Science*, 24, pp. 4268-4274 (1989)

[Jancar, 1990-a]

J. Jancar and J. Kucera, *Polymer Engineering and Science*, 30, N° 12, pp. 707-713 (1990)

[Jancar, 1990-b]

J. Jancar and J. Kucera, *Polymer Engineering and Science*, 30, N° 12, pp. 714-720 (1990)

[Jancar, 1991]

J. Jancar, *Journal of Materials Science*, 26, pp. 4123-4129 (1991)

[Jancar, 1993]

J. Jancar, A.T. Dibenedetto and A. Dianselmo, *Polymer Engineering and Science*, 33, N° 9, pp. 559-563 (1993)

[Jingjiang, 1990]

L. Jingjiang, W. Xiufen and G. Qipeng, *Journal of Applied Polymer Science*, 41, pp. 2829-285 (1990)

[Jones, 1986]

D.P. Jones, D.C. Leach and D.R. Moore, *Plastics and Rubber Processing and Applications*, 6, p. 67 (1986). Citado por [Karger-Kocsis, 1999]

[Juskey, 1982]

V.P. Juskey and C.E. Chaffey, *Canadian Journal of Chemical Engineering*, 60, p. 334 (1982). Citado por [Demjen, 1997]

[Kalay, 1997-a]

G. Kalay and M.J. Bevis, *Journal of Polymer Science: Part B: Polymer Physics*, 35, pp. 241-263 (1997)

[Kalay, 1997-b]

G. Kalay and M. Bevis, *Journal of Polymer Science: Part B: Polymer Physics*, 35, pp. 265-291 (1997)

[Karaivanova, 1997]

M.S. Karaivanova and K.M. Gjurova, *Journal of Applied Polymer Science*, pp. 581- 588 (1997)

[Karger-Kocsis, 1997]

J. Karger-Kocsis, J. Varga and G.W. Ehrenstein, *Journal of Applied Polymer Science*, 64, N° 11, pp. 2057-2066 (1997)

[Karger-Kocsis, 1999]

J. Karger-Kocsis, D.E. Mouzakis, G.W. Ehrenstein and J. Varga, *Journal of Applied Polymer Science*, 73, pp. 1205-1214 (1999)

[Kenyon, 1967]

A.S. Kenyon and H.J. Duffey, *Polymer Engineering and Science*, 7, p. 189 (1967). Citado por [Demjen, 1997]

[Kerner, 1956]

E.H. Kerner, *Proceedings of the Physics Society*, 69B, p. 808 (1956)

[Kinloch, 1983]

A.J. Kinloch and R.J. Young, *Fracture Behaviour of Polymers*, Elsevier Ed., London (1983)

[Khunova, 1999]

V. Khunova, C.M. Liauw, G.C. Lees, R.N. Rotheron, M. Rotariu, A. Morgovan and A. Voliotis, "Investigation of Interactions in Polyolefin/magnesium hydroxide based composites modified with 1,3-phenylene dimaleimide", in *Proceedings of Eurofillers'99*, Vileurbanne (1999)

[Kowalewski, 1986]

J. Kowalewski and A. Galeski, *Journal of Applied Polymer Science*, 32, pp. 2919 (1986). Citado por [Liauw, 1995-a]

[Kumar, 1981]

V. Kumar, M.D. German and C.F. Shih, "An Engineering Approach for Elastic-Plastic Fracture Analysis", *Electric Power Research Institute, NP1931*, Topical Report (July 1981) Citado por [Sharobeam, 1991]

[Landes, 1979]

J.D. Landes, H. Walker and G.A. Clarke, in *Elastic-Plastic Fracture*, ASTM STP 668 pp. 266-287 (1979) Citado por [Sharobeam, 1991]

[Landes, 1987-a]

J.D. Landes, D.E. McCabe and H.A. Ernst, "Fracture Testing of Ductile Steels", *Electric Power Research Institute, NP 5014*, Final Report of Research Project 1238-2 (January 1987) Citado por [Sharobeam, 1991]

[Landes, 1987-b]

J.D. Landes, "Analysis of HY130 Steel Fracture Data", *American Welding Institute, AWI 88-0109* (1987). Citado por [Sharobeam, 1991]

[Landes, 1988]

J.D. Landes and R. Herrera, *International Journal of Fracture*, 36, pp. R9-R14 (1988)

[Landes, 1991]

J.D. Landes, Z. Zhou, K. Lee and R. Herrera, *Journal of Testing and Evaluation*, 19, N° 4, pp. 305-311 (1991)

[Landes, 1993]

J.D. Landes and Z. Zhou, *International Journal of Fracture*, 63, pp.383-393 (1993)

[Latzko, 1984]

D.G.H. Latzko, C.E. Turner, J.D. Landes, D.E. McCabe and T.K. Hellen, *Post-Yield Fracture Mechanics*, 2nd ed., Elsevier Applied Science Publishers Ltd (1984) Citado por [Sharobeam, 1991]

[Levita, 1989]

G. Levita, A. Marchetti and A. Lazzeri, *Polymer Composites*, 10, N° 1, PP. 39-43 (1989)

[Lewis, 1970]

T.B. Lewis and L.E. Nielsen, *Journal of Applied Polymer*, 14, p. 1449 (1970)

[Liau, 1995-a]

C.M. Liau, S.J. Hurst, G.C. Lees, R.N. Rethon and D.C. Dobson, *Progress in Rubber and Plastics Technology*, 11, N°2, pp. 137-153 (1995)

[Liau, 1995-b]

C.M. Liau, G.C. Lees, S.J. Hurst, R.N. Rethon and D.C. Dobson, *Plastics, Rubber and Composites Processing and Applications*, 24, N° 4, pp. 211-219 (1995)

[Liau, 1995-c]

C.M. Liau, G.C. Lees, S.J. Hurst, R.N. Rethon and D.C. Dobson, *Plastics, Rubber and Composites Processing and Applications*, 24, 249-260 (1995)

[Liau, 1996]

C.M. Liau, G.C. Lees, S.J. Hurst, R.N. Rethon and D.C. Dobson, *Die Angewandte Makromolekulare Chemie*, 235, pp. 193-203 (1996)

[Liau, 1999]

C.M. Liauw, G.C. Lees, R.N. Rothon, X. Le Coq and F. Dagnais, "The reaction of selected fatty acids with the surface of magnesium hydroxide and its effect on polymer applications", in *Proceedings of Eurofillers'99*, Vileurbanne (1999)

[Liu, 1996]

Z. Liu and M. Gilbert, *Journal of Applied Polymer Science*, 59, pp. 1087-1098 (1996)

[Llorente, 1991]

M.A. Llorente Uceta y A. Horta Zubiga, "Técnicas de Caracterización de Polímeros", p. 283, UNED, Madrid (1991)

[Lovinger, 1977]

A.J. Lovinger, J.O. Chua and C.C. Gryte, *Journal of Polymer Science, Polymer Physics*, Edn 1977, 15, p. 641. Citado por [McGenity, 1992]

[McGenity, 1992]

P.M. McGenity, J.J. Hooper, C.D. Paynter, A.M. Ryler, C. Nutbeem, N.J. Elton and J.M. Adams, *Polymer*, 33, N° 24, pp. 5215-5224 (1992)

[Mai, 1977]

Y.W. Mai and J.G. Williams, *Journal of Materials Science*, 12, pp. 1376-1382 (1977)

[Maier, 1998]

C. Maier and T. Calfut, "*Polypropylene. The Definitive User's Guide and Databook*". Plastics Design Library. Norwich, Nw York (1998)

[Maiti, 1990]

S.N. Maiti and P.K. Mahapatro, *International Journal of Polymeric Materials*, 14, pp.205-222 (1990)

[Martinez, 1994]

A.B. Martinez, J.Arnau, O. Santana y A. Gordillo, *Información Tecnológica*, 5, pp. 19-24 (1994)

[Mascia, 1974]

L. Mascia, "*Los efectos de los aditivos en los plásticos*", Index, Madrid, p. 110 (1974)

[Mauritz, 1978]

R.A. Mauritz, E. Baer and A.J. Hopfinger, *Journal of Polymer Science and Macromolecular Revue*, 13 (1978) Citado por [Liau, 1995-a]

[Meddad, 1997]

A. Meddad and B. Fisa, *Journal of Applied Polymer Science*, 65, N° 10, pp. 2013-2024 (1997)

[Merkle, 1974]

J.G. Merkle and H.T. Corten, "A J-Integral Analysis for the Compact Specimen, Considering Axial Force as Well as Bending Effects", *ASME Paper N° 74-PVP-33* (1974) Citado por [Sharobeam, 1991]

[Mitsuishi, 1985]

K. Mitsuishi, S. Kodama and H. Kawasaki, *Polymer Engineering and Science*, 25, N° 17, pp. 1069-1073 (1985)

[Monasse, 1995]

B. Monasse and J.M. Haudin, in *Polypropylene: Structure, Blends and Composites, Vol.1, Structure and Morphology*, Ed. Chapman & Hall, London, pp. 3-30 (1995)

[Morhain, 1996]

C. Morhain, "Concepción de un molde espiral con doble canal mediante simulación por ordenador", Proyecto Final de Carrera, Dir. A.B. Martínez, Universidad Politécnica de Cataluña (Septiembre 1996)

[Morhain, 1997]

C. Morhain, J.I. Velasco, O.O. Santana, J.S. Acosta, "Polipropileno ignífugo con hidróxido de magnesio", en "*Materiales Poliméricos*", Editores: J.M. Gómez-Fatou, A.B. Martínez, J.A. Subirana, J.I. Velasco, pp. 339-342 (1997)

[Morhain, 1999]

C. Morhain, J.I. Velasco, D. Arencón, M. Sánchez and A.B. Martínez, "Anales de Mecánica de la Fractura, Vol. 16, pp. 413-418 (1999)

[Morhain, 2000]

C. Morhain, A.B. Martínez and J.I. Velasco, "The load normalisation method for determining J-R curves in polypropylene-based materials", in "Fracture Mechanics: Applications and Challenges", Elsevier Science, Publicado en CD-ROM (2000)

[Morhain, 2001-a]

C. Morhain and J.I. Velasco, "Determination of J-R curve of polypropylene copolymers using the normalization method", *Journal of Materials Science*, 36, pp. 1487-1499 (2001).

[Morhain, 2001-b]

C. Morhain and J.I. Velasco, "J-R curve determination of magnesium hydroxide filled polypropylene using the normalization method", *Journal of Materials Science* (en revisión)

[Murphy, 1988]

M.W. Murphy, K. Thomas and M.J. Bevis, *Plastics and Rubber Processing and Applications*, 9, N°1, pp. 3-16 (1988)

[Narisawa, 1987]

I. Narisawa, *Polymer Engineering and Science*, 27, N°1, pp. 41-45 (1987)

[Narisawa, 1999]

I. Narisawa, in *Polypropylene: An A-Z Reference*, Edited by J. Karger-Kocsis, Kluwer Publishers, Dordrecht, pp. 124-127 (1999)

[Nicolais, 1971]

L. Nicolais and M. Narkis, *Polymer Engineering and Science*, 11, N° 3, pp. 194-199 (1971)

[Nicolais, 1973]

L. Nicolais and L. Nicodemo, *Polymer Engineering and Science*, 13, N° 6, p. 469 (1973)

[Nielsen, 1966]

L.E. Nielsen, *Journal of Applied Polymer Science*, 10, pp. 97- (1966). Citado en [Nicolais, 1971]

[Nielsen, 1970]

L.E. Nielsen, *Journal of Applied Physics*, 41, p. 4426 (1970)

[Nielsen, 1974]

L.E. Nielsen, *Mechanical Properties of Polymers and Composites*, Marcel Dekker Ed, New York (1974)

[Orange, 1990]

T.W. Orange, "Methods and models for R-curve instability calculations", in *Fracture Mechanics: Twenty-First Symposium, ASTM STP 1074*, J.P. Gudas, J.A. Joyce and E.M. Hackett, Eds., ASTM, Philadelphia, pp. 545-559 (1990)

[Orange, 1999]

G. Orange, "Low Rate Fracture Toughness of Highly Filled Polypropylene: Brittle to Ductile Behaviour", in *Fracture of Polymers, Composites and Adhesives*, 2nd ESIS TC4 Conference on Polymers and Composites, p. 66 (1999)

[Paul, 1960]

B. Paul, *Trans. Met. Soc., AIME*, 36, pp.218 (1960)

[Paris, 1979]

P.C. Paris, H. Tada, A. Zahoor and H. Ernst, *Instability of the tearing model of elastic-plastic crack growth, ASTM STP 668*, pp. 5-36 (1979)

[Platti, 1975]

E. Platti and J.G. Williams, *Polymer Engineering and Science*, 15, pp. 470-477 (1975)

[Pukanszky, 1989]

B. Pukanszky, E. Fekete and F. Tudos, *Macromolecular Chemical, Macromolecular Symposium*, 28, p. 165 (1989). Citado por [Demjen, 1997]

[Pukanszky, 1994]

B. Pukanszky, J. Van Es, J. Maurer and J. Voros, *Journal of Materials Science*, 29, p. 2350 (1994)

[Pukanszky, 1996]

B. Pukanszky and G. Voros, *Polymer Composites*, 17, N° 3, pp. 384-392 (1996)

[Pukanszky, 1999]

B. Pukanszky, in *Polypropylene: An A-Z Reference*, Edited by J. Karger-Kocsis, Kluwer Publishers, Dordrecht, pp. 574-580 (1999)

[Raab, 1998]

M. Raab, J. Kotek, J. Baldrian and W. Grellmann, *Journal of Applied Polymer Science*, 69, pp. 2255-2259 (1998)

[Rayleigh, 1906]

L. Rayleigh, *Phil Mag.*, 11. p.283 (1906) Citado por [Sullcahuamán, 1999]

[Raymond, 1999]

C. Raymond and M. Gilbert, "Determination of Filler/Polymer Orientation in Mouldings", in *Proceedings of Eurofiller'99*, Vileurbanne (1999)

[Rice, 1968]

J.R. Rice, *Journal of Applied Mechanics*, 35, p. 379 (1968)

[Rice, 1973]

J.R. Rice, P.C. Paris and J.G. Merkle, in *Flaw Growth and Fracture Toughness Testing*, ASTM STP 536, pp. 231-245 (1974) Citado por [Sharobeam, 1991]

[Riley, 1990]

A.M. Riley, C.D. Paynter, P.M. McGenity and J.M. Adams, *Plastic and Rubber Processing and Applications*, 14, pp. 85-93 (1990)

[Roark, 1954]

R.J. Roark, "*Formulas for Stress and Strain*", McGraw-Hill, New-York (1954)

[Rothon, 1996]

R.N. Rotheron and P.R. Hornsby, *Polymer Degradation and Stability*, 54, pp. 383-385 (1996)

[Rybníkar, 1989]

F. Rybníkar, *Journal of Applied Polymer Science*, 38, pp. 1479- (1989)

[Rybnikar, 1991]

F. Rybnikar, *Journal of Applied Polymer Science*, 42, pp. 2727-2737 (1991)

[Sanchez-Soto, 2000]

M.A. Sánchez-Soto, “*Comportamiento Mecánico y Fractura de Mezclas de Poliestireno y Microesferas de Vidrio*”, Tesis Doctoral, Universidad Politécnica de Cataluña (2000)

[Sharobeam, 1991]

M.H. Sharobeam and J.D. Landes, *International Journal of Fracture*, 47, pp. 81-104 (1991)

[Sharobeam, 1993-a]

M.H. Sharobeam and J.D. Landes, *International Journal of Fracture*, 59, pp. 213-226 (1993)

[Sharobeam, 1993-b]

M.H. Sharobeam and J.D. Landes, *International Journal of Fracture*, 61, pp. 379-395 (1993)

[Starke, 1998]

J.U. Starke, G.H. Michler, W. Grellmann, S. Seidler, M. Gahleitner, J. Fiebig and E. Nezbedova, *Polymer*, 39, pp. 75-82 (1998)

[Stricker, 1997]

F. Stricker, M. Bruch and R. Mulhaupt, *Polymer*, 38, N° 21, pp. 5347-5353 (1997)

[Sugimoto, 1995]

M. Sugimoto, M. Ishikawa and K Hatada, *Polymer*, 36, N° 19, pp. 3675-3682 (1995)

[Sullcahuamán, 1999]

J.A. Sullcahuamán, O.O. Santana, M. Sánchez-Soto, A.B. Martínez, “*Materiales Compuestos 99*”, Ed. A. Corz, J.M. Pintado, Asociación Española de Materiales Compuestos, pp. 175-182 (1999)

[Sumpter, 1976]

J.D.G. Sumpter and C.E. Turner, in *Cracks and Fracture*, ASTM STP 601 pp. 3-18 (1976)

[Tadmor, 1974]

Z. Tadmor, *Journal of Applied Polymer Science*, 18, pp. 1753-1772 (1974)

[Timoshenko, 1949]

S. Timoshenko, “Resistencia de Materiales. 1ª parte: Teoría elemental y problemas”. Espasa Calpe, Madrid (1949)

[Tjong, 1996]

S.C. Tjong, T. Cheung and R.K.Y. Li, *Polymer Engineering and Science*, 36, p. 100 (1996). Citado por [Raab, 1998]

[Towaleski, 1986]

T. Towaleski and A. Galeski, *Journal of Applied Polymer Science*, 32, pp. 2919- (1986)

[Townsend, 1998]

P. Townsend, in *Chemical Additives for Plastics: Apparent Supplier Strategies*, TownsendTarnell Inc., New Jersey (1998)

[Trantina, 1984]

G.G. Trantina, *Polymer Engineering and Science*, 24, p. 1180 (1984)

[Troitzsch, 1990]

J. Troitzsch, in “*International Plastics Flammability Handbook*”, Hanser Publishers, Munich, p. 22 (1990)

[Trotignon, 1996]

J.P. Trotignon, J. Verdu, A. Dobraczynski and M. Piperaud, « *Matières Plastiques: Structure-Propriétés, Mise en oeuvre, Normalisation* », Edition Nathan, Paris (1996)

[Tsai, 1968]

S.W. Tsai and N.J. Pagano, “*Composite Materials Workshop*”, Eds. S.W. Tsai, J.C. Halpin and N.J. Pagano, Technomic, Stamford, p. 233 (1968)

[Turner, 1980]

C.E. Turner, in *Fracture Mechanics, Twelfth Conference, ASTM STP 700*, pp. 314-337 (1980). Citado por [Sharobeam, 1991]

[Turner-Jones, 1964]

Turner-Jones, J.M. Aizlewood and D.R. Beckett, *Makromolecular Chemie*, 75, p.134 (1964). Citado por [Cook, 1998]

[UNE, 1976]

UNE, “*Determinación del contenido en cenizas de materiales plásticos*”, UNE56-090 (1976)

[UNE, 1978]

UNE (Norma Española), “*Determinación de la temperatura de reblandecimiento Vicat*”, UNE56-118 (1978)

[UNE, 1979]

UNE (Norma Española), “*Determinación de la temperatura de flexión bajo carga*”, UNE56-075 (1979)

[USPatent, 1998]

US5827906: “*Surface-modified filler composition*”, R. Seeling and H.D. Metzemacher, Martinswerk GmbH, 27-10-1998

[Varga, 1992]

J. Varga, *Journal of Materials Science*, 27, pp. 2557- (1992)

[Varga, 1995-a]

J. Varga, in *Polypropylene: Structure, Blends and Composites, Vol.1, Structure and Morphology*, Ed. Chapman & Hall, London, pp. 56-115 (1995)

[Varga, 1995-b]

J. Varga y J. Karger-Kocsis, *Polymer*, 36, pp. 4877-4881 (1995)

[Varga, 1996]

J. Varga y J. Karger-Kocsis, *Journal of Polymer Science, Part.B, Polymer Physics*, 34, pp. 657-670 (1996)

[Varga, 1999]

J. Varga and G.W. Ehrenstein, in *Polypropylene: An A-Z Reference*, Edited by J. Karger-Kocsis, Kluwer Publishers, Dordrecht, pp. 51-59 (1999)

[Velasco, 1996-a]

J.I. Velasco, J.A. de Saja and A.B. Martínez, *Journal of Applied Polymer Science*, 61, 125-132 (1996)

[Velasco, 1996-b]

J.I. Velasco, “*Fractura de Compuestos Polipropileno-Talco*”, Tesis Doctoral, UPC (1996)

[Velasco, 1997-a]

J.I. Velasco, J.A. de Saja and A.B. Martínez, *Fatigue and Fracture of Engineering Materials & Structures*, 20, pp. 659-670 (1997)

[Velasco, 1997-b]

J.I. Velasco, C. Morhain, A.B. Martínez, *Anales de Mecánica de la Fractura*, Vol. 14, pp.331-337 (1997)

[Velasco, 1998-a]

J.I. Velasco, C. Morhain, D. Arencón, O.O. Santana and M.L. Maspoch, *Polymer Bulletin*, 41, pp. 615-622 (1998)

[Velasco, 1998-b]

J.I. Velasco, C. Morhain, D. Arencón and A. Gordillo, *Anales de Mecánica de la Fractura*, 15, pp. 261-266 (1998)

[Velasco, 1998-c]

J.I. Velasco, C. Morhain, M. Ll. Maspoch and O.O. Santana, “Effect of particle size on the fracture behaviour of aluminium hydroxide filled polypropylene”, in *Fracture from Defects*, EMAS, Sheffield UK, pp. 1381-1386 (1998)

[Velasco, 1998-d]

J.I. Velasco, M. Ll. Maspoch, C. Morhain, *Información Tecnológica*, Vol. 9, nº3, pp. 213-218 (1998)

[Velasco, 1998-e]

J.I. Velasco, M. Ll. Maspoch, C. Morhain, *Información Tecnológica*, Vol. 9, nº3, pp. 219-222 (1998)

[Velasco, 1999-a]

J.I. Velasco, A.B. Martínez, D. Arencón, M.A. Rodríguez-Pérez, J.A. de Saja, *Journal of Materials Science*, 34, 431-438 (1999)

[Velasco, 1999-b]

J.I. Velasco, C. Morhain, D. Arencón and M.Ll. Maspoch, "Polypropylene filled with flame-retardant fillers: Mechanical and Fracture properties", Proceedings of Eurofillers '99. Publicado en CD-ROM (1999)

[Velasco, 2000]

J.I. Velasco, A.B. Martínez, D. Arencón, O. Almanza, M.A. Rodríguez-Pérez, J.A. de Saja, Cellular Polymers, 19, pp. 116-134 (2000)

[Velasco, 2001-a]

J.I. Velasco, C. Morhain, A.B. Martínez, M.A. Rodríguez-Pérez, J.A. de Saja, "Anisotropy and microstructure heterogeneity of injection-moulded discs of polypropylene filled with platy magnesium hydroxide", Macromolecular Materials (Aceptado).

[Velasco, 2001-b]

J.I. Velasco, C. Morhain, A.B. Martínez, M.A. Rodríguez-Pérez, J.A. de Saja, "Influence of filler morphology on anisotropy and microstructure heterogeneity of injection-moulded discs of polypropylene filled with inorganic hydroxide", Macromolecular Materials (enviado).

[Vollenberg, 1988]

P. Vollenberg, D. Heikens and H.C.B. Ladan, *Polymer Engineering and Science*, 9, p. 382 (1988)

[Vollenberg, 1989-a]

P.H.T. Vollenberg and D. Heikens, *Polymer*, 30, pp. 1656-1662 (1989)

[Vollenberg, 1989-b]

P.H.T. Vollenberg and D. Heikens, *Polymer*, 30, pp. 1663-1668 (1989)

[Vu-Khanh, 1985]

T. Vu-Khanh, B. Sanschagrin and B. Fisa, *Polymer Composites*, 6, N° 4, pp. 249-260 (1985)

[Vu-Khanh, 1990]

T. Vu-Khanh and B. Fisa, *Theoretical and Applied Fracture Mechanics*, 13, pp. 11-19 (1990)

[Vu-Khanh, 1992]

T. Vu-Khanh and J. Denault, *Journal of Composites Materials*, 26, N° 15, pp. 2262-2277 (1992)

[Williams, 1978]

J.G. Williams, *Advanced Polymer Science*, 27, pp. 67-120 (1978)

[Williams, 1987]

J.G. Williams and G.C. Adams, *International Journal of Fracture*, 33, pp. 203-222 (1987)

[WOPatent, 1996]

WO 96/26240: "Surface-Modified Filler Composition", H.D. Metzemacher and R. Seeling, Martinswerk GmbH, 22-02-1996

[Wunderlich, 1990]

B. Wunderlich, "*Thermal Analysis*", Academic Press, New York, p. 418 (1990)

[Xavier, 1990-a]

S.F. Xavier, J.M. Schultz and K. Friedrich, *Journal of Materials Science*, 25, pp. 2411-2420 (1990)

[Xavier, 1990-b]

S.F. Xavier, J.M. Schultz and K. Friedrich, *Journal of Materials Science*, 25, pp. 2421-2427 (1990)

[Xavier, 1990-c]

S.F. Xavier, J.M. Schultz and K. Friedrich, *Journal of Materials Science*, 25, pp. 2428-2432 (1990)

[Zihlif, 1991]

A.M. Zihlif and G. Ragosta, *Materials Letters*, 11, N° 10,11,12, pp. 368-372 (1991)

[Zhou, 1994]

Z. Zhou, J.D. Landes and D.D. Huang, *Polymer Engineering and Science*, 34, N° 2, p. 128-134 (1994)