

UNIVERSITAT POLITÉCNICA DE CATALUNYA
ESCOLA TÉCNICA SUPERIOR D'ENGINYERIA
INDUSTRIAL DE TERRASSA

**CARACTERITZACIÓ MICROESTRUCTURAL I
MECÀNICA DE COMPÒSITS HDPE/FIBRES
LIGNOCEL·LULÒSIQUES**

TESI DOCTORAL

Xavier Colom Fajula

CAPÍTOL 7. - BIBLIOGRAFIA

7.- BIBLIOGRAFIA

Allinger, N.L., Cava, M.P., De Jongh, D.C., Johnson, C.R., Lebel, N.A. i Stevens, C.L., “Química Orgánica”, 2^a edición, Editorial Reverté, S.A., Barcelona (1991).

American Society for Testing and Materials (ASTM), “Standard Test Method for Tensile Properties of Plastics” D-638-89, Philadelphia (EUA) (1989).

Arkles, B., Steinmetz, J., i Hogan, J., “Los agentes de acoplamiento silano-poliméricos mejoran la resistencia de los composites”, Revista de Plásticos Modernos, **56**(386), 245-248 (1998).

Arvanitopoulos, C.D. i Koenig J.L., ”FT-ir Microspectroscopic Investigation of the interphase of Epoxy Resin-Glass Fiber Reinforced Composites”, Applied Spectroscopy, **50**(1), 344-315 (1996).

Baba, K., “Kyoto Wood Research Institute”, <http://wood1.kuwri.kyoto-u.ac.jp:10080> (1998).

Baba, K., Ona, T., Takabe, K., Itoh, T. i Ito, K., en la Web de la Kyoto Wood Research Institute. <http://wood1.kuwri.kyoto-u.ac.jp> 10080 (1998).

Bakar, M., Hamadi, B. i Rahma, R., “Natural and artificial weathering of low density polyethylene-based thermal films”, Journal of Applied Polymer Science (Applied Polymer Symposium), **55**, 25-36 (1994).

Banwell, C.N., “Fundamentals of Molecular Spectroscopy”, 3^a Ed., McGraw-Hill, London (Anglaterra) (1983).

Bell, R.J., "Introductory Fourier Transform Spectroscopy", Academic Press, New York (EUA) (1975).

Berhtein, V.A. i Egorov, V.M., "Differential Scanning Calorimetry of Polymers", Ed. Ellis Horwood, New York (EUA) (1994).

Blackwell, J., "Infrared and Raman Spectroscopy of Cellulose", en "The Structures of Cellulose. Characterization of the Solid States", Rajai H. Atalla Editor. American Chemical Society. Washington D.C. (EUA) (1987).

Blackwell, J., Kolpak, F.J. i Gardner, K.H., "Structures of Native and Regenerated Celluloses", en "The Structures of Cellulose. Characterization of the Solid States", Rajai H. Atalla Editor. American Chemical Society. Washington D.C.(EUA) (1987).

Bower, D.I. i Maddams, W.F., "The Vibrational Spectroscopy of Polymers", Cambridge University Press, Cambridge (Anglaterra) (1989).

Brandrup, J. i Immergut, E. H., "Polymer Handbook". Third Edition. Wiley-Interscience Publication, New York (EUA) (1989).

Bravo, J. i Hotchkiss, J.H., "Identification of volatile compounds resulting from the thermal oxidation of polyethylene", Journal of Applied Polymer Science, **47**, 1741-1748 (1993).

Brown, M.E., "Introduction to thermal analysis" Chapman and Hall. New York (EUA) (1988).

Bryson, J.A., "Plastic Materials", Butterworths, London (Anglaterra) (1989).

Buj, C., "Estudio de la degradación microestructural de la madera de *Populus tremula* y *Buxus sempervirens* en cámara de UV-vis mediante espectroscopía FT-ir", Projecte Final de Carrera, EUETIT, Terrassa (1998).

Carrasco, F., Kokta, B.V., Arnau, J. i Pagès, P., "The Effect of Low-Temperature Exposure on Mechanical Properties of Polyethylene-Wood Fiber Composites", *Composites*, **33**(2), 46-52 (1993).

Carrasco, F., Pagès, P., Saurina, J. i Colom, X., "Estudio mediante FT-ir y DSC de los cambios de cristalinidad del polietileno de alta densidad inducidos por condiciones climáticas drásticas", *Afinidad*, **52**(458), 231-237 (1995).

Carrasco, F. i Pagès, P., "Prestaciones mecánicas de materiales compuestos de polietileno de alta densidad y fibras celulósicas", *Afinidad*, **52**(459), 327-334 (1995).

Carrasco, F. i Pagès, P., "Propiedades mecánicas de materiales compuestos de polietileno/celulosa sometidos a envejecimiento natural", *Información Tecnológica*, **8**(2), 31-35 (1997).

Casas, J., "Óptica", Ed. Cooperativa de Artes gràficas, Zaragoza (1985).

Chtourou. H., Riedl, B. i Kokta, B.V., "Strength properties of wood-PE composites", *TAPPI Journal*, **90** (4), 141-151 (1997).

Colom, X., "Estudi dels mecanismes de degradació mediambiental del polietilè d'alta densitat mitjançant la tècnica FT-ir", Treball Fi de Carrera, ETSEIT, Terrassa (1994).

Colom, X., Pagès, P., Saurina, J. i Carrasco, F., "Estudio espectrofotométrico FT-ir de los cambios microestructurales de configuración inducidos por la exposición del polietileno de alta densidad (HDPE) a bajas temperaturas". *Afinidad* **52** (456), 87-94 (1995).

Colom, X., Pagès, P., Carrasco, F. i Cañavate, J., "Influencia de la proporción de fibras celulósicas en las propiedades mecánicas de materiales compuestos con matriz de polietileno de alta densidad." *Propiedades Mecánicas de Sólidos*, Ed. F.J. Gil Mur Barcelona 594-600 (1996).

Colom, X., Pagès, P., Saurina, J., Cañavate, J. i Carrasco, F., "Study of the Changes in Cristallinity of the HDPE matrix in Composites with cellulosic Fibers Using DSC and FT-ir", Composites (acceptat) (1998).

Colom, X., Pagès, P., Carrasco, F., Cañavate, J. i Pérez-Folch, J., "Estudio del comportamiento mecánico del HDPE sometido a distintas condiciones de degradación y envejecimiento", Anales de Ingeniería Mecánica, 12(2) 488-493 (1998).

Charton, R.P., "Thermoplastic Polymers" en "Thermal Charqcterization of Polymeric Materials" C3, Ed. E.A. Turi, 2th Edition, Academic Press, New York (EUA) (1981).

Chevassus, F., "Phénomènes de dégradation et de stabilisation des polymères" Conférence présentée a l'issue de l'assamblée générale du 10 mars 1977, Paris (França).

Compton, T.R., "The Analisys of Plastics", Pergamon Press 8^a Ed, Oxford (Anglaterra) (1986).

Conley, T., "Espectroscopía Infrarroja". Ed. Alhambra, Madrid (1979).

Cousin, P., Bataille, P., Schreiber, H.P. i Sapieha, S., "Cellulose – Induced crosslinking of Polyethylene", Journal of Applied Polymer Science, 37, 3057-3060 (1989).

Coutinho, F.M.B., Costa, T.H.S. i Carvalho, D.J., "Polypropylene wood fiber composites: Effects of treatment and mixing conditions on mechanical properties", Journal of Applied Polymer Science , 65, 1227-1235 (1997).

Cox, H.L., "The elasticity and strength of paper and other fibrous material", Journal Applied of Physics, 1(3), 72-79 (1952).

Czaenecki, L. i White, J., "Shear flow rheologycal properties, fiber damage, and mastication characteristics of aramid, glass and cellulose-fiber reinforced polystyrene melts", Journal of Applied Polymer Science, 25, 1217-1244 (1980).

Destiné, J. N., Wang J., Heitner, C. i Manley, R. St., "The Photodegradation of Milled-Wood Lignin. Part I: The Role of Oxygen." *Journal of Pulp and Paper Science*, **22**(1), J24-J30 (1996).

D'Esposito, L. i Koenig, J.L., "Application of Fourier Transform Infrared Spectroscopy to Study of Semicrystalline Polymers: Poly(ethylene Terephthalate)", *Journal of Polymer Science*, **14**, 1731-1741 (1976).

Dingle, L.E., "Aligned discontinuous carbon fibre composite", *Proceedings of the Fourth International Conference on Carbon Fibres, their Composites and Applications*, Plastics Institute, London (Anglaterra) (1974).

Dodd, J. i Tonge, K., "Thermal methods", Wiley and Sons, New York (EUA) (1987).

Ellis, G., Marco, C. i Gómez, J.M., "La espectroscopía vibracional aplicada a la investigación y desarrollo de materiales polímeros: I. Aspectos fundamentales de la espectroscopía vibracional de infrarrojo y raman", *Revista de Plásticos Modernos*, **62**(426), 765-773 (1991).

Erra, P., Gómez, L., Dolcet, L.M. i Julià M.R., "FT-ir Analysis to study chemical changes in wool following a sulfitolysis treatment", *Textil Research Journal*, **67**(6), 397-401 (1997).

Epolene Polymers as Specialty Additives en la <http://www.Eastman.com/cirbo/epopol2.shtml>

Evans, P.A., "Differentiating hard from soft woods using Fourier transform infrared and Fourier transform Raman spectroscopy", *Spectrochimica Acta*, **47A**(9/10), 1441-1447 (1991).

Felix, J.M. i Gatenholm, P., "Effect of transcrystalline morphology on interfacial adhesion in cellulose/propylene composites" *Journal of Materials Science*, **29**, 3043-3049 (1994).

Ferraro, J.R. i Basile, J.L. "Fourier Transform Infrared Spectroscopy", Vol.1, Academic Press, New York (EUA) (1978).

Ferrús, R. i Pagés, P., "Water retention value and degree of crystallinity by infrared absorption spectroscopy in caustic-soda-treated cotton", Cellulose Chemistry and Technology, **11**, 633-637 (1977).

Flink, P., Westerlind, B., Rigdahl, M. i Stenberg, B., "Bonding of untreated cellulose fibers to natural rubber", Journal of Applied Polymer Science **35**, 2155-2164 (1988).

French, R.N., Machado, J.M. i Lin-Vien, D., "Miscible polyacetal poly(vinyl phenol) blends: 1. Predictions based on low molecular weight analogs" Polymer, **33** (4), 755-759 (1992).

Gächter, R. i Müller, H. "Plastic Additives Handbook". Eb. Hanser Publishers, Munich (Alemania) (1990).

Gacen, J. i Maillo, J., "Algodón y Celulosa. Estructura y Propiedades". Cátedra de Polímeros Textiles y fibras químicas. ETSIIT, Terrassa (1987).

Garton, A., "Infrared Spectroscopy of Polymer Blends, Composites and Surfaces". Hanser Publishers, New York (EUA) (1992).

Gatenholm, P., Bartilsson, H. i Mathiasson, A., "The effect of chemical composition of interphase on dispersion of cellulose fibers in polymers. PVC-coated cellulose in polystyrene", Journal of Applied Polymer Science, **49**, 197-208 (1993).

Gatenholm, P. i Mathiasson, A., "Degradable natural composites II Synergistic effects of processing cellulose with PHB" Journal of Applied Polymer Science, **51**, 1231-1237 (1994).

Gilbert, R.D., "Cellulosic Polymers. Blends and Composites". Hanser Publishers, Munich (Alemania) (1994).

Griffiths, P.R., "Chemical Infrared Fourier Transform Spectroscopy", John Wiley & Sons, New York (EUA) (1975).

Halpin, J.C. i Tsai, S.W., "Environmental factorsin composite materials desing" Air Force Materials Laboratory Technical Report, AFML-TR-67-423 EUA (1967).

Hayashi, J., Kon, H., Takai, M., Hatance, M., i Nozawa, T. "Possible Cause of Structural Irreversibility Between Cellulose I and Cellulose II Families", en "The Structures of Cellulose. Characterization of the Solid States", Rajai H. Atalla Ed: American Chemical Society. Washington D.C. (EUA) (1987).

Heitner, C. "Light-Induced Yellowing of Wood-Containing Papers. An Evolution of the Mechanism", en Photochemistry of Lignocellulosic Materials. Cyril Heitner, Editor & J.C. Scaiano, Editor. American Chemical Society, Washington D.C. (EUA) (1993).

Hedenberg, P. i Gatenholm, P., "Conversitin of Plastic/Cellulose Waste into Composites. Y Model of the Interphase", Journal of Applied Polymer Science, **56**, 641-651 (1995).

Hemminger, W. i Hohne, G., "Calorimetry. Fundamentals and Practice". Springer-Verlag, Berlin-Heidelberg (Alemania) (1984).

Hergert, H.L., "Infrared Spectra of Lignin and Related Compounds. II. Conifer Lignin and Model Compounds". Journal of Organic Chemistry, **25**, 405-413 (1960).

Herrera-Franco, P.J. i Aguilar-Vega, M.J., "Effect of fiber treatment on the mechanical properties of LDPE-henequen cellulosic fiber composites", Journal of Applied Polymer Science **65**, 197-207 (1997).

Horta, A., "Interacciones entre polímeros", Revista de Plásticos Modernos", **59**(406), 514-517 (1990).

Hull, D., "An Introduction to composite materials", Cambridge University Press, Trumpington Street, Cambridge (Anglaterra) (1987).

Hurtubise, F.G. i Krässig, H., "Classification of Fine Structural Characteristics in Cellulose by Infrared Spectroscopy", Analytical Chemistry, **32** (2), (1960).

Ilerr, R.K., "The chemistry of Silica", John Wiley& Sons, New York (EUA), (1979).

Ishida, H. i Koenig, J.L., "Hydrolytic stability of silane coupling agents on E-glass fibers studied by Fourier transform infrared spectroscopy." Proceedings of the 35th SPI/RP Annual Technology Conference, paper 23-A Society of the Plastics Industry, New York (EUA) (1980).

Ishikawa, A., Okano, T. i Sugiyama, J., "Fine structure and tensile properties of ramie fibres in the crystalline form of cellulose I, II, III i IV" Polymer, **38**(2), 463-468 (1997).

Isogai, A. i Atalla, R.H., "Amorphous Celluloses Stable in Aqueous Media: Regeneration from SO₂-Amine Solvent System", Journal Polymer Science: Part A, **29**, 113-119 (1991).

Jancar, J., DiAnselmo, A. i DiBenedetto A.T., "The Yield Strength of Particulate Reinforced Thermoplastic Composite", Polymer Engineering Science", **32**, 1394-1399 (1992).

Kalaprasad, G., Sabu T., Pavithran, C., Neelakantan, N.R. i Balakrishnan, S., "Hybrid Effect in the Mechanical Properties of short Sisal/Glass Hybrid Fiber Reinforced Low Density Polyethylene Composites", Journal of Reinforced Plastics and Composites, **65**, 48-73 (1997).

Kalinski, R., Galeski, A. i Kryszewski, M., "Low density polyethylene filled with chalk and liquid modifier", Journal of Applied Polymer Science, **26**, 4047-4058, (1981).

Karlsson, O. i Westermark, U., "Evidence for Chemical Bonds Between Lignin and Cellulose in Kraft Pulps", Journal of Pulp and Paper Science, **22**(10), J397-J401 (1996).

Kazayawoko, M., Balatinecz, J.J., Woodhams, R.T. i Law, S., "Effect of the ester linkages on the mechanical properties of wood fiber-polypropylene composites" Journal of Reinforced Plastics and Composites, **16**(15), 1385-1406 (1997).

Koenig, J.L., "Spectroscopy of Polymers", Ed. American Chemical Society, Washington D.C. (EUA) (1992).

Kollmann, F.F.P. i Coré, W.A., "Principles of Wood Science and Technology". Springer-Verlag, Berlin-Heidelberg (Alemania) (1968).

Kokta, B.V., Chen, R., Daneault, C. i Valade, J.L., "Use of Wood Fibers in Thermoplastic Composites. Polystyrene", Polymer Composites, **4**, 229-241 (1983).

Kokta, B.V., Kamdem, P.D., Beshay, A.D. i Daneault, C., "Use of Wood Fibers in Thermoplastic Composites III. Polymethylmethacrylate", Polymer Composites, **7**(3), 251-267 (1986).

Kokta, B.V., Daneault, C., i Beshay, A.D., "Use of Grafted Fibers in Thermoplasatic Composites IV. Effect of Extreme Conditions on Mechanical Properties of Polyethylene Composites", Polymer Composites, **7**(5), 337-348 (1986).

Kondo, T., Sawatari, C. "A Fourier transform infra-red spectroscopic analysis of the character of hydrogen bonds in amorphous cellulose", Polymer, **37**(3), 393-399 (1996).

Kuruvilla, J., Sabu, T. i Pavithran, C., "Dynamic Mechanical Properties of Short Sisal fiber Reinforced Low Density Polyethylene composites", Journal of Reinforced Plastics and Composites, **12**, 139-154 (1993).

Kuruvilla, J., Sabu T. Pavithran, C. i Brahmakumar, M., "Tensile properties of short sisal fiber reinforced polyethylene composites", Journal of Applied Polymer Science, **47**, 1731-1739 (1993).

Kuruvilla, J., Sabu, T. i Pavithran, C., "Effect of ageing on the physical and mechanical properties of sisal-fiber-reinforced polyethylene composites", Composites Science and Technology, **53**, 99-110 (1995).

Kuruvilla, J., Sabu T. i Pavithran, C., "Effect of chemical treatment on the tensile properties of short sisal-fiber-reinforced polyethylene composites", Polymer, **37**(23), 5139-5149 (1996).

Leary, G. J., "Recent Progress in Understanding and Inhibiting the Light-Induced Yellowing of Mechanical Pulps", Journal of Pulp and Paper Science, **20**(6), J154-J160 (1994).

Leary, G. J., "The Yellowing of Wood by Light". Tappi Journal, **50**(1), 17-19 (1967).

Leary, G. J., "The Yellowing of Wood by Light: Part II." Tappi Journal, **51**(6), 257-261 (1968).

Lightsey, G.R., "Organic fillers for thermoplastics" Polymer Science Technology, Vol. 17 Plenum Press, New York (EUA) (1983).

Lin, S.Y. i Kringstad, K. P., "Stabilization of Lignin and Lignin Model Compounds to Photodegradation." Tappi Journal, **53**(9), 1675-1680 (1970).

Maiti, S.N. i Singh, K., "Influence of wood flour on the mechanical properties of polyethylene", Journal of Applied Polymer Science, **32**, 4285-4289 (1986).

Maldas, D. i Kokta, B.V., "The effect of Aging Conditions on the Mechanical Properties of Wood fiber-Polystyrene Composites: chemithermomechanicalPulp as a Reinforcing Filler". Composites Science and Technology, **36**, 167-182 (1989).

Maldas, D., Kokta, B.V. i Daneault, C., "Influence of coupling agents and treatments on mechanical properties of cellulose fiber polystyrene composites", Journal of Applied Polymer Science, **37**, 751-775 (1989).

Maldas, D. i Kokta, B.V., "Effect of recycling on the mechanical properties of wood fiber-polystyrene composites. II Sawdust as a reinforcing filler", Polymer Plast. Technology Engineering, **29** (5/6), 419-454 (1990).

Maldas, D. i Kokta, B.V., "Role of coupling agents on the performance of woodflour-filled polypropylene composites", International Journal of Polymeric Materials, **27**(1/2), 77-88 (1994).

Maldas, D. i Kokta, B.V., "Composite molded products based on recycled polypropylene and woodflour", Journal of Thermoplastic Composite Materials, **8**(4), 420-434 (1995).

Maldas, D. i Kokta, B.V., "Composite molded products based on recycled thermoplastics and waste cellulosics II, kenaf fiber-recycled PE composites", Journal of Reinforced Plastics and Composites, **14**(5), 458-470 (1995).

Manikandana, N. F.C., Diwan, S.M. i Sabu, Thomas., "Tensile properties of short sisal fiber reinforced polystyrene composites", Journal of Applied Polymer Science, **60**, 1483-1497 (1996).

Manrich, S. i Marconde, J.A., "The effect of chemical treatment on wood and polymer characteristics on the properties of wood-polymer composites", Journal of Applied Polymer Science, **37**, 1777-1790 (1989).

Martínez, J.M. i Collar, E.P., "Materiales heterogéneos e interfase". Revista de Plásticos Modernos, **67**(458), 156-164 (1994).

Mathot, V.B.F. "Calorimetry and thermal analysis on polymers", Hanser Verlag, Munchen (Alemania) (1993).

Mavrich, A.M., Ishida, H. i Koenig, J.L., "Infrared mapping of surface-modified Kevlar fiber-reinforced epoxy systems", Applied Spectroscopy, **49**, 149-155 (1995).

McKenzie, A.W; Yuritta, J.P., "Wood Fiber Reinforced Polymers", Appita **32**(6), 460-465 (1979)

Miyake, A. "The infrared spectrum of polyethylen terephthalate. I. The Effect of crystallization", **38**, 479-495 (1959).

Miyashita, Y., Nishio, Y., Kimura, N., Suzuki, H. i IWATA, M., "Transition behaviour of cellulose / poly(N-vinylpyrrolidone-co-glycidylmethacrylate) composites synthesized by a solution coagulation/bulk polymerization method", Polymer, **37**(10), 1949-1957 (1996).

Mukherjea, R.N., Pal, S.K. i Sanyal, S.K., "Studies on jute fiber composites with polyesteramide polyols as interfacial agent", Journal of Applied Polymer Science, **28**, 3029-3040 (1983).

Murty, V.M., i De, S.K., "Effect of particular fillers on short jute fiber-reinforced natural rubber composites", Journal of Applied Polymer Science, **27**, 4611-4622 (1982).

Nishio, Y. i Manley, R.St. J., "Cellulose/Poly(vinyl alcohol) Blends Prepared from Solutions in N,N-Dimethylacetamide-Lithium Chloride", Macromolecules, **21**, 1270-1277 (1988).

Nelson, M.L. i O'Connor, R.T., "Relation of Certain Infrared Bands to Cellulose and Crystal Lattice Type. Part I. Spectra of Lattice Types I, II, III and Amorphous Cellulose", Journal of Applied Polymer Science, **8**, 1311-1323 (1964).

Nelson, M.L. i O'Connor, R.T., "Relation of certain Infrared Bands to Cellulose Crystallinity and Crystal Laticce Type. Part II. A New Infrared Ratio for Estimation of Crystallinity in Celluloses I and II", Journal of Applied Polymer Science, **8**, 1325-1341 (1964).

Nogolleva, Z., Kokta, B.V. i Chodak, I., "Composite LDPE/wood flour crosslinked by peroxide", Journal of Macromolecular Science-Pure Applied Chemistry, **A35**(7/8), 1069-1077 (1998).

O'Connor, R.T., "Instrumental Analysis of Cotton Cellulose and Modified Cotton Cellulose", Marcel Dekker, New York (EUA) (1972).

O'Connor, R.T., DuPré, E. i McCall, E., "Infrared Spectrophotometric Procedure for Analysis of Cellulose and Modified Cellulose", Analytical Chemistry, **29**(7), (1957).

O'Connor, R.T., DuPré, E.F. i Mitcham D., "Applications of Infrared Absorption Spectroscopy to Investigations of Cotton and Modified Cottons", Part I. Physical and Crystalline Modifications and Oxidation", Textile Research Journal, **28**, 382-392, (1958).

Pagès, P., "Estudi dels canvis de cristal·linitat en la cel·lulosa utilitzant l'espectroscòpia i.r." en "Miscel·lània de treballs científics en homenatge a Enric Casassas", Publicacions UAB, Bellaterra (Espanya) (1991).

Pagès, P., Arnau, J., Carrasco, F. i Gironés, J., "Microstructural Changes induced by fracture and degradation of HDPE followed by FT-ir Spectrophotometry", Proceeding of 6th Mediterranean Congress on Chemical Engineering, Book of Abstracts, Vol II, 729, Barcelona (1993).

Pagès, P., Carrasco, F., Saurina, J. i Colom, X., "FT-ir and DSC Study of HDPE Structural Changes and Mechanical Properties Variation Exposed to Weathering Aging During Canadian Winter", Journal of Applied Polymer Science, **60**, 153-159 (1996).

Pagès, P., Carrasco, F. i Romeu, J., "Detección mediante espectrofotometría FT-ir de cambios microestructurales degradativos en piezas a base de un copolímero polipropileno-polietileno", Revista de Plásticos Modernos, **71**(475), 42-48 (1996).

Pagès, P., Pascual, S., Colom, X., Cañavate, J. i Carrasco, F., “Estudio de la degradación y envejecimiento del HDPE sometido a la radiación ultravioleta mediante espectroscopía FT-ir”, Materiales Poliméricos, Ed: J.M: Gómez-Fatou, A.B. Martínez, J.A. Subirana, J.I. Velasco, Terrassa (1997).

Pagès, P., Carrasco, F., Pascual, S., España, F. y Colom, X., “Envejecimiento artificial del polietileno de alta densidad mediante radiación U.V.”, Anales de Ingeniería Mecánica, **12**(2) 585-590 (1998).

Painter, P.C., Runt, J., Coleman, M.M. i Harrison, I.R., “Fourier Transform Infrared Study of Polyethylene Single Crystals in Suspension”, Journal of Polymer Science (Polymer Physics Edition) **15**, 1647-1654 (1977).

Pascuet, E., “Estudi comparatiu de la degradación microestructural de fibres cel·lulòsiques (modal, viscosa i lyocell) en càmara de UV-vis utilitzant l'espectroscòpia FT-ir”, Projecte Final de Carrera, EUETIT, Terrassa (1998).

Paulsson, M., Simonson, R. i Westermark, U., “Chemical modification of lignin-rich paper. Part 6. Some comments on the mechanism of light -induced yellowing of high-yield pulps”, Nordic Pulp and Paper Research Journal, **4**, 234-238 (1996).

Pearl, I.A. “Studies on Lignin and related Products. XIV. Spectral and Chromatographic Data on Lignin Model Compounds in the Phenylpropane Series” Journal of Organic Chemistry, **24**, 736-757 (1959).

Phillips, G.O., Baugh, P.J. i McKellar, J.F., “Interaction of Radiation with Cellulose in the Solid State” en “Photochemistry of Lignocellulosic Materials”. Cyril Heitner, Editor & J.C. Scaiano, Editor. American Chemical Society, Washington D.C. (EUA) (1993).

Pluedeman, E.P. “Mechanics of adhesion through silane coupling agents”. Composite Materials, **6**, 174-216. Academic Press, New York (EUA) (1974).

Pukánszky, B., Turksányi B. i Tüdós, F., "Effect of interfacial interaction on tensile yield stress of polymer composites", en "Interfaces in Polymer, Ceramic, and Metal Matrix Composite", 467-77 (Ed. H. Ishida) Elsevier, New York (EUA) (1988).

Pukánszky, B., "Particulate filled polypropylene: structure and properties", en "Polypropylene: Structure, Blends and Composites", Vol.3, 1-70, Ed. Karger-Kocsis, Chapman & Hall, London (Anglaterra) (1995).

Raj, R.G., Kokta, B.V. Maldas, D. i Daneault, C., "Use of wood fibers in thermoplastics VII. The effect of coupling agents in polyethylene wood fiber composite", Journal of Applied Polymer Science, **37**, 1089-1103 (1989).

Raj, R.G., Kokta, B.V. i Daneault, C.A., "Comparative Study on the effect of Aging on Mechanical Properties of LLDPE-Glass fiber, Mica, and Wood Fiber Composites", Journal of Applied Polymer Science, **40**, 645-655 (1990).

Rezai, E. i Warner, R.R., "Polymer grafted cellulose fibers I. Enhanced water absorbency and tensile strength", Journal of Applied Polymer Science, **65**, 1463-1469 (1997).

Rezai, E. i Warner, R.R., "Polymer grafted cellulose fibers II. Polymer localization and induced alterations in fiber morphology", Journal of Applied Polymer Science, **65**, 1471-1485 (1997).

Rezai, E. i Warner, R.R., "Polymer grafted cellulose fibers III. Interactions of grafted and ungrafted fibers in handsheets", Journal of Applied Polymer Science, **65**, 1487-1492 (1997).

Romeu, J., Pagès, P. i Carrasco, F., "Detección mediante espectrofotometría FT-ir de cambios microestructurales causados por envejecimiento artificial de un copolímero polipropileno/polietileno", Revista de Plásticos Modernos, **74**(495), 255-261, (1997).

Sain, M.M.. i Kokta, B.V., "Study of molecular interactions in polyfunctional maleimide-modified polypropylene/pulp composite by ESCA, FTIR and DSC", Journal Adhesion Science and Technology , 7(7), 743-760 (1993).

Sain, M.M. i Kokta, B.V., "Toughened thermoplastic composites. Cross linkable phenol formaldehyde and epoxy resins-coated cellulosic filled polypropylene composites", Journal of Applied Polymer Science, 48(12), 2181-2196 (1993).

Sain, M.M., Kokta, B.V. i Maldas, D. "Effect of reactive additives on the performance of cellulose fiber-filled polypropylene composites", Journal Adhesion Science and Technology , 7 (1), 49-61 (1993).

Sain, M.M. i Kokta, B.V., "Response surface methodology a useful tool for the optimization of molecular adhesion and mechanical properties of PP composites" Journal of Reinforced Plastics and Composites, 13(1), 38-53 (1994).

Sain, M.M., Kokta, B.V. i Imbert, C., "Structure property relationships of wood fiber filled polypropylene composite", Polymer Plastics Technology and Engineering , 33(1), 89-104 (1994).

Sain, M.M. i Kokta, B.V., "Polyolefin-wood filler composite I. Performance of m-phenylene bismaleimide modified wood fiber in polypropylene composites", Journal of Applied Polymer Science, 54(10), 1545-1559 (1994).

Sanadi, A.R., Young, R.A., Clemons, C. i Rowell, R.M., "Recycled Newspaper Fibers as Reinforcing Fillers in Thermoplastics: Part I - Analysis of Tensile and Impact Properties in Polypropylene", Journal of Reinforced Plastics and Composites, 13, 54-67, (1994).

Sapieha, S., Caron, M. i Schreiber, H.P., "Kinetics and Equilibria of Water Sorption in LLDPE-Cellulose Composites", Journal of Applied Polymer Science, 32, 5661-5663 (1986).

Sapieha, S., Pupo, J.F. i Schreiber, H.P., "Thermal Degradation of Cellulose-Containing Composites during Processing", Journal of Applied Polymer Science, **37**, 233-240 (1989).

Sapieha, S., Alla, P. i Zang, H., "Dicumyl peroxide modified cellulose LLDPE composites", Journal of Applied Polymer Science, **41**, 2039-2048 (1990).

Sarkanen, K.V., Hou-Min C. i Ericsson, B., "Species Variation in Lignins. I. Infrared Spectra of Guayacil and Syringyl Models", Tappi Journal, **50**(11), 572-575 (1967).

Sarkanen, K.V., Hou-Min C. i Ericsson, B., "Species Variation in Lignins. II. Conifer Lignins". Tappi Journal, **50**(12), 583-586 (1967).

Sarkanen, K.V., Hou-Min C. i Ericsson, B., "Species Variation in Lignins. III. Hardwood Lignins", Tappi Journal, **50** (12), 587-589 (1967).

Schnabel, J.M., "Polymer Degradation", Hanser Editorial, Barcelona (Espanya) (1993).

Seymour, R.B., "Degradación de polímeros", Revista de Plásticos Modernos, **42**(419), 699-702 (1991).

Tabb, D.L., Sevcik, J.J. i Koenig, J.L., "Fourier Transform Infrared Study of the effects of Irradiation on Polyethylene", Journal of Polymer Science (Polymer Physics Edition) **13**, 815-824 (1975).

Tchoubar, B., "Mecanismos de reacción en Química Orgánica", Ed. Limusa, México D.F. (Mèjic) (1976).

Takao, I. i Jungi, S., En la Web de la "Kyoto University of Wood Research".
<http://wood1.kuwri.kyoto-u.ac.jp> 10080/

Tanaka, F. i Fukushima, A., En la Web de la "Kyoto University of Wood Research".
<http://wood1.kuwri.kyoto-u.ac.jp> 10080/

Tasker, S. I Badyal, J.P.S., "Hidroxyl accessibility in celluloses", *Polymer*, **35**(22), 4717-4721 (1994).

Terashima, N. "A New Mechanism for Formation of a Structurally Ordered Protolignin Macromolecule in the Cell Wall of Tree Xylem", *Journal of Pulp and Paper Science*, **16**(5), J150-J155 (1990).

Timoshenko, S.P., "Resistencia de Materiales" 263, Ed. Espasa Calpe S.A., Madrid (1970).

Toynbee, J., "Silane crosslinking of polyolefins: observations on the tin catalyst employed", *Polymer*, **35** (2), 438-440 (1994).

Tripathy, S.S., Jena, S., Misra, S.B. i Padhl, P., "A study on graft copolymerization of methyl methacrylate onto jute fiber", *Journal of Applied Polymer Science*, **30**, 1399-1406 (1985).

Yam, K.L., Gogol, B.K., Lai, C.C. i Selke, S.E., "Composites from Compounding Wood Fibers with Recycled High Density polyethylene", *Polymer Engineering and Science*, **30**(11), 693- 699 (1990).

Yongli, M., Xiaoya, C. i Oipeng, G., "Bamboo fiber-reinforced polypropylene composites: crystallization and interfacial morphology", *Journal of Applied Polymer Science*, **64**, 1267-1273 (1997).

Varma, I.K., Anantha Krishnan, S.R., i Krishnamoorthy, S., "Composites of Glass/modified jute fabric and unsaturated polyester resin", *Composites* **20**(4), 383-388 (1989).

Wang J., Heitner, C. i Manley, R St.J., "The Photodegradation of Milled-Wood Lignin. Part II: The Effect of Inhibitors", *Journal of Pulp and Paper Science*, **22**(2), J158-J163 (1996).

Wake, W.C., "Theories of adhesion and uses of adhesives: a review", Polymer, **19**, 291-308 (1978).

Wegner, T.H., "Wood", Enciclopedia of Polymer Science and Engineering, Vol. 17 Wiley and Sons, New York (EUA) (1991).

Wendland, W.W. "Thermal Analysis", Wiley and Sons, New York (EUA) (1986).

Williams, J.G. "Fracture Mechanics of Polymers", Ellis Howard, New York (EUA) (1987).

Woodhams, R.T., Thomas, G. i Rodgers, D.K., "Wood Fibers as Reinforcing Fillers for Polyolefins", Polymer Engineering and Science, **24**, 1166-1171 (1984).

Zerbi, G., Gallino, G; Del Fanti, N. i Baini, L., "Structural depth profiling in polyethylene films by multiple internal reflection infra-red spectroscopy", Polymer, **30**, 2324-2327 (1989).