

6. BIBLIOGRAFÍA

6. BIBLIOGRAFÍA

ALEXANDER L.E. y KLUG N.P. 1964. X-Ray Diffraction Procedures for Polycrystalline and Amorphous Materials. Jhon Wiley and Sons, Inc. 382pp

AMRHEIN C. HAGHNIA G.H. KIM T., MOSHER P.A., GAGAJENA R.C. y DE LA TORRE, L. 1996 Amanios, Synthesis and properties of zeolites from coal fly ash. Environ. Sci. Technol., 30(3), 735-42.

ANDRES A., ORTIZ I., VIGURI J.R. e IRABIEN A. 1995. Long-term Behaviour of Toxic Metals in Stabilized Steel Foundry Dusts. Journ. of Hazard. Mat. 40, 31-42.

BENNETT H. y OLIVER G. 1992. XRF Analysis of Ceramics, Minerals and Materials. John Wiley & Sons. 298p.

BERGK K.H., PORSCH M. y WOLF F. 1985. Preparation of Zeolite-Containing Products from Solid Primary and Secondary Raw Materials. Part I: Production of Zeolite A Containing Products from Power Plant Fly Ash. Chem. Tech (Leipzig). 37(6). 253-256.

BERGK K.H., PORSCH M. y WOLF F. 1986. Conversion of Solid Primary and Recycled Raw Materials to Zeolite-Containing Products. Part III: Effect Of Mechanical Forces on the Conversion of Metakaolin-Containing Raw Materials into Zeolite A-Containing Products. Chem. Tech. 38(9). 388-91.

BERKGAUT V. y SINGER A. 1995. Selectivity for Different Cations of Zeolite-Containing Hydrotermally Treated Fly Ash. Surf. Sci Catal. 211-212.

BRECK D.W. 1974. Zeolite Molecular Sieves-Structure, Chemistry and Use. John Wiley & sons, 771p.

BOLT N. 1985. Aluminiumwinning uit vliegas. KEMA-report no. 85-5268.

6. Bibliografía

BOSSART, S. J., Y NEWMAN D.A.. 1995. Fossil Energy Waste Management: Technology Status Report. Office Of Fossil Energy, U.S. Department Of Energy, Washington, D.C. 27pp.

CARLSON C.L. y ADRIANO D.C. 1993. Environmental Impacts of Coal Combustion Residues. *Journal of Environmental Quality*. 22(2). 227-247.

CAZORLA-AMORÓS D., ALCAÑIZ-MONJE J. y LINARES-SOLANO A. 1996. Characterization of Activated Carbon Fibers by CO₂ Adsorption. Langmuir 12. 2820-2824.

CAZORLA-AMORÓS D., ALCAÑIZ-MONGE J., DE LA CASA LILLO M.A. y LINARES-SOLANO, A. 1998. CO₂ as an Adsorptive to Characterise Carbon Molecular Sieves and Activated Carbons. Langmuir 14. 4589-4596.

CHANG H.L. y SHIH W.H. 1998. A General Method for The Conversion of Fly Ash into Zeolites as Ion Exchangers for Cesium. Industrial & Engineering Chemistry Research 37. (1) 71-78.

CHANG H.L. y SHIH W.H. 1995. Conversion of Fly ash to Zeolites for Waste Materials. Ceramic Trans. 61. 81-88.

CHANG H.L. y SHIH W.H. 1998. A General Method for the Conversion of Fly Ash into Zeolites as Ion Exchangers for Cesium. Industrial & Engineering Chemistry Research 37. (1) 71-78.

CHUNG F. H. 1974. Quantitative Interpretation of X-Ray diffraction patterns of Mixture I: Matrix Flushing Method for Quantitative Multicomponent Analysis. J. Applied Crystallography. 7. 519-525.

CHUNG F. H. 1974. Quantitative Interpretation of X-Ray diffraction patterns of Mixture II: Principle of X-Ray Diffraction Analysis of Mixtures. J. Applied Crystallography. 7. 526-531.

CHUNG F. H. 1974. Quantitative Interpretation of X-Ray diffraction patterns of Mixture III: Simultaneous Determination of a Set of Reference Intensities. J. Applied Crystallography. 7. 17-19.

COLLINS K.J., JENSEN A.C. y LOCKWOOD A.P.M. 1991. Artificial Reefs: Using Coal Fired Power Station Wastes Constructively for Fishery Enhancement. Ocean. Act. 11. 225-229.

COMITÉ DE LAS REGIONES. 1997. Comunicación al Consejo y al Parlamento Sobre una Estrategia Comunitaria Contra la Acidificación. www.cor.eu.

DAVINI P. 1995. Investigation of Flue Gas Desulfurization by Fly Ash and Calcium Hydroxide Mixtures. Resources, Conservation and Recycling. 15. 193-201.

DIRK G. 1996. Pulverised Fuel Ash Products Solve the Sewage Sludge Problems of the Wastewater Industry. Waste Management, 16(1-3), 51-58.

DOMY A. 2001. Soil Remediation Using *In Situ* Immobilization Techniques. University of Georgia. www.uga.edu.

DRAKONAKI S, DIAMADOPoulos E, VAMVOUKA D, LAHANIATIS M. 1998. Leaching Behavior of Lignite Fly Ash. Journal of Environmental Science and Health Part A-Toxic/Hazardous Substances & Environmental Engineering. 33(2). 237-248 .

DUBININ M. M. 1960. The Potential Theory of Adsorption of Gases and Vapors for Adsorbents with Energetically Non-Uniform Surfaces. Chem. Rev. 1960, 60: 235-241.

DUBININ M.M. 1966. Chemistry and Physics of Carbon. Marcel Dekker, New York. 2. 1.

DUCHESNE J. y REARDON E.J. 1999. Lime Treatment of Fly Ash: Characterization of Leachate Composition and Solid/Water Reactions. Waste Management. 19(3). 221-231 .

6. Bibliografía

DUDAS M.J. y WARREN C.J. 1987. Submicroscopic Model of Fly Ash Particles. Geoderma, 40, 101-104.

ECOBA. 2001. European Association for Use of the By-products of Coal-Fired Power-Stations. www.ecoba.com.

EYMAEL M.M.Th. y CORNELISSEN H.A.W. 1996. Processed pulverized fuel ash for high-performance concrete. Waste Management. 16. (1-3). 237-242.

FISHMAN N.S., RICE C.A., BRITE G.N., BULLOCK J. 1999. Alteration of Coal-Combustion Materials During Low Temperature Leaching Experiments: Implications for Understanding the Long-Term Stability of Combustion By Products. 1999 Ash Utilization Symposium. 722-729.

FLEMING L.N., ABINTEH H.N. y INYANG H.I., 1996. Leachant pH Effects on the Leachability of Metals from Fly Ash. Journal of Soil Contamination, 5 (1): 53-59.

GARCÍA J.M. 2000. Síntesis y Caracterización de Zeolitas y Materiales Compuestos Zeolita/Carbón. Aplicaciones para la Eliminación de SO₂. Tesis Doctoral, Universidad de Alicante. 343pp.

GAREA A., VIGURI J.R. y IRABIEN A. 1997. Kinetics Of Flue Gas Desulphurization At Low Temperatures: Fly Ash/Calcium (3/1) Sorbent Behaviour. Chem. Eng. Sci. 52(5), 715-732.

GEBLER S.H. Y KLIEGER P. 1986. Effect of Fly Ash on Physical Properties of Concrete. Fly Ash, Silica Fume, Slag, and Natural Puzzolans in Concrete. Proceedings Second International Conference. 1. 1-50.

GHOBARK H. y SCHAF O. 1999. Effect of the Temperature on Hydrothermal Synthesis of Analcime and Viseite. Material Science and Engineering B-Solid State Materials for Advanced Technology. 60(3). 163-167.

GOUMANS J.J.J.M., SLOOT H.A. van der y AALBERS Th.G. (Eds).1994. Environmental Aspects of Construction with Waste Materials. Memorias de

"International Conference on Environmental Implications of Construction Materials and Technology Developments, Maastricht, NL, June 1-3, 1994"
Studies in Environmental Science. Elsevier Science. 60.

GRAU i GIRONA R. 1999. Cinética de Lixiviació del Lignit Uranífer de Calaf i Aplicacions Mediambientals del Lignit. Tesis UPC 1999. 155p.

GREGG S.J. y SING K.S.W. 1982. Adsorption, Surface Science and Porosity. Academic Press Inc. 303p.

GRUTZECK M.W. y SIEMER D.D. Zeolites Synthesized from Class F Fly Ash and Sodium Aluminate Slurry. Journal of The American Ceramic Society. 80(9). 2449-2453.

HANSON A. 1995. Natural Zeolites: Many Merits, Meagre Markets. Industrial Minerals. 339, 40-53.

HARUNA J. 1987. Manufacture of Zeolites from Fly Ashes, Japanese Patent No. PIJP 01024014 A2 890126.

HARUNA J. 1989. Manufacture of Zeolites from Fly Ashes, Japanese Patent No. PIJP 03045512 A2 910227.

HARUNA J. 1989. Pellet-Type Zeolite Manufacture from Fly Ash. Japanese Patent No. PIJP 03040915 A2 910221.

HARUNA J. 1989. Synthesis of Zeolite from Fly Ash, Japanese Patent No. PIJP 12229709 A2 900912.

HARUNA J. y MEGURO M. 1990. Manufacture of High-Quality Zeolites from Fly Ashes. Japanese Patent No. PIJP 04012015 A2 920116.

HEMNI T. 1987. Increase In Cation Exchange Capacity Of Coal Fly Ash By Alkali Treatment. Clay Sci. 6(6), 277-82.

6. Bibliografia

HEMNI T. 1987. Synthesis of Hydroxy-Sodalite ("Zeolite") from Waste Coal. Ash. Soil Sic. Plant Nutr. 1987, 33(3). 517-21.

HEMMINGS R.T. y BERRY E.E. 1985. Speciation in Size and Density Fractioned Fly Ash. Fly Ash and Conversion By-Products: Characterization, Utilization and Disposal. Materials Research Society. Symposia Proceedings. 113. 3-38.

HEMMINGS R.T. y BERRY E.E. 1988. Speciation in Size and Density Fractioned Fly Ash. On The Glass in Coal Fly Ashes: Recent advances. Materials Research Society. Symposia Proceedings. 65. 91-103.

HJELMAR O. 1990. Leachate from Land Disposal of Coal Fly-Ash. Waste Management & Research .8 (6). 429-449.

HOEK VAN DER E.E., COMANS, R.N.J., GOUMANS, J.J.J.M., SLOOT VAN DER. H.A. y AALBERS Th. G. 1994. Speciation of As and Se during leaching of fly ash. International Conference on Environmental Implications of Construction Materials and Technology Developments. 467-476.

HÖLLER H. y WIRSCHING U., 1985. Zeolite Formation from Fly Ash. Fortschr. Mineral. 63(1), 21-43.

HOLLMAN GG, STEENBRUGGEN G y JANSSEN-JURKOVICOVA M. 1999. A Two-Step Process For The Synthesis Of Zeolites From Coal Fly Ash. Fuel. 78(10). 1225-1230.

HÜLLER R. y HANTSCHEL P. 1989. Manufacture of Zeolites W from Vitreous Waste from Combustion of Solid Fossil Fuels. German Patent. No. PIDE 3924564 A1 910207.

HÜLLER R. y HANTSCHEL P. 1989. Manufacture of Zeolites W from Vitreous Waste from Combustion of Solid Fossil Fuels, German Patent No. PIDE 3924564 A1 910207.

HÜLLER R. y HANTSCHEL P. 1989. Manufacture of Zeolites F from Vitreous Waste Combustion of Solid Fossil Fuels. German Patent No. PIDE 3924565 A1 910207.

HÜLLER R. y HANTSCHEL P., 1989. Manufacture of Cubic Zeolites Na - P Hydrothermal Conversion of Vitreous Waste from Combustion of Solid Fossil Fuels with Aqueous Alkalies. German Patent No. PIDE 3923462 A1 910124.

INOE K., TSUNEMATSU S. y YAMADA H. 1993 Manufactured of A-type Zeolites. Japanese Patent No. PIJP 07109117 A2 950425.

INSKEEP W.P. y BLOOM P.R. 1986. An Evacuation of Rate Equation for Calcite Precipitation Kinetics at $p\text{CO}_2$ less than 8. Geochim. Cosmochim. Acta, 49. 2165.

JACKSON B.P., MILLER W.P., SCHUMANN A.W. y SUMNER M.E. 1999. Trace Element Solubility from Land Application of Fly Ash/Organic Waste Mixtures. Journal of Environmental Quality. 28(2). 639-647.

JANSSEN-JURKOVÍOVÁ M., HOLLMAN G.G., NASS M.M. y SCHUILING R.D. 1994. Quality Assessment of Granular Combustion Residues by a Standard Column Test: Prediction Versus Reality. In: Goumans J.J.J.M., Sloot H.A. Van Der, And Aalbers Th.G. (Eds), Environmental Aspects of Construction With Waste Materials.

JARVIS S.T. y BROOKS T.G. 1996. The use of PFA: Cement Pastes in The Stabilisation of Abundant Mineworkings. Waste Management, 16 (1-3). 135-144.

JOHNSON C.A., KERSTEN M., ZIEGER F. y MOOR H.C. 1996. Leaching, Behaviour and Solubility - Controlling Solid Phases of Heavy Metals in Municipal Solid Waste Incinerator Ash. Waste Management. 16(1-3). 129-134.

KARUPPIAH M. y GUPTA G. 1997. Toxicity of and Metals in Coal Combustion Ash Leachate. Journal of Hazardous Materials. 56(1-2). 53-58.

6. Bibliografía

KATO Y. y KAKIMOTO K. 1987. Manufacture of Zeolites from Coal Ashes, Japanese Patent No. PIJP 63182214 A2 880827.

KATO Y. 1985. Manufacture of P-Type Zeolite. Japanese Patent No. PIJP 61178416 A2 860811.

KELLEY R., KRUGER R. y NORMAN R. 1999. The Manufacture and Evaluation of an Artificial Soil (SLASH) Prepared from Fly Ash and Sewage Sludge. 1999 Ash Utilization Symposium. 378-386.

KHANRA S., MALLICK D., DUTTA S.N. y CHAUDHURI S.K. 1998. Studies on the Phase Mineralogy and Leaching Characteristics of Coal Fly Ash. Water Air and Soil Pollution. 107(1-4). 251-275.

KIM W., LEE S., YUN Y. y SHIN B. 1998. Ammonia Removal Characteristics of Artificial Zeolite Pellet Using Multi-Stage Adsorption. Chawon Risaikring. 7(1). 20-26

KIM W., JUNG S. AHN B.J. 1997. Synthesis of Na-P1 Zeolite from Coal Fly Ash. J. Ind. Eng. Chem. (Seoul). 3(3). 185-190.

KOLOUSEK D., EIDL V., PROCHAZKOVA E., OBSASNIKOVA. J. KUBELKOVA L. y SVETLIK. I. 1993. Ecological Utilization of Power-Plant Fly Ashes by Heir Alteration to Phillipsite: Hydrothermal Alteration, Application, Acta Univ. Carol. Geol. 37. 167-178.

KRUGER R.A. 1991. Recovery and Characterization of Cenospheres from South African Power Plants. Proceedings Ninth International Ash Use Symposium, 3. 1-20.

LABORATORIO DEL TRANSPORTE Y MECÁNICA DEL SUELO “JOSE LUIS ESCARIO”. 1974. Densidad Aparente del Filler en Tolueno. Norma de Ensayo NLT-176/74. Ministerio de Fomento - CEDEX. 2p.

LAKSHMANAN V.I., MELNBARDIS D. y GEISLER R.A. 1986. Recovery of Vanadium And Zeolitic Aluminosilicates From Fly Ash By Hydrometallurgical

process. American Patent No. PIUS 4798709 A 890117 (Canadian PRAI VA 86-517717 860908).

LAKSHMANAN V.I., MELNBARDIS D., GEISLER R.A. y McQUEEN N. 1990. Recovery of Vanadium and Zeolite Aluminosilicates from Fly Ash an Alkaline Leaching Process. US Patent 4.966.761.

LAKSHMANAN V.I., TODD I.A., GEISLER R.A. y McQUEEN N. 1990. Recovery of Vanadium from Sunor Fly Ash-F-Flowsheet Development. Ferrous Non-Ferrous Alloy Process. Proceedings. 157-163.

LAROSA J.L., KWAN S. y GRUTZECK M.W. 1992. Self-Generating Zeolite-Cement Composites. Mater. Res. Soc. Symp. Proc. 245 (Advanced Cementitious Systems: mechanisms and Properties). 211-216.

LAROSA J.L., KWAN S. y GRUTZECK M.W. 1992. Zeolite Formation in Class F Fly Ash Blended Cement Pastes. J. Am. Ceram. Soc. 75(6). 1574-1580.

LEE S, HAHN J. 1997. Geochemistry of Leachate from Fly Ash Disposal Mound. Journal Of Environmental Science And Health Part A-Environmental Science And Engineering & Toxic And Hazardous Substance Control. 32(3). 649-669.

LEE S-S., KANG B-G. y KIM J-H. 1994. Separation and Recovery of Valuable Metals from Fly Ash. Hwahak Konghak. 32(3). 300-307.

LEFOND, S.J. 1975. Industrial Mineral and Rocks, 4th. edition. 1243pp.

LIN C., LO S., LIN H. y LEE Y. 1998. Stabilization of Cadmium Soils Using Synthesized Zeolite. J. Hazard. Mater. 60(3). 217-226.

LIN C.F. y HSI H.C. 1995. Resource Recovery of Waste Ash: Synthesis of Zeolite-Like Materials. Environ. Sci. Technol., 29(4), 1109-17.

LISOWYJ B., HITCHCOCK D.C. y EPSTEIN H. 1987. Process for the Recovery of Gallium and Germanium From Coal Fly Ash. US Patent 4678647.

6. Bibliografía

LOWELL S. y SHIELDS J.E. 1991. Powder, Surface Area and Porosity. 3ed. Kluwer Academic Publishers. 256p.

LUXÁN M.P., SÁNCHEZ DE ROJAS M.I. Y SORIA F. 1986. Characterisation and Reactivity of Spanish Fly Ashes. 2nd Int. Conference on the Use of fly ash, silica fume, slag and natural puzzolans in Concrete. 8.

MA W.P., BROWN P.W. y KOMARNENI S. 1998. Characterization and Cation Exchange Properties of Zeolite Synthesized from Fly Ashes Journal of Materials Research. 13(1) 3-7.

MA W.P. y BROWN P.W. 1997. Hydrothermal Synthesis of Tobermorite from Fly Ashes. Advanced in Cement Research. 9(33). 9-16.

MANZ, O.E. 1997. Worldwide Production of Coal Ash and Utilization in Concrete and Other Products. Fuel. 76 (8). 691-696.

MAVROS P., ZOUBOULIS A.I. y LAZARIDIS N.K. 1993. Removal of Metal Ions from Wastewaters. The Case of Nickel. Environmental Technology. 14, 83-91.

MEGURO M, HARUNA J., NODA T y KANAMARU T. Study on the Chemical Composition of Fly Ash as a Raw Material for Artificial Zeolite. Haikibutsu Gakkai Ronbunshi. 8(6). 280-287.

MONDRAGON F., RINCON F., SIERRA L., ESCOBAR J., RAMIREZ J. y FERNANDEZ J. 1990. New Perspectives for Coal Ash Utilization: Synthesis of Zeolitic Materials. Fuel. 1990. 69(2). 263-266.

MINGS M.L. y CASE E.D. 1990. Characterization of Fly Ash from Coal-Fired Power Plants. J. Material. Sci. 25(12). 5215-5219.

MUMPTON F.A. 1977. Mineralogy and Geology of Natural Zeolites. Mineralogical Society of America Short Course Notes. 4. 177-197.

NAGY K.L. y LASAGA A.C. 1993. Simultaneus Precipitation Kinetics of Caolinite and Gibbsite at 80 °C and pH 3. Geochim. Cosmochim. Acta. 57, 4329-4335.

NAGY, K.L. y LASAGA, A.C. 1992. Dissolution and precipitation Kinetics of Gibbsite at 80 °C and pH 3: The Dependence on Solution Saruration State. Geochim. Cosmochim. Acta. 56. 3093-3111.

NUGTEREN H.W., JANSSEN-JURKOVÍCOVÁ y SCARLETT B. 1999. Improvement of Environmental Quality of Coal Fly Ash by Applying Forced Leaching. 1999 Ash Utilization Symposium. 420-425.

OKADA Y. 1991. Synthesis of Zeolites Using Fly Ash in a Closed System. Nippon Dojo Hiryogaku Zasshi. 1991. 62(1). 1-6.

PATANE G., DI PASCUALE S., CORIGLIANO F. y LETTERIO M. 1996. Use of Zeolitized Wasted Material in the Removal of Cooper (II) y Zinc (II) from Wastewater. Ann. Chim. (86). 87-98.

PATANE G., MAVILIA L. y CORIGLIANO F. 1996. Chromium Removal from Wastewater by Zeolitized Waste Materials. Mater. Eng. 509-519.

PARK M. y CHOI J. 1995. Synthesis of Phillipsite from Fly Ash. Clay Sci. 9(4). 219-29.

PICKLES C.A., MCLEAN A., ALCOCK C.B. y NIKOLIC R.N. 1990. Plasma Recovery of Metal Values From Fly Ash. Can. Metal. Quart. 29(3). 193-200.

PRASAD B, BANERJEE NN, DHAR BB. 1996. Environmental assessment of coal ash disposal: A review. Journal of Scientific & Industrial Research. 55(10). 772-780.

PROGRES. (1997). New Product From Glassy Combustion residues, KEMA.

6. Bibliografía

QUEROL X., FERNÁNDEZ J.L. y LÓPEZ-SOLER A., 1994. The Behaviour of Mineral Matter During Combustion of Spanish Subbituminous Coals. Mineralogical Magazine. 58. 119-133.

QUEROL X., ALASTUEY A., FERNANDEZ-TURIEL J.L. y LÓPEZ-SOLER A. 1995. Synthesis of Zeolites by Alkaline Activation of Ferro Aluminous Fly Ash. Fuel. 74(8). 1226-31.

QUEROL X., 1995. Trace Elements in the Teruel Mining District Coal and their Behaviour during Combustion. European Coal and Steel Community Project 7220/ED/014, Final Report. 175 pp.

QUEROL X., ALASTUEY A. FERNÁNDEZ-TURIEL, J.L. y LÓPEZ-SOLER A. 1995. Synthesis of Zeolites after Alkaline Activation of Ferro-Aluminous Fly Ash. Fuel. 74(8). 1226-1231.

QUEROL X., PLANAS F., ALASTUEY A. y LÓPEZ-SOLER A., 1995. Synthesis of Industrial Minerals From Fly Ash. Coal Science and Technology. 24(2). 1979-1982.

QUEROL X., PLANAS F., ALASTUEY A. y LÓPEZ-SOLER Á. (1997). Synthesis of Na-Zeolites From Fly Ash. Fuel. 76(8). 793-799.

QUEROL X. (1997). Industrial Applications of Fly Ash : Zeolite Synthesis and Ceramic Application. CECA - ESCS - 7220 ED/079. 1st report, 46p.

QUEROL X., ALASTUEY A., LÓPEZ-SOLER A., PLANAS F., ANDRÉS J.M., FERRER P., JUAN R. y RUIZ C.R. 1997. A Fast Method for Recycling Fly Ash: Microwave-Assisted Zeolite Synthesis. Environmental Science & Technology, 31 (9). 2527-2533.

RAASK E. 1985. Mineral Impurities in Coal Combustion. Hemisphere Publishing Corporation. 484pp.

RAMÍREZ DE DIEGO C. 1991. Características y Propiedades de Cenizas Volantes. Alternativas para su Reutilización a través del Suelo. Departamento

de Productos Naturales, Biología Vegetal y Edafología, Universidad de Barcelona. 125p.

REARDON E.J., CZANK C.A., WARREN C.J., DAYAL R., JOHNSTON H.M. 1995. Determining Controls On Element Concentrations In Fly-Ash Leachate. Waste Management & Research. 13: (5) 435-450

REYNOLDS K, KRUGER R. y RETHMAN N. 1999. The Manufacture and Evaluation of an Artificial Soil (SLASH) Prepared from Fly Ash and Sewage Sludge. 1999 Ash Utilization Symposium.

RICE C.A., BRITE G.N., FISHMAN N.S., BULLOCK J. y MOTOOKA J. 1999. Geochemical Analysis and Modeling of Coal Combustion Waste Leachates. 1999 Ash Utilization Symposium. 231-238.

RICOU P., LECUYER I. y Le CLOIREC P. 1998. Influence of Ph on Removal of Heavy Metallic Cations by Fly Ash in Aqueous Solution. Environmental Technology. 19(10). 1005-1016.

RODRÍGUEZ-REINOSO F. y LINARES SOLANO A. 1988. In Chemistry and Physics of Carbon. Marcel Dekker. 21.

SÁNCHEZ-GARCÍA A., ALASTUEY A. y QUEROL X. 1999. Heavy Metal Adsorption by different minerals: Application to the Remediation of Polluted Soils. The Science of the Environment. 179-187.

SING K.S.W., EVERETT D.H., HAUL R.A.W., MOSCOU L., PIEROTTI R.A., ROUQUEROL J. y SIEMIENIEWSKA T. 1985. Surface, Pure Appl. Chem. 57. 603pp.

SHIH W.H., CHANG H.L. 1996. Conversion of Fly Ash into Zeolites for Ion-Exchange. Applications Materials Letters. 28(4-6). 263-268.

SHIGEMOTO N., SYGIYAMAS S., HAYASHI H. y MIYaura K. 1995. Characterization of Na-X, Na-A, and Coal Fly Ash Zeolites and their Amorphous Precursors by IR, MAS NMR and XPS. J. Mater. Sci. 30(22). 5777-83.

6. Bibliografia

SHIGEMOTO N., HAYASHI H. y MIYURA K. 1993. Selective Formation of Na-X Zeolite From Coal Fly Ash By Fusion With Sodium Hydroxide Prior To Hydrothermal Reaction. J. Mater. Sci. 28(17). 4781-4786.

SHIGEMOTO N., SHIRAKAMI S., HIRANO S. y HAYASHI H. 1992. Preparation and Characterization of Zeolites from Coal Ash. Nippon Kagaku Kaishi. 5. 484-492.

SING K.S.W., EVERETT D.H., HAUL R.A.W., MOSCOU L., PIEROTTI R.A., ROUQUEROL J. y SIEMIENIEWSKA T. 1985. Reporting Physisorption Data for Gas/Solid Systems with Special Reference to the Determination of Surface Area and Porosity. Pure Appl. Chem. 57. 603-619.

SINGER A. y BERKGAUT V. 1995. Cation Exchange Properties of Hydrothermally Treated Coal Fly Ash. Environ. Sci. Technol. 29(7). 1748-1753.

SLOOP H.A. VAN DER. 1996. Developments in evaluating environmental impact from utilization of bulk inert wastes using laboratory leaching tests and field verification. Waste Management. 16(1-3) 65-81.

SMITH I. 1987. Trace Elements from Coal Combustion: Emissions. IEACR/01. IEA Coal Research. 87p

SMITH R.D. CAMPBELL J.A. y NIELSON K.K. (1979). Concentration Dependence Upon Particle Size of Volatized Elements in Fly Ash. Environmental Science and Technology. 13. 527-535.

STEENBRUGGEN G. y HOLLMAN G.G. 1998. The Synthesis of Zeolites from Fly Ash and the Properties of the Zeolite Products. Journal of Geochemical Exploration. 62(1-3). 305-309.

STAMBOLIEV C., SOPOVA N., BERGK K.H. y PORSCHE M. 1985. Synthesis of Zeolite A and P from Natural and Waste Materials. Stud. Surf. Sci. Catal. 24 (Zeolites: Synth., Struct. Technol. Appl.) 155-160.

STEWART B.R. y KALYONCU R.S. 1999. Materials Flow in the Production and Use of Coal Combustion Product. 1999 Ash Utilization Symposium. 332-340.

SUYAMA Y., KATAYAMA K. y MEGURO M. 1996. NH₄⁺ Adsorption Characteristics of zeolites Synthesized from Fly Ash. Surface Chemistry and Colloids. (66). 136-140.

TAIT B.A.R. y AULT L. 1992. Development of Analytical Procedures for the Determination of Major and Trace Elements in Geological Materials by ICP-ES. Analytical Geochemistry Series, Technical Report WI/92/8. British Geological Survey. 72 p.

THERMIE. (1992). Dirección General de la Energía de la CEE.

TSUBOI I., KAASAY S., KUNUGITA E. y KOMOSAWA I. 1991. Recovery of Gallium and Vanadium from Coal Fly Ash. J. Chem. Eng. Jpn. 24(1). 15-20.

TAKAHASHI K, KOMATSUBATA J. y SAITO A., 1996. Recovery of Metals from Fly Ashes Containing Calcium Chloride. Japan Patent. 08 35.018.

VASSILEV S.V. y VASSILEVA C.G. 1996. Mineralogy of Combustion Wastes From Coal-Fired Power Stations. Fuel Processing Technology. 47 (3). 261-280.

VILCHES L.F., FERNÁNDEZ-PEREIRA C., OLIVARES DEL VALLE J., RODRIGUEZ PIÑERO M. y VALE J. 2001. Development of New Fire-Products Made from Coal Fly Ash. The CEFYR Project. Progres Workshop on Novel Products from Combustion Residues. Morella. 343-351.

WANG Y.Q., REN D.Y. y ZHAO FH. 1999. Comparative Leaching Experiments for Race Elements in Raw Coal, Laboratory Ash, Fly Ash and Bottom Ash. International Journal of Coal Geology. 40(2-3), 103-108.

WARNECK P. 1998. Chemistry of the Natural Atmosphere. International Geophysics Series. 753 pp.

WASAY SA. 1992. Leaching Study Of Toxic Trace-Elements From Fly-Ash In Batch And Column Experiment. Journal Of Environmental Science And Health

6. Bibliografia

Part A-Environmental . Science And Engineering & Toxic And Hazardous Substance Control. A27(3). 697-712.

WASAY S.A. 1992. Leaching Behavior of Trace Toxic Metals from Fly-Ash, their Seepage Control to Groundwater and Utilization of Fly-Ash. Journal Of Environmental Science And Health Part A-Environmental . Science And Engineering & Toxic And Hazardous Substance Control. A27(1). 25-39.

WATANABE N., KUWABARA M., IWASHITA T. y KAMIMURA K. 1993. Synthesis of Zeolite Absorbent Form Coal Fly Ash and Its Physicochemical Properties. Gifu-ken Hoken Kankyo Kenkyushohc. 1. 69-72.

WELS H.C. 1996. Decision Analysis voor "Wassen van Assen". Internal Report KEMA, No 84523.500-NUC-96-4010.

YE Y., WANG H. y FANG Q. 1996. Study on the Properties of Ammonium Ion Exchange of Synthetic P-Type Zeolite. Surface Chemistry and Colloids (49). 15-17.