



Anàlisi “ex vivo” de mecanismes d’inducció d’apoptosi i resistència al tractament en gliomes malignes

Ruth Villalonga Planells

ADVERTIMENT. La consulta d’aquesta tesi queda condicionada a l’acceptació de les següents condicions d’ús: La difusió d’aquesta tesi per mitjà del servei TDX (www.tdx.cat) ha estat autoritzada pels titulars dels drets de propietat intel·lectual únicament per a usos privats emmarcats en activitats d’investigació i docència. No s’autoritza la seva reproducció amb finalitats de lucre ni la seva difusió i posada a disposició des d’un lloc aliè al servei TDX. No s’autoritza la presentació del seu contingut en una finestra o marc aliè a TDX (framing). Aquesta reserva de drets afecta tant al resum de presentació de la tesi com als seus continguts. En la utilització o cita de parts de la tesi és obligat indicar el nom de la persona autora.

ADVERTENCIA. La consulta de esta tesis queda condicionada a la aceptación de las siguientes condiciones de uso: La difusión de esta tesis por medio del servicio TDR (www.tdx.cat) ha sido autorizada por los titulares de los derechos de propiedad intelectual únicamente para usos privados enmarcados en actividades de investigación y docencia. No se autoriza su reproducción con finalidades de lucro ni su difusión y puesta a disposición desde un sitio ajeno al servicio TDR. No se autoriza la presentación de su contenido en una ventana o marco ajeno a TDR (framing). Esta reserva de derechos afecta tanto al resumen de presentación de la tesis como a sus contenidos. En la utilización o cita de partes de la tesis es obligado indicar el nombre de la persona autora.

WARNING. On having consulted this thesis you’re accepting the following use conditions: Spreading this thesis by the TDX (www.tdx.cat) service has been authorized by the titular of the intellectual property rights only for private uses placed in investigation and teaching activities. Reproduction with lucrative aims is not authorized neither its spreading and availability from a site foreign to the TDX service. Introducing its content in a window or frame foreign to the TDX service is not authorized (framing). This rights affect to the presentation summary of the thesis as well as to its contents. In the using or citation of parts of the thesis it’s obliged to indicate the name of the author.



UNIVERSITAT DE BARCELONA
FACULTAT DE MEDICINA
Programa de Doctorat "Biomedicina"

Ruth Villalonga Planells

**Anàlisi "ex vivo" de mecanismes d'inducció d'apoptosi i
resistència al tractament en gliomes malignes**

DIRECTORS DE LA TESI

Dra. Avelina TORTOSA I MORENO
Dra. Josefa GIMÉNEZ BONAFÉ

Data de lectura: 14 de setembre de 2011

Bibliografia

A

Adamson, C., O. O. Kanu, et al. (2009). "Glioblastoma multiforme: a review of where we have been and where we are going." Expert Opin Investig Drugs **18**(8): 1061-1083.

Altaner, C. (2008). "Glioblastoma and stem cells." Neoplasma **55**(5): 369-374.

Altieri, D. C. (2008). "Survivin, cancer networks and pathway-directed drug discovery." Nat Rev Cancer **8**(1): 61-70.

Altieri, D. C. (2010). "Survivin and IAP proteins in cell-death mechanisms." Biochem J **430**(2): 199-205.

Ambrosini, G., E. B. Sambol, et al. (2007). "Mouse double minute antagonist Nutlin-3a enhances chemotherapy-induced apoptosis in cancer cells with mutant p53 by activating E2F1." Oncogene **26**(24): 3473-3481.

Andersen, M. H., I. M. Svane, et al. (2007). "The universal character of the tumor-associated antigen survivin." Clin Cancer Res **13**(20): 5991-5994.

Arya, A. K., A. El-Fert, et al. (2010). "Nutlin-3, the small-molecule inhibitor of MDM2, promotes senescence and radiosensitises laryngeal carcinoma cells harbouring wild-type p53." Br J Cancer **103**(2): 186-195.

B

Bader, M. and H. Steller (2009). "Regulation of cell death by the ubiquitin-proteasome system." Curr Opin Cell Biol **21**(6): 878-884.

Baker, S. D., M. Wirth, et al. (1999). "Absorption, metabolism, and excretion of 14C-temozolomide following oral administration to patients with advanced cancer." Clin Cancer Res **5**(2): 309-317.

Bao, Q. and Y. Shi (2007). "Apoptosome: a platform for the activation of initiator caspases." Cell Death Differ **14**(1): 56-65.

BIBLIOGRAFIA

Bao, S., Q. Wu, et al. (2006). "Glioma stem cells promote radioresistance by preferential activation of the DNA damage response." Nature **444**(7120): 756-760.

Barak, Y., T. Juven, et al. (1993). "mdm2 expression is induced by wild type p53 activity." EMBO J **12**(2): 461-468.

Beckman, G., L. Beckman, et al. (1971). "G-6-PD and PGM phenotypes of 16 continuous human tumor cell lines. Evidence against cross-contamination and contamination by HeLa cells." Hum Hered **21**(3): 238-241.

Bigner, D. D., S. H. Bigner, et al. (1981). "Heterogeneity of Genotypic and phenotypic characteristics of fifteen permanent cell lines derived from human gliomas." J Neuropathol Exp Neurol **40**(3): 201-229.

Black, R. A., S. R. Kronheim, et al. (1989). "Activation of interleukin-1 beta by a co-induced protease." FEBS Lett **247**(2): 386-390.

Bondy, M. L., M. E. Scheurer, et al. (2008). "Brain tumor epidemiology: consensus from the Brain Tumor Epidemiology Consortium." Cancer **113**(7 Suppl): 1953-1968.

Bonner, W. M., C. E. Redon, et al. (2008). "GammaH2AX and cancer." Nat Rev Cancer **8**(12): 957-967.

Boutros, R., V. Lobjois, et al. (2007). "CDC25 phosphatases in cancer cells: key players? Good targets?" Nat Rev Cancer **7**(7): 495-507.

Branzei, D. and M. Foiani (2008). "Regulation of DNA repair throughout the cell cycle." Nat Rev Mol Cell Biol **9**(4): 297-308.

Bromberg, J. E. and M. J. van den Bent (2009). "Oligodendrogliomas: molecular biology and treatment." Oncologist **14**(2): 155-163.

C

Cairncross, J. G., K. Ueki, et al. (1998). "Specific genetic predictors of chemotherapeutic response and survival in patients with anaplastic oligodendrogliomas." J Natl Cancer Inst **90**(19): 1473-1479.

Campos, B., F. Wan, et al. (2010). "Differentiation therapy exerts antitumor effects on stem-like glioma cells." Clin Cancer Res **16**(10): 2715-2728.

Cann, K. L. and G. G. Hicks (2007). "Regulation of the cellular DNA double-strand break response." Biochem Cell Biol **85**(6): 663-674.

Cao, C., E. T. Shinohara, et al. (2006). "Radiosensitization of lung cancer by nutlin, an inhibitor of murine double minute 2." Mol Cancer Ther **5**(2): 411-417.

- Capalbo, G., K. Dittmann, et al. (2010). "Radiation-induced survivin nuclear accumulation is linked to DNA damage repair." Int J Radiat Oncol Biol Phys **77**(1): 226-234.
- Capalbo, G., C. Rodel, et al. (2007). "The role of survivin for radiation therapy. Prognostic and predictive factor and therapeutic target." Strahlenther Onkol **183**(11): 593-599.
- Ciardiello, F. and G. Tortora (2008). "EGFR antagonists in cancer treatment." N Engl J Med **358**(11): 1160-1174.
- Cohen, C., C. M. Lohmann, et al. (2003). "Survivin expression in ovarian carcinoma: correlation with apoptotic markers and prognosis." Mod Pathol **16**(6): 574-583.
- Coll-Mulet, L., D. Iglesias-Serret, et al. (2006). "MDM2 antagonists activate p53 and synergize with genotoxic drugs in B-cell chronic lymphocytic leukemia cells." Blood **107**(10): 4109-4114.
- Cooper, G. M. (2002). Superficie celular. La Célula Marban. Madrid 488-489.
- Crook, N. E., R. J. Clem, et al. (1993). "An apoptosis-inhibiting baculovirus gene with a zinc finger-like motif." J Virol **67**(4): 2168-2174.
- Chakravarti, A., E. Noll, et al. (2002). "Quantitatively determined survivin expression levels are of prognostic value in human gliomas." J Clin Oncol **20**(4): 1063-1068.
- Chakravarti, A., G. G. Zhai, et al. (2004). "Survivin enhances radiation resistance in primary human glioblastoma cells via caspase-independent mechanisms." Oncogene **23**(45): 7494-7506.
- Chen, G. D., C. M. Chou, et al. (2006). "Requirement of nuclear localization and transcriptional activity of p53 for its targeting to the yolk syncytial layer (YSL) nuclei in zebrafish embryo and its use for apoptosis assay." Biochem Biophys Res Commun **344**(1): 272-282.
- Chen, J., X. Wu, et al. (1996). "mdm-2 inhibits the G1 arrest and apoptosis functions of the p53 tumor suppressor protein." Mol Cell Biol **16**(5): 2445-2452.
- Chen, L., S. Agrawal, et al. (1998). "Synergistic activation of p53 by inhibition of MDM2 expression and DNA damage." Proc Natl Acad Sci U S A **95**(1): 195-200.
- Chene, P. (2003). "Inhibiting the p53-MDM2 interaction: an important target for cancer therapy." Nat Rev Cancer **3**(2): 102-109.
- Cheng, L., Q. Wu, et al. (2011). "L1CAM regulates DNA damage checkpoint response of glioblastoma stem cells through NBS1." EMBO J **30**(5): 800-813.
- Chin L, Meyerson M, The Cancer Genome Atlas Research Network (2008). "Comprehensive genomic characterization defines human glioblastoma genes and core pathways." Nature **455**(7216): 1061-1068.

Chipuk, J. E., T. Moldoveanu, et al. (2010). "The BCL-2 family reunion." Mol Cell **37**(3): 299-310.

Chowdhury, I., B. Tharakan, et al. (2008). "Caspases - an update." Comp Biochem Physiol B Biochem Mol Biol **151**(1): 10-27.

Chudnovsky, Y., P. A. Khavari, et al. (2005). "Melanoma genetics and the development of rational therapeutics." J Clin Invest **115**(4): 813-824.

D

Danial, N. N. and S. J. Korsmeyer (2004). "Cell death: critical control points." Cell **116**(2): 205-219.

Dauchy, S., F. Dutheil, et al. (2008). "ABC transporters, cytochromes P450 and their main transcription factors: expression at the human blood-brain barrier." J Neurochem **107**(6): 1518-1528.

de Groot, J. F. and M. R. Gilbert (2007). "New molecular targets in malignant gliomas." Curr Opin Neurol **20**(6): 712-718.

De Witt Hamer, P. C., A. A. Van Tilborg, et al. (2008). "The genomic profile of human malignant glioma is altered early in primary cell culture and preserved in spheroids." Oncogene **27**(14): 2091-2096.

Dean, M., T. Fojo, et al. (2005). "Tumour stem cells and drug resistance." Nat Rev Cancer **5**(4): 275-284.

Demidenko, Z. N. and M. V. Blagosklonny (2008). "Growth stimulation leads to cellular senescence when the cell cycle is blocked." Cell Cycle **7**(21): 3355-3361.

Demidenko, Z. N., L. G. Korotchkina, et al. (2010). "Paradoxical suppression of cellular senescence by p53." Proc Natl Acad Sci U S A **107**(21): 9660-9664.

Demidenko, Z. N., S. G. Zubova, et al. (2009). "Rapamycin decelerates cellular senescence." Cell Cycle **8**(12): 1888-1895.

Dohi, T., E. Beltrami, et al. (2004). "Mitochondrial survivin inhibits apoptosis and promotes tumorigenesis." J Clin Invest **114**(8): 1117-1127.

Drakos, E., A. Thomaidis, et al. (2007). "Inhibition of p53-murine double minute 2 interaction by nutlin-3A stabilizes p53 and induces cell cycle arrest and apoptosis in Hodgkin lymphoma." Clin Cancer Res **13**(11): 3380-3387.

Dresemann, G. (2010). "Temozolomide in malignant glioma." Onco Targets Ther **3**: 139-146.

Dubrez-Daloz, L., A. Dupoux, et al. (2008). "IAPs: more than just inhibitors of apoptosis proteins." Cell Cycle **7**(8): 1036-1046.

Ducray, F., S. El Hallani, et al. (2009). "Diagnostic and prognostic markers in gliomas." Curr Opin Oncol **21**(6): 537-542.

Duffy, M. J., N. O'Donovan, et al. (2007). "Survivin: a promising tumor biomarker." Cancer Lett **249**(1): 49-60.

Dumont, P., J. I. Leu, et al. (2003). "The codon 72 polymorphic variants of p53 have markedly different apoptotic potential." Nat Genet **33**(3): 357-365.

T

Dunbar, E. and A. T. Yachnis (2010). "Glioma diagnosis: immunohistochemistry and beyond." Adv Anat Pathol **17**(3): 187-201.

Earnshaw, W. C., L. M. Martins, et al. (1999). "Mammalian caspases: structure, activation, substrates, and functions during apoptosis." Annu Rev Biochem **68**: 383-424.

E

Ertel, A., A. Verghese, et al. (2006). "Pathway-specific differences between tumor cell lines and normal and tumor tissue cells." Mol Cancer **5**(1): 55.

Esteller, M., S. R. Hamilton, et al. (1999). "Inactivation of the DNA repair gene O6-methylguanine-DNA methyltransferase by promoter hypermethylation is a common event in primary human neoplasia." Cancer Res **59**(4): 793-797.

F

Fernandez-Capetillo, O., A. Lee, et al. (2004). "H2AX: the histone guardian of the genome." DNA Repair (Amst) **3**(8-9): 959-967.

Franco-Hernandez, C., V. Martinez-Glez, et al. (2007). "[Biology molecular of glioblastomas]." Neurocirugia (Astur) **18**(5): 373-382.

BIBLIOGRAFIA

Franken, N. A., H. M. Rodermond, et al. (2006). "Clonogenic assay of cells in vitro." Nat Protoc **1**(5): 2315-2319.

Friedman, H. S., M. D. Prados, et al. (2009). "Bevacizumab alone and in combination with irinotecan in recurrent glioblastoma." J Clin Oncol **27**(28): 4733-4740.

Frosina, G. (2009). "DNA repair and resistance of gliomas to chemotherapy and radiotherapy." Mol Cancer Res **7**(7): 989-999.

Fuentes-Prior, P. and G. S. Salvesen (2004). "The protein structures that shape caspase activity, specificity, activation and inhibition." Biochem J **384**(Pt 2): 201-232.

Fujisawa, H., R. M. Reis, et al. (2000). "Loss of heterozygosity on chromosome 10 is more extensive in primary (de novo) than in secondary glioblastomas." Lab Invest **80**(1): 65-72.

Fukuda, S. and L. M. Pelus (2001). "Regulation of the inhibitor-of-apoptosis family member survivin in normal cord blood and bone marrow CD34(+) cells by hematopoietic growth factors: implication of survivin expression in normal hematopoiesis." Blood **98**(7): 2091-2100.

Fulda, S. and K. M. Debatin (2006). "Extrinsic versus intrinsic apoptosis pathways in anticancer chemotherapy." Oncogene **25**(34): 4798-4811.

Furnari, F. B., T. Fenton, et al. (2007). "Malignant astrocytic glioma: genetics, biology, and paths to treatment." Genes Dev **21**(21): 2683-2710.

G

Galli, R., E. Binda, et al. (2004). "Isolation and characterization of tumorigenic, stem-like neural precursors from human glioblastoma." Cancer Res **64**(19): 7011-7021.

Galli, R. G., A; Vescovi, A.L. (2007). Adult Neural Stem Cells. Methods in Molecular Biology. L. P. Weiner. **438**: 67-84.

Gan, H. K., A. H. Kaye, et al. (2009). "The EGFRvIII variant in glioblastoma multiforme." J Clin Neurosci **16**(6): 748-754.

Garcia, J. L., M. Perez-Caro, et al. (2010). "Molecular analysis of ex-vivo CD133+ GBM cells revealed a common invasive and angiogenic profile but different proliferative signatures among high grade gliomas." BMC Cancer **10**: 454.

Giaccone, G., P. Zatloukal, et al. (2009). "Multicenter phase II trial of YM155, a small-molecule suppressor of survivin, in patients with advanced, refractory, non-small-cell lung cancer." J Clin Oncol **27**(27): 4481-4486.

Gimenez-Bonafe, P., A. Tortosa, et al. (2009). "Overcoming drug resistance by enhancing apoptosis of tumor cells." Curr Cancer Drug Targets **9**(3): 320-340.

Golding, S. E., R. N. Morgan, et al. (2009). "Pro-survival AKT and ERK signaling from EGFR and mutant EGFRvIII enhances DNA double-strand break repair in human glioma cells." Cancer Biol Ther **8**(8): 730-738.

Golding, S. E., E. Rosenberg, et al. (2009). "Improved ATM kinase inhibitor KU-60019 radiosensitizes glioma cells, compromises insulin, AKT and ERK prosurvival signaling, and inhibits migration and invasion." Mol Cancer Ther **8**(10): 2894-2902.

Green, D. R. and G. I. Evan (2002). "A matter of life and death." Cancer Cell **1**(1): 19-30.

Grunbaum, U., A. Meye, et al. (2001). "Transfection with mdm2-antisense or wtp53 results in radiosensitization and an increased apoptosis of a soft tissue sarcoma cell line." Anticancer Res **21**(3B): 2065-2071.

Gu, L., N. Zhu, et al. (2008). "MDM2 antagonist nutlin-3 is a potent inducer of apoptosis in pediatric acute lymphoblastic leukemia cells with wild-type p53 and overexpression of MDM2." Leukemia **22**(4): 730-739.

Guha, M. and D. C. Altieri (2009). "Survivin as a global target of intrinsic tumor suppression networks." Cell Cycle **8**(17): 2708-2710.

Guha, M., J. Plescia, et al. (2009). "Endogenous tumor suppression mediated by PTEN involves survivin gene silencing." Cancer Res **69**(12): 4954-4958.

Gupta, S. (2003). "Molecular signaling in death receptor and mitochondrial pathways of apoptosis (Review)." Int J Oncol **22**(1): 15-20.

Harris, S. L. and A. J. Levine (2005). "The p53 pathway: positive and negative feedback loops." Oncogene **24**(17): 2899-2908.

H

Hasegawa, H., Y. Yamada, et al. (2009). "Activation of p53 by Nutlin-3a, an antagonist of MDM2, induces apoptosis and cellular senescence in adult T-cell leukemia cells." Leukemia **23**(11): 2090-2101.

Hatanpaa, K. J., S. Burma, et al. (2010). "Epidermal growth factor receptor in glioma: signal transduction, neuropathology, imaging, and radioresistance." Neoplasia **12**(9): 675-684.

Hayflick, L. and P. S. Moorhead (1961). "The serial cultivation of human diploid cell strains." Exp Cell Res **25**: 585-621.

BIBLIOGRAFIA

Hegi, M. E., A. C. Diserens, et al. (2005). "MGMT gene silencing and benefit from temozolomide in glioblastoma." N Engl J Med **352**(10): 997-1003.

Hengartner, M. O. (2000). "The biochemistry of apoptosis." Nature **407**(6805): 770-776.

Hilbig, A., L. M. Barbosa-Coutinho, et al. (2006). "Expression of nestin and vimentin in gliomatosis cerebri." Arq Neuropsiquiatr **64**(3B): 781-786.

Hirose, Y., M. S. Berger, et al. (2001). "p53 effects both the duration of G2/M arrest and the fate of temozolomide-treated human glioblastoma cells." Cancer Res **61**(5): 1957-1963.

Hotchkiss, R. S., A. Strasser, et al. (2009). "Cell death." N Engl J Med **361**(16): 1570-1583.

Huse, J. T. and E. C. Holland (2010). "Targeting brain cancer: advances in the molecular pathology of malignant glioma and medulloblastoma." Nat Rev Cancer **10**(5): 319-331.

Iannolo, G., C. Conticello, et al. (2008). "Apoptosis in normal and cancer stem cells." Crit Rev Oncol Hematol **66**(1): 42-51.

I

Ikeguchi, M. and N. Kaibara (2002). "Survivin messenger RNA expression is a good prognostic biomarker for oesophageal carcinoma." Br J Cancer **87**(8): 883-887.

Ikeguchi, M., T. Ueda, et al. (2002). "Expression of survivin messenger RNA correlates with poor prognosis in patients with hepatocellular carcinoma." Diagn Mol Pathol **11**(1): 33-40.

Itahana, K., G. Dimri, et al. (2001). "Regulation of cellular senescence by p53." Eur J Biochem **268**(10): 2784-2791.

Ito, T., K. Shiraki, et al. (2000). "Survivin promotes cell proliferation in human hepatocellular carcinoma." Hepatology **31**(5): 1080-1085.

Iwasa, T., I. Okamoto, et al. (2008). "Radiosensitizing effect of YM155, a novel small-molecule survivin suppressant, in non-small cell lung cancer cell lines." Clin Cancer Res **14**(20): 6496-6504.

Iwasa, T., I. Okamoto, et al. (2010). "Marked anti-tumour activity of the combination of YM155, a novel survivin suppressant, and platinum-based drugs." Br J Cancer **103**(1): 36-42.

J

Jansen, M., S. Yip, et al. (2010). "Molecular pathology in adult gliomas: diagnostic, prognostic, and predictive markers." Lancet Neurol **9**(7): 717-726.

Jeuken, J. W. and P. Wesseling (2010). "MAPK pathway activation through BRAF gene fusion in pilocytic astrocytomas; a novel oncogenic fusion gene with diagnostic, prognostic, and therapeutic potential." J Pathol **222**(4): 324-328.

Jiang, G., B. Ren, et al. (2009). "Survivin may enhance DNA double-strand break repair capability by up-regulating Ku70 in human KB cells." Anticancer Res **29**(1): 223-228.

Johnson, M. E. and E. W. Howerth (2004). "Survivin: a bifunctional inhibitor of apoptosis protein." Vet Pathol **41**(6): 599-607.

K

Kaina, B., M. Christmann, et al. (2007). "MGMT: key node in the battle against genotoxicity, carcinogenicity and apoptosis induced by alkylating agents." DNA Repair (Amst) **6**(8): 1079-1099.

Kanu, O. O., A. Mehta, et al. (2009). "Glioblastoma multiforme: a review of therapeutic targets." Expert Opin Ther Targets **13**(6): 701-718.

Kanzawa, T., I. M. Germano, et al. (2004). "Role of autophagy in temozolomide-induced cytotoxicity for malignant glioma cells." Cell Death Differ **11**(4): 448-457.

Kil, W. J., D. Cerna, et al. (2008). "In vitro and in vivo radiosensitization induced by the DNA methylating agent temozolomide." Clin Cancer Res **14**(3): 931-938.

Kinner, A., W. Wu, et al. (2008). "Gamma-H2AX in recognition and signaling of DNA double-strand breaks in the context of chromatin." Nucleic Acids Res **36**(17): 5678-5694.

Klein, C. and L. T. Vassilev (2004). "Targeting the p53-MDM2 interaction to treat cancer." Br J Cancer **91**(8): 1415-1419.

Kojima, K., M. Konopleva, et al. (2005). "MDM2 antagonists induce p53-dependent apoptosis in AML: implications for leukemia therapy." Blood **106**(9): 3150-3159.

Korotchkina, L. G., Z. N. Demidenko, et al. (2009). "Cellular quiescence caused by the Mdm2 inhibitor nutlin-3A." Cell Cycle **8**(22): 3777-3781.

Korotchkina, L. G., O. V. Leontieva, et al. (2010). "The choice between p53-induced senescence and quiescence is determined in part by the mTOR pathway." Aging (Albany NY) **2**(6): 344-352.

Kroemer, G., L. Galluzzi, et al. (2009). "Classification of cell death: recommendations of the Nomenclature Committee on Cell Death 2009." Cell Death Differ **16**(1): 3-11.

Kruse, J. P. and W. Gu (2009). "Modes of p53 regulation." Cell **137**(4): 609-622.

Kuijlen, J. M., J. J. Mooij, et al. (2006). "TRAIL-receptor expression is an independent prognostic factor for survival in patients with a primary glioblastoma multiforme." J Neurooncol **78**(2): 161-171.

Kurokawa, M. and S. Kornbluth (2009). "Caspases and kinases in a death grip." Cell **138**(5): 838-854.

L

Lacroix, M., D. Abi-Said, et al. (2001). "A multivariate analysis of 416 patients with glioblastoma multiforme: prognosis, extent of resection, and survival." J Neurosurg **95**(2): 190-198.

Lamkanfi, M., N. Festjens, et al. (2007). "Caspases in cell survival, proliferation and differentiation." Cell Death Differ **14**(1): 44-55.

Lavin, M. F. and N. Gueven (2006). "The complexity of p53 stabilization and activation." Cell Death Differ **13**(6): 941-950.

Lee, J., S. Kotliarova, et al. (2006). "Tumor stem cells derived from glioblastomas cultured in bFGF and EGF more closely mirror the phenotype and genotype of primary tumors than do serum-cultured cell lines." Cancer Cell **9**(5): 391-403.

Lehmann, B. D., J. A. McCubrey, et al. (2007). "A dominant role for p53-dependent cellular senescence in radiosensitization of human prostate cancer cells." Cell Cycle **6**(5): 595-605.

Lewis, K. D., W. Samlowski, et al. (2011). "A multi-center phase II evaluation of the small molecule survivin suppressor YM155 in patients with unresectable stage III or IV melanoma." Invest New Drugs **29**(1): 161-166.

Lodish, H. (2005). Papel de los carcinógenos y reparación del DNA en el cáncer Biología Celular y Molecular 967-968.

Logan, I. R., H. V. McNeill, et al. (2007). "Analysis of the MDM2 antagonist nutlin-3 in human prostate cancer cells." Prostate **67**(8): 900-906.

Lomonosova, E. and G. Chinnadurai (2008). "BH3-only proteins in apoptosis and beyond: an overview." Oncogene **27 Suppl 1**: S2-19.

López-Diazguerrero, N. E., C. M. Martínez Garduño, et al. (2005). "La senescencia replicativa como una respuesta celular al estrés." Revista Enseñanza Bioquímica **24**: 47-53.

Lord, C. J., M. D. Garrett, et al. (2006). "Targeting the double-strand DNA break repair pathway as a therapeutic strategy." Clin Cancer Res **12**(15): 4463-4468.

Louis, D. N., H. Ohgaki, et al. (2007). "The 2007 WHO classification of tumours of the central nervous system." Acta Neuropathol **114**(2): 97-109.

Lu, C. and A. Shervington (2008). "Chemoresistance in gliomas." Mol Cell Biochem **312**(1-2): 71-80. Cancer Res **58**(9): 1808-1812.

M

Mahaney, B. L., K. Meek, et al. (2009). "Repair of ionizing radiation-induced DNA double-strand breaks by non-homologous end-joining." Biochem J **417**(3): 639-650.

McNeish, I. A., S. J. Bell, et al. (2004). "Gene therapy progress and prospects: cancer gene therapy using tumour suppressor genes." Gene Ther **11**(6): 497-503.

Minematsu, T., L. Felder, et al. (2008). "Liquid chromatography-electrospray tandem mass spectrometric assay suitable for quantitation of YM155, a novel small-molecule survivin suppressant, in dog plasma." Biomed Chromatogr **22**(7): 763-769.

Mita, A. C., M. M. Mita, et al. (2008). "Survivin: key regulator of mitosis and apoptosis and novel target for cancer therapeutics." Clin Cancer Res **14**(16): 5000-5005.

Monzo, M., R. Rosell, et al. (1999). "A novel anti-apoptosis gene: Re-expression of survivin messenger RNA as a prognosis marker in non-small-cell lung cancers." J Clin Oncol **17**(7): 2100-2104.

Mori, A., H. Wada, et al. (2002). "Expression of the antiapoptosis gene survivin in human leukemia." Int J Hematol **75**(2): 161-165.

Morrison, R., S. M. Schleicher, et al. (2011). "Targeting the mechanisms of resistance to chemotherapy and radiotherapy with the cancer stem cell hypothesis." J Oncol **2011**: 941876.

Mrugala, M. M. and M. C. Chamberlain (2008). "Mechanisms of disease: temozolomide and glioblastoma--look to the future." Nat Clin Pract Oncol **5**(8): 476-486.

Mukherjee, B., B. McEllin, et al. (2009). "EGFRvIII and DNA double-strand break repair: a molecular mechanism for radioresistance in glioblastoma." Cancer Res **69**(10): 4252-4259.

N

Nagane, M., A. Levitzki, et al. (1998). "Drug resistance of human glioblastoma cells conferred by a tumor-specific mutant epidermal growth factor receptor through modulation of Bcl-XL and caspase-3-like proteases." Proc Natl Acad Sci U S A **95**(10): 5724-5729.

Nakabayashi, H., M. Hara, et al. (2006). "Prognostic significance of CDC25B expression in gliomas." J Clin Pathol **59**(7): 725-728.

Nakahara, T., A. Kita, et al. (2011). "Broad spectrum and potent antitumor activities of YM155, a novel small-molecule survivin suppressant, in a wide variety of human cancer cell lines and xenograft models." Cancer Sci **102**(3): 614-621.

Nakahara, T., M. Takeuchi, et al. (2007). "YM155, a novel small-molecule survivin suppressant, induces regression of established human hormone-refractory prostate tumor xenografts." Cancer Res **67**(17): 8014-8021.

O

Ohgaki, H. (2009). "Epidemiology of brain tumors." Methods Mol Biol **472**: 323-342.

Ohgaki, H., P. Dessen, et al. (2004). "Genetic pathways to glioblastoma: a population-based study." Cancer Res **64**(19): 6892-6899.

Ohgaki, H. and P. Kleihues (2007). "Genetic pathways to primary and secondary glioblastoma." Am J Pathol **170**(5): 1445-1453.

Ohgaki, H. and P. Kleihues (2009). "Genetic alterations and signaling pathways in the evolution of gliomas." Cancer Sci **100**(12): 2235-2241.

Okada, H., G. Kohanbash, et al. (2009). "Immunotherapeutic approaches for glioma." Crit Rev Immunol **29**(1): 1-42.

Olsson, A., C. Manzl, et al. (2007). "How important are post-translational modifications in p53 for selectivity in target-gene transcription and tumour suppression?" Cell Death Differ **14**(9): 1561-1575.

P

Park, J. K., T. Hodges, et al. (2010). "Scale to predict survival after surgery for recurrent glioblastoma multiforme." J Clin Oncol **28**(24): 3838-3843.

Parsons, D. W., S. Jones, et al. (2008). "An integrated genomic analysis of human glioblastoma multiforme." Science **321**(5897): 1807-1812.

Paull, T. T., E. P. Rogakou, et al. (2000). "A critical role for histone H2AX in recruitment of repair factors to nuclear foci after DNA damage." Curr Biol **10**(15): 886-895.

Pawlik, T. M. and K. Keyomarsi (2004). "Role of cell cycle in mediating sensitivity to radiotherapy." Int J Radiat Oncol Biol Phys **59**(4): 928-942.

Pennati, M., M. Folini, et al. (2007). "Targeting survivin in cancer therapy: fulfilled promises and open questions." Carcinogenesis **28**(6): 1133-1139.

Piccirillo, S. G., B. A. Reynolds, et al. (2006). "Bone morphogenetic proteins inhibit the tumorigenic potential of human brain tumour-initiating cells." Nature **444**(7120): 761-765.

Pietsch, E. C., O. Humbey, et al. (2006). "Polymorphisms in the p53 pathway." Oncogene **25**(11): 1602-1611.

Planchon, S. M., K. A. Waite, et al. (2008). "The nuclear affairs of PTEN." J Cell Sci **121**(Pt 3): 249-253.

Pop, C. and G. S. Salvesen (2009). "Human caspases: activation, specificity, and regulation." J Biol Chem **284**(33): 21777-21781.

Puthalakath, H., A. Villunger, et al. (2001). "Bmf: a proapoptotic BH3-only protein regulated by interaction with the myosin V actin motor complex, activated by anoikis." Science **293**(5536): 1829-1832.

R

Reifenberger, G. and V. P. Collins (2004). "Pathology and molecular genetics of astrocytic gliomas." J Mol Med **82**(10): 656-670.

Riches, L. C., A. M. Lynch, et al. (2008). "Early events in the mammalian response to DNA double-strand breaks." Mutagenesis **23**(5): 331-339.

Riemenschneider, M. J., J. W. Jeuken, et al. (2010). "Molecular diagnostics of gliomas: state of the art." Acta Neuropathol **120**(5): 567-584.

Rodel, F., J. Hoffmann, et al. (2005). "Survivin as a radioresistance factor, and prognostic and therapeutic target for radiotherapy in rectal cancer." Cancer Res **65**(11): 4881-4887.

Roos, W. P., L. F. Batista, et al. (2007). "Apoptosis in malignant glioma cells triggered by the temozolomide-induced DNA lesion O6-methylguanine." Oncogene **26**(2): 186-197.

Roth, W., S. Isenmann, et al. (2001). "Soluble decoy receptor 3 is expressed by malignant gliomas and suppresses CD95 ligand-induced apoptosis and chemotaxis." Cancer Res **61**(6): 2759-2765.

Rutka, J. T., M. Murakami, et al. (1997). "Role of glial filaments in cells and tumors of glial origin: a review." J Neurosurg **87**(3): 420-430.

Ryan, B. M., N. O'Donovan, et al. (2009). "Survivin: a new target for anti-cancer therapy." Cancer Treat Rev **35**(7): 553-562.

S

Sah, N. K., Z. Khan, et al. (2006). "Structural, functional and therapeutic biology of survivin." Cancer Lett **244**(2): 164-171.

Sancar, A., L. A. Lindsey-Boltz, et al. (2004). "Molecular mechanisms of mammalian DNA repair and the DNA damage checkpoints." Annu Rev Biochem **73**: 39-85.

Sanson, M., J. Thillet, et al. (2004). "Molecular changes in gliomas." Curr Opin Oncol **16**(6): 607-613.

Sarela, A. I., R. C. Macadam, et al. (2000). "Expression of the antiapoptosis gene, survivin, predicts death from recurrent colorectal carcinoma." Gut **46**(5): 645-650.

Satoh, T., I. Okamoto, et al. (2009). "Phase I study of YM155, a novel survivin suppressant, in patients with advanced solid tumors." Clin Cancer Res **15**(11): 3872-3880.

Scudiero, D. A., R. H. Shoemaker, et al. (1988). "Evaluation of a soluble tetrazolium/formazan assay for cell growth and drug sensitivity in culture using human and other tumor cell lines." Cancer Res **48**(17): 4827-4833.

Schwartzbaum, J. A., J. L. Fisher, et al. (2006). "Epidemiology and molecular pathology of glioma." Nat Clin Pract Neurol **2**(9): 494-503; quiz 491 p following 516.

Sekulic, A., P. Haluska, Jr., et al. (2008). "Malignant melanoma in the 21st century: the emerging molecular landscape." Mayo Clin Proc **83**(7): 825-846.

Selker, R. G., W. R. Shapiro, et al. (2002). "The Brain Tumor Cooperative Group NIH Trial 87-01: a randomized comparison of surgery, external radiotherapy, and carmustine versus surgery, interstitial radiotherapy boost, external radiation therapy, and carmustine." Neurosurgery **51**(2): 343-355; discussion 355-347.

Sengupta, S. and C. C. Harris (2005). "p53: traffic cop at the crossroads of DNA repair and recombination." Nat Rev Mol Cell Biol **6**(1): 44-55.

Shangary, S. and S. Wang (2008). "Targeting the MDM2-p53 interaction for cancer therapy." Clin Cancer Res **14**(17): 5318-5324.

Sherr, C. J. and F. McCormick (2002). "The RB and p53 pathways in cancer." Cancer Cell **2**(2): 103-112.

Shiras, A., A. Bhosale, et al. (2003). "A unique model system for tumor progression in GBM comprising two developed human neuro-epithelial cell lines with differential transforming potential and coexpressing neuronal and glial markers." Neoplasia **5**(6): 520-532.

Shrivastav, M., L. P. De Haro, et al. (2008). "Regulation of DNA double-strand break repair pathway choice." Cell Res **18**(1): 134-147.

Shu, K. X., B. Li, et al. (2007). "The p53 network: p53 and its downstream genes." Colloids Surf B Biointerfaces **55**(1): 10-18.

Singh, S. K., I. D. Clarke, et al. (2004). "Cancer stem cells in nervous system tumors." Oncogene **23**(43): 7267-7273.

Song, Z., X. Yao, et al. (2003). "Direct interaction between survivin and Smac/DIABLO is essential for the anti-apoptotic activity of survivin during taxol-induced apoptosis." J Biol Chem **278**(25): 23130-23140.

Souhami, L., W. Seiferheld, et al. (2004). "Randomized comparison of stereotactic radiosurgery followed by conventional radiotherapy with carmustine to conventional radiotherapy with carmustine for patients with glioblastoma multiforme: report of Radiation Therapy Oncology Group 93-05 protocol." Int J Radiat Oncol Biol Phys **60**(3): 853-860.

Spiegel-Kreinecker, S., J. Buchroithner, et al. (2002). "Expression and functional activity of the ABC-transporter proteins P-glycoprotein and multidrug-resistance protein 1 in human brain tumor cells and astrocytes." J Neurooncol **57**(1): 27-36.

Squatrito, M., C. W. Brennan, et al. (2010). "Loss of ATM/Chk2/p53 pathway components accelerates tumor development and contributes to radiation resistance in gliomas." Cancer Cell **18**(6): 619-629.

Stein, G. H. (1979). "T98G: an anchorage-independent human tumor cell line that exhibits stationary phase G1 arrest in vitro." J Cell Physiol **99**(1): 43-54.

Steinbach, J. P. and M. Weller (2004). "Apoptosis in Gliomas: Molecular Mechanisms and Therapeutic Implications." J Neurooncol **70**(2): 247-256.

Stuhmer, T., M. Chatterjee, et al. (2005). "Nongenotoxic activation of the p53 pathway as a therapeutic strategy for multiple myeloma." Blood **106**(10): 3609-3617.

Stupp, R., W. P. Mason, et al. (2005). "Radiotherapy plus concomitant and adjuvant temozolomide for glioblastoma." N Engl J Med **352**(10): 987-996.

Suh, J. H. (2010). "Stereotactic radiosurgery for the management of brain metastases." N Engl J Med **362**(12): 1119-1127.

T

Tabe, Y., D. Sebasigari, et al. (2009). "MDM2 antagonist nutlin-3 displays antiproliferative and proapoptotic activity in mantle cell lymphoma." Clin Cancer Res **15**(3): 933-942.

Tait, S. W. and D. R. Green (2010). "Mitochondria and cell death: outer membrane permeabilization and beyond." Nat Rev Mol Cell Biol **11**(9): 621-632.

Tanaka, T., X. Huang, et al. (2007). "Cytometry of ATM activation and histone H2AX phosphorylation to estimate extent of DNA damage induced by exogenous agents." Cytometry A **71**(9): 648-661.

Thompson, T., C. Tovar, et al. (2004). "Phosphorylation of p53 on key serines is dispensable for transcriptional activation and apoptosis." J Biol Chem **279**(51): 53015-53022.

Tolcher, A. W., A. Mita, et al. (2008). "Phase I and pharmacokinetic study of YM155, a small-molecule inhibitor of survivin." J Clin Oncol **26**(32): 5198-5203.

Tortora, G., R. Caputo, et al. (2000). "A novel MDM2 anti-sense oligonucleotide has anti-tumor activity and potentiates cytotoxic drugs acting by different mechanisms in human colon cancer." Int J Cancer **88**(5): 804-809.

V

van Attikum, H. and S. M. Gasser (2009). "Crosstalk between histone modifications during the DNA damage response." Trends Cell Biol **19**(5): 207-217.

Van Meir, E. G., C. G. Hadjipanayis, et al. (2010). "Exciting new advances in neuro-oncology: the avenue to a cure for malignant glioma." CA Cancer J Clin **60**(3): 166-193.

VanderBorghet, A., A. Valckx, et al. (2006). "Effect of an hdm-2 antagonist peptide inhibitor on cell cycle progression in p53-deficient H1299 human lung carcinoma cells." Oncogene **25**(50): 6672-6677.

Vassilev, L. T. (2005). "p53 Activation by small molecules: application in oncology." J Med Chem **48**(14): 4491-4499.

Vassilev, L. T. (2007). "MDM2 inhibitors for cancer therapy." Trends Mol Med **13**(1): 23-31.

Vassilev, L. T., B. T. Vu, et al. (2004). "In vivo activation of the p53 pathway by small-molecule antagonists of MDM2." Science **303**(5659): 844-848.

Vescovi, A. L., R. Galli, et al. (2006). "Brain tumour stem cells." Nat Rev Cancer **6**(6): 425-436.

Villano, J. L., T. E. Seery, et al. (2009). "Temozolomide in malignant gliomas: current use and future targets." Cancer Chemother Pharmacol **64**(4): 647-655.

Vogel, T. W., Z. Zhuang, et al. (2005). "Proteins and protein pattern differences between glioma cell lines and glioblastoma multiforme." Clin Cancer Res **11**(10): 3624-3632.

Vogelstein, B., D. Lane, et al. (2000). "Surfing the p53 network." Nature **408**(6810): 307-310.

W

Wall, N. R., D. S. O'Connor, et al. (2003). "Suppression of survivin phosphorylation on Thr34 by flavopiridol enhances tumor cell apoptosis." Cancer Res **63**(1): 230-235.

Wang, J., T. P. Wakeman, et al. (2010). "Notch promotes radioresistance of glioma stem cells." Stem Cells **28**(1): 17-28.

Wang, Z., S. Fukuda, et al. (2004). "Survivin regulates the p53 tumor suppressor gene family." Oncogene **23**(49): 8146-8153.

Weller, M., R. Stupp, et al. (2010). "MGMT promoter methylation in malignant gliomas: ready for personalized medicine?" Nat Rev Neurol **6**(1): 39-51.

Wen, P. Y. and S. Kesari (2008). "Malignant gliomas in adults." N Engl J Med **359**(5): 492-507.

Weterings, E. and D. J. Chen (2008). "The endless tale of non-homologous end-joining." Cell Res **18**(1): 114-124.

Willis, S. N. and J. M. Adams (2005). "Life in the balance: how BH3-only proteins induce apoptosis." Curr Opin Cell Biol **17**(6): 617-625.

Wyman, C. and R. Kanaar (2006). "DNA double-strand break repair: all's well that ends well." Annu Rev Genet **40**: 363-383.

X

Xu, T., J. Chen, et al. (2010). "Effects of bevacizumab plus irinotecan on response and survival in patients with recurrent malignant glioma: a systematic review and survival-gain analysis." BMC Cancer **10**: 252.

Y

Yamamoto, H., C. Y. Ngan, et al. (2008). "Cancer cells survive with survivin." Cancer Sci **99**(9): 1709-1714.

Z

Zangemeister-Wittke, U. and H. U. Simon (2004). "An IAP in action: the multiple roles of survivin in differentiation, immunity and malignancy." Cell Cycle **3**(9): 1121-1123.

Zhou, B. B. and J. Bartek (2004). "Targeting the checkpoint kinases: chemosensitization versus chemoprotection." Nat Rev Cancer **4**(3): 216-225.

Zhu, H., X. Cao, et al. (2010). "EGFR and EGFRvIII interact with PUMA to inhibit mitochondrial translocation of PUMA and PUMA-mediated apoptosis independent of EGFR kinase activity." Cancer Lett **294**(1): 101-110.

Zhuang, W., B. Li, et al. (2011). "Induction of autophagy promotes differentiation of glioma-initiating cells and their radiosensitivity." Int J Cancer.

Zhuang, W., B. Li, et al. (2011). "Knockdown of the DNA-dependent protein kinase catalytic subunit radiosensitizes glioma-initiating cells by inducing autophagy." Brain Res **1371**: 7-15.

Ziegler, D. S., A. L. Kung, et al. (2008). "Anti-apoptosis mechanisms in malignant gliomas." J Clin Oncol **26**(3): 493-500.