

V.- Referències

- Alcock, R.E., K.C. Jones, 1996. Dioxins in the environment, a review of trend data *Environ. Sci. Technol.*, 30, 3133-3143.
- Arija V., J. Salas, J. Fernández-Ballart, G. Cucó, C. Martí-Henneberg, 1996. Consumo, hábitos alimentarios y estado nutricional de la población de Reus IX.. Evolución del consumo de alimentos, de su participación en la ingestión de energía y nutrientes y de su relación con el nivel socioeconómico y cultural entre 1983 y 1993. *Medicina Clínica*, 106, 174-179.
- Bacci E., D. Calamari, C. Gaggi, G. Chemello, M. Vighi, 1990a. Bioconcentration of organic chemical vapors in plant leaves, experimental measurements and correlation. *Environ. Sci. Technol.*, 24, 885-889.
- Bacci E., M. J. Cerejeira, C. Gaggi, G. Chemello, D. Calamari, M. Vighi, 1990b. Bioconcentration of organic chemical vapours in plant leaves, the azalaea model. *Chemosphere*, 21, 525-535.
- Bacci E., M. J. Cerejeira, C. Gaggi, G. Chemello, D. Calamari, M. Vighi, 1992. Chlorinated dioxins, volatilization from soils and bioconcentration in plant leaves. *Bull. Environ. Contam. Toxicol.*, 48, 401-408.
- Bache C.A., W.H. Gutenmann, M. Rutzke, G. Chu, D.C. Elfving, D.J. Lisk, 1991. Concentrations of metals in grasses in the vicinity of a municipal refuse incinerator. *Arch. Environ. Contam. Toxicol.*, 20, 538-542.
- Baes, C.F., R.D. Sharp, A.L. Sjoreen, R.W. Shor, 1984. A Review and Analysis of Parameters for Assessing Transport of Environmentally Released Radionuclides through Agriculture, ORNL-5786, Prepared for the U.S. Department of Energy, Oak Ridge National Laboratory, Oak Ridge, TN.
- Barregard L., G. Sallsten, B. Jarvholm, 1990. Mortality and cancer incidence in chloralkali workers exposed to inorganic mercury. *Br. J. Ind. Med.*, 47, 99-104.
- Bellés M., A.Rico, M. Schuhmacher, J.L. Domingo, J. Corbella, 1995. Reduction of lead concentration in vegetables grown in Tarragona province, Spain, as consequence of reduction of lead in gasoline. *Environ. Inter.* 21, 821-825
- Bergström J.G.T., 1986. Mercury behaviour in flue gases. *Waste Manag. Res.*, 4. 57-64.
- Bertazzi P.A., 1991. Long term effects of chemical disasters. Lessons and results from Seveso. *Sci. Total Environ.*, 106, 5-20.
- Beurskens J.E.M., G.A.J. Mol, H.L. Barreveld, B. Van Munster, H.J. Winkels, 1993. Geochronology of priority pollutants in a sedimentation area of the Rhine River. *Environ. Toxicol. Chem.*, 12, 1549-1566.
- Birmingham B., 1990. Analysis of PCDD and PCDF patterns in soil samples, use in the estimation of the risk of exposure. *Chemosphere*, 20, 807-814.

- Boone, F.W., Y.C. Ng, J.M. Palms, 1981. Terrestrial pathways of radionuclide particulates. *Health Phys.*, 41, 735-747.
- Brunner P.H., H. Monch, 1986. The flux of metals through municipal solid waste incinerators. *Waste Manag. Res.*, 4, 105-119.
- Brzuzy L.P., R.A. Hites, 1995. Estimating the atmospheric deposition of polychlorinated dibenzo-p-dioxins and dibenzofurans from soils. *Environ. Sci. Technol.*, 29, 2090-2098.
- Chandler H.A., M. Scott, 1986. A review of thallium toxicology. *J. R. Nav. Med. Serv.*, 72, 75-79.
- Ciancio S.G., O. Shibly, M.L. Mather, M.A. Bessinger, N.C. Severo, J. Slivka, 1992. *Clin. Prev. Dent.*, 14, 27-30.
- Clarke A.N., M.M. Megehee, D.L. Lowe, J.H. Clarke, 1994. A review of polychlorinated dibenzofurans and polychlorinated dibenzodioxins in sediments in the United States and international waterways. *Hazard Waste Hazard Material* 11, 253-275.
- Clement R., C. Tashiro, 1991. Forest fires as a source of PCDDs and PCDFs. Paper presented at DiOXIN'91, the 11th International Symposium on Chlorinated Dioxins and related Compounds, Research Triangle Park, NC, USA.
- Cordier S., L.T. Thuy, P. Verger, D. Bard, L.C. Dai, B. Larouze, M.C. Dazza, H.T. Quinh, L. Abenhaim, 1993. Viral infections and chemical exposures as risk factors for hepatocellular carcinoma in Vietnam. *Int. J. Cancer*, 55, 196-201.
- Czuczwa J.M., R.A. Hites, 1986. Sources and fate of PCDD and PCDF. *Chemosphere*, 15, 1417-1420.
- De Jong A.P.J.M., A.K.D. Liem, R. Hoogerbrugge, 1993. Study of polychlorinated dibenzodioxins and furans from municipal waste incinerator emission in the Netherlands, analytical methods and levels in the environment and human chain. *J. Chromatogr.*, 643, 91-106.
- De Vito M.J., L.S. Birnbaum, 1994. Toxicology of dioxins and related chemicals. A, Dioxins and Health, Schecter A. ed. Plenum Press, NY.
- Denison R.A., E. Silbergeld, 1988. Risks of municipal solid waste incineration, an environmental perspective. *Risk Anal.*, 8, 343-355.
- DOCE. Diario Oficial de las Comunidades Europeas. 1994. Posición Común N°26/94 relativa a la incineración de residuos peligrosos, N.º C231,35-50.
- Eduljee G.H., A.J. Gair, 1996. Validation of a methodology for modeling PCDD and PCDF intake via the foodchain. *Sci. Total Environ.*, 187, 211-229.

- Eljarrat E., 1999. Metodología analítica para la determinación y estudio de dioxinas y compuestos relacionados en muestras de interés ambiental. Química Analítica. Barcelona, Tesis Doctoral, Universidad de Barcelona.
- Fiedler H., 1995. Quellen von PCDD/F und konzentrationen in der Umwelt. *Organohalogen Compd.*, 22, 7-29.
- Fiedler H., 1996. Sources of PCDD/PCDF and impact on the environment. *Chemosphere*, 32, 55-64.
- Fiedler H., 1998. Thermal formation of PCDD/PCDF, a survey. *Environ. Eng. Sci.*, 15, 49-58.
- Fiedler H., O. Hutzinger, C.W. Timms, 1990. Dioxins, sources of environmental load and human exposure, *Toxicol. Environ. Chem.*, 29, 157-234.
- Fiedler H., O. Hutzinger, 1990. Dioxins, sources of environmental load and human exposure. *Toxicol. Environ. Chem.*, 29, 157-234.
- Fitzgerald D.F., T.W. Clarkson, 1991. Mercury and monomethylmercury, present and future concerns. *Environ. Health Perspect.*, 96, 159-166.
- Fries G.F., 1995. Transport of organic environmental contaminants to animal products, *Rev. Environ. Contam. Toxicol.*, 141, 71-109.
- Gon O.K., J. Sung-Hee, K. Sang-Jo, M. Hyo-Bang, K. Young-Kyo , K. Sung-Yong, H. Young-Ho, 2000. Distribution of polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans in soil at Chagwon, Korea. *Organohalogen Compd.*, 46, 346-349.
- Govers, H.A.J., Krop, H.B., 1998. Partition constants of chlorinated dibenzofurans and dibenzo-p-dioxins. *Chemosphere* 37, 2139-2152.
- Habberman A.L., M. Pratt, F.J. Storrs, 1993. Contact dermatitis from beryllium in dental alloys. *Contact Dermatitis*, 28, 157-162.
- Hamanaka S., Y. Hamanaka, F. Otsuka, 1992. Phthalic acid dermatitis caused by an organostannic compound, tributyl tin phthalate. *Dermatology*, 184, 210-212.
- Harrad S.J., D.J.T. Smith, 1997. Evaluation of a terrestrial food chain model for estimating foodstuff concentrations of PCDD/Fs. *Chemosphere*, 348., 1723-1737.
- Harrad S.J., K.C. Jones, 1992. A source inventory and budget for chlorinated dioxins and furans in the United Kingdom environment. *Sci. Total Environ.*, 126, 89-107.
- Hasselriis F., A. Licata, 1996. Analysis of heavy metal emission data from municipal waste combustion. *J. Hazard Materials* 47, 77-102.

- Hawker D.W., D.W. Conell, 1988. Octanol-water partition of polychlorinated biphenyl congeners. *Environ. Sci. Technol.*, 22, 382-387.
- Hawley J.K., 1985. Assessment of health risk from exposure to contaminated soil. *Risk Anal.*, 5, 289-302.
- Hoffman F.O., K.M. Thiessenn, M.L. Frank, B.G. Blaylock, 1992. Quantification of the interception and initial retention of radioactive contaminants deposited on pasture grass by simulated rain. *Atmos. Environ.* 26A(18) 3313-3321.
- Holmes D.A., B.K. Harrison, 1993. Estimation of Gibbs free energies of formation for polychlorinated biphenyls. *Environ. Sci. Technol.*, 27, 725-731.
- IARC- The International Agency for Research on Cancer, 1997, Polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans, Summary of Data Reported and Evaluation. IARC Monographs 69, IARC Press, Lyon
- IRIS, 2002. EPA Integrated Risk Information System: Available online at: <http://www.epa.gov/ngispgm3/iris>.
- Jiménez B., E. Eljarrat, L.M. Hernández, J. Rivera, M.J. González, 1996. Polychlorinated dibenzo-p-dioxins and dibenzofurans in soils near a clinical waste incinerator in Madrid, Spain. Chemometric comparison with other pollution sources and soils. *Chemosphere*, 32, 1327-1348.
- Jones K.C., R.E. Alcock, 1996. Dioxins inputs to the environment, a review of temporal trend data and proposals for a monitoring programme to detect past and future change in the UK. Report of a project commissioned by the Chemicals and Biotechnology Division, Department of the Environment, DoE Reference, EPG/1/5/53, Lancaster University, Lancaster.
- Jong-Guk K., K. Kyoung-Soo, P. Jin-Soo, C. Tea-Seop, 2000, Concentration and distribution of PCDD/Fs in environmental samples near a paper mill. *Organohalogen Compd.*, 46, 403-406.
- Katsumata P.T., W.E. Kastenberg, 1997. On the assessment of health risks at superfund sites using Monte Carlo simulations. *J. Environ. Sci. Health*, A32, 2697-2731.
- Kaupp, H., M.S. McLachlan, 1999. Atmospheric particle size distributions of polychlorinated dibenzo-p-dioxins and dibenzofurans PCDD/Fs. and polycyclic aromatic hydrocarbons PAHs. and their implications for wet and dry deposition. *Atmos. Environ.*, 33, 85-95.
- Kjeller L.O., K.C. Jones, A.E. Johnston, C. Rappe, 1991. Increases in the polychlorinated dibenzo-p-dioxin and -furan content of soils and vegetation since the 1840s. *Environ. Sci. Technol.*, 25, 1619-1627.
- Kjeller L.O., K.C. Jones, A.E. Johnston, C. Rappe, 1996. Evidence for a decline in atmospheric emissions of PCDD/Fs in the U.K. *Environ. Sci. Technol.*, 30, 1398-1403.

- Kutz F.W., D.G. Barnes, D.P. Bottimore, 1990. The international toxicity equivalency factor I-TEF method of risk assessment for complex mixtures of dioxins and related compounds. *Chemosphere*, 20, 751-757.
- La Dou J., 1986. Health issues in the microelectronics. State of the Art Reviews, *Occupational Medicine*, 1, 1-11.
- Ladrón de Guevara J., V. Moya, 1995. En, Toxicología Médica. Clínica y Laboral. Interamericana-McGraw-Hill, NY.
- LaGrega D.M., P.L. Buckingham, J.C. Evans, 1994. Hazardous Waste Management Ed. McGraw-Hill.
- Lee R.G.M., N.J.L. Green, R. Lohmann, K.C. Jones, 1999. Seasonal, anthropogenic, air mass and meteorological influences on the atmospheric concentrations of polychlorinated dibenzo-p-dioxins and dibenzofurans PCDD/Fs., evidence for the importance of diffuse combustion sources. *Environ. Sci. Technol.*, 33, 2864-2871.
- Levin A., D.B. Fratt, A. Leonard, R.J.F. Bruins, L. Fradkin 1991. Comparative analysis of health risk assessments for municipal waste combustor. *J. Air Waste Manage Assoc.*, 41, 20-31
- Lisk D.J., 1988. Environmental implications of incineration of municipal solid waste and ash disposal. *Sci. Total Environ.*, 74, 39-66.
- Lohmann R., N.J.L. Green, K.C. Jones, 1999. Detailed studies of the factors controlling atmospheric PCDD/F concentrations. *Environ. Sci. Technol.*, 33, 4440-4447.
- Lorber, M., D. Cleverly, J. Schaum, L. Phillips, G. Schweer, T. Leighton, 1994. Development and validation of an air-to-beef food chain model for dioxin-like compounds. *Sci. Total Environ.* 156, 39-65.
- Lorber M., C. Braverman, P. Gehring, D. Winters, W. Sovocool, 1996. Soil and air monitoring in the vicinity of a municipal solid waste incinerator. Part I, Soil monitoring. *Organohalogen Compd.*, 28, 255-261.
- Mackay D., W.Y. Shiu, K.C. Ma, 1992. A, Illustrated Handbook of physical-chemical properties and environmental fate for organic chemicals.
- Marklund S., C. Rappe, M. Tysklind, K.E. Egebäck, 1987. Identification of polychlorinated dibenzofurans and dioxins in exhausts from cars run on leaded gasoline. *Chemosphere*, 16, 29-36.
- McLachlan M.S., 1999. Framework for the interpretation of measurements of PCDD/Fs of SOCs in plants. *Environ. Sci. Technol.*, 33, 1799-1804.
- Meharg A.A., Osborn D., 1995. Dioxin released from chemical accidents. *Nature*, 375, 353-354.

- Metzger M., H. Braun, 1987. In-situ mercury speciation in flue gas by liquid and solid sorption systems. *Chemosphere*, 16, 821-832.
- Moore J.A., R.D. Kimbrough, M. Gough, 1993. The dioxin TCDD, a selective study of science and policy interaction. A, Frosch R, ed. Keeping pace with science and engineering. Washington, DC. NAS Press, pp 221-242.
- Mumma R.O., D.C. Raopach, K. Sahadewan, C.G. Manos, M. Rutzke, H.T. Kuntz, C.A. Bache, D.J. Lisk, 1990. National survey of elements and radioactivity in municipal incinerator ashes. *Arch. Environ. Contam. Toxicol.*, 19, 399-404.
- National Research Council, 1993. Issues in Risk Assessment. Committee on Risk Assessment Methodology, National Academy Press, 1993
- Nessel S.C., J.P. Butler, G.B. Post, J.L. Held, M. Gochfeld, M.A. Gallo, 1991. Evaluation of the relative contribution of exposure routes in a health risk assessment of dioxin emissions from a municipal waste incinerator. *J. Exp. Anal. Environ. Epidemiol.*, 1, 283-307.
- Nouwen J., C. Cornelis, R de Fré, M. Wevers, P. Viaene, C. Mensink, J. Patyn, L. Verschaeve, R. Hooghe, A. Maes, M. Collier, C. Schoeters, R. van Cleuvenbergen, P. Geuzens, 2001. Health risk assessment of dioxin emissions from municipal waste incinerators, the Neerlandquarter wilrijk, Belgium.. *Chemosphere*, 43, 909- 923.
- OEHHA, 2002. Office of Environmental Health Hazard Assessment, <http://www.oehha.org>
- Olie K., P.L. Vermeulen, O. Hutzinger, 1977. Chlorodibenzo-p-dioxins and chlorodibenzofurans are trace components in the Netherlands. *Chemosphere*, 6, 455-459.
- Outridge P.M., A.M. Scheuhammer, 1993. Bioaccumulation and toxicology of chromium, implications for wild life. *Rev. Environ. Contam. Toxicol.*, 130, 31-77.
- Pohl H., J. Holler, 1995. Halogenated aromatic hydrocarbons and toxicity equivalency factors TEFs. from the public health assessment perspective. *Chemosphere*, 31, 2547-2559.
- Poland A., J.C. Knutson, 1982. 2,3,7,8-tetra chlorodibenzo-p-dioxin and related halogenated aromatic hydrocarbons, examination of the mechanism of toxicity. *Annu. Rev. Pharmacol. Toxicol.*, 22, 517-554.
- Rappe C., 1992. Sources of PCDDs and PCDFs. Introduction. Reactions, levels, patterns, profiles and trends. *Chemosphere* 25, 41-44.
- Rappe C., L.O. Kjeller, 1987. PCDDs and PCDFs in environmental samples air, particulates, sediments and soil. *Chemosphere* 16, 1775-1780.
- Robards K., P. Worsford, 1991. Cadmium: toxicology and analysis. A review. *Analyst* 116, 549-568.

- Rom W.N., 1998. Environmental and Occupational Medicine. 3rd ed. Ed. By Lippincott-Raven Publishers, Philadelphia, ISBN 0-316-75578-8, pp 1185-1198.
- Safe S., 1986. Comparative toxicology and mechanism of action of polychlorinated dibenzo-p-dioxins and dibenzofurans. *Annu. Rev. Pharmacol. Toxicol.*, 26, 371-399.
- Safe S., 1990. Polychlorinated biphenyls PCBs., dibenzo-p-dioxins PCDDs., dibenzofurans PCDFs. and related compounds, Environmental and mechanistic considerations which support the development of toxic equivalency factors TEFs.. *Crit. Rev. Toxicol.*, 21, 51-88.
- Schuhmacher M., S. Granero, M. Bellés, J.M. Llobet, J.L. Domingo, 1996. Levels of metals in soils and vegetation in the vicinity of a municipal solid waste incinerator. *Toxicol. Environ. Chem.* 56, 119-132.
- Schuhmacher M., M. Meneses, S. Granero, J.M. Llobet, J.L. Domingo, 1997a. Trace element pollution of soils collected near a municipal solid waste incinerator, human health risk. *Bull. Environ. Contam. Toxicol.*, 59, 861-867.
- Schuhmacher M., A. Xifró, J.M. Llobet, H.A.M. de Kok, J.L. Domingo, 1997b. PCDD/Fs in soil samples collected in the vicinity of a municipal solid waste incinerator, human health risks. *Arch. Environ. Contam. Toxicol.* 33, 239-246.
- Schuhmacher M., M. Meneses, S. Granero, J.M. Llobet, J.L. Domingo, 1998a. Trace metals in vegetation grown near to an old municipal solid waste incinerator from Catalonia, Spain. *Fresenius Environ. Bull.*, 7, 42-50.
- Schuhmacher M., S. Granero, A. Xifró, J.L. Domingo, J. Rivera, E. Eljarrat, 1998b. Levels of PCDD/Fs in soil samples in the vicinity of a municipal solid waste incinerator. *Chemosphere*, 37, 2127-2137.
- Sedman R.M., J.R. Esparza, 1991. Evaluation of the public health risks associated with semivolatile metal and dioxin emissions from hazardous waste incinerators. *Environ. Health Perspect.*, 94, 181-187.
- Sexton K., 1995. Science and policy in regulatory decision making, Getting the facts right about hazardous air pollutants. *Environ. Health Perspect.*, 10, 213-222.
- Shind Lee J., J. Yang, Y. Yu, 1998. Estimation of air emission for dioxin using a mathematical model in two large cities of Korea. *Organohalogen Compd.* 36: 449-453.
- Shiu W.Y., W. Doucette, F.A.P.C Gobas, A. Andren, D. Mackay, 1988. Physical-chemical properties of chlorinated dibenzo-p-dioxins. *Environ. Sci. Technol.*, 22, 651-658.
- Shor R.W., C. Baes III R. Sharp, 1982. Agricultural production in the United States by countu, A compilation of information from the 1974 census of

agriculture for use in terrestrial food-chain transport and assessment models. ORNL-5786.

- Simonich, S.L., R.A. Hites, 1995. Organic pollutant accumulation in vegetation. *Environ. Sci. Technol.*, 29, 2905-2914.
- Slob W., M. Olling, H.J.G.M. Derkx, A.P.J.M. Jong, 1993. Congener bioavailability of PCDD/Fs and coplanar PCBs in cows, laboratory and field measurements. *Chemosphere* 31, 3827-3838.
- Startin J.R., 1994. Dioxins in food. Dioxins and health, Schecter A ed., Plenum Press, NY.
- Stephen R.D., M.X. Petreas, D.G. Hayward, 1995. Biotransfer and bioaccumulation of dioxins and furans from soil, chickens as a model for foraging animals. *Sci. Total Environ.* 175, 253-273.
- Sunderman F.W., 1975. Toxicology and metabolism of nickel compounds. Progress report. Department of Commerce, National Technical Information Service, Springfield, USA.
- Tamburro C.H., 1992. Chronic liver injury in phenoxy herbicide exposed Vietnam veterans. *Environ. Res.*, 59, 1754-188.
- Teiji T., A.A. Shinnichi, K. Masatoshi, M. Masatoshi, 2000. Environmental levels of dioxin in Japan, Results of a nationwide survey of dioxins. *Organohalogen Compd.*, 46, 475-478.
- Trapp S., M. Matthies, 1997. Modeling volatilization of PCDD/F from soil and uptake into vegetation. *Environ. Sci. Technol.*, 31, 71-74.
- Travis C.C., Arms A.D., 1988. Bioconcentration of organics in beef, milk and vegetation. *Environ. Sci. Technol.*, 22, 271-274.
- Travis C.C., H.A. Hattemer-Frey, 1989a. A perspective on dioxin emissions from municipal solid waste incinerators. *Risk Anal.*, 9, 91-97.
- Travis C.C., H.A., Hattemer-Frey 1989b. Human exposure to dioxin from municipal solid waste incineration. *Waste Manage*, 9, 151-156.
- Tysklind M., 1993. Multivariate Chemical Characterization and modelling of Polychlorinated Dioxins and Dibenzofurans. Institute of Environmental Chemistry. Umeå, University of Umeå Suècia. Doctoral Thesis.
- U.S. Environmental Protection Agency, 1990. Methodology for assessing health risks associated with indirect exposure to combustor emissions. EPA/600/6-90/003. Office of Health and Environmental Assessment, Cincinnati, OH.
- U.S. Environmental Protection Agency, 1992. Dermal Exposure Assessment, Principles and Applications. EPA/600/891/011B, Office of Health and Environmental Assessment, Washington, DC.

- U.S. Environmental Protection Agency, 1995. Exposure Factors Handbook. Review Draft. EPA/600/P-95/002a, Office of Research and Development, Washington, DC.
- U.S. Environmental Protection Agency, 1995. User's guide for the industrial source complex ISC3. dispersion models, EPA-454/B-95-003a, U.S. EPA, Office of Air Quality Planning and Standards, Research Triangle Park, NC.
- U.S. Environmental Protection Agency, 1998. Methodology for Assessing Health Risks Associated with Multiple Pathways of Exposure to Combustor Emissions, EPA-600/R-98-137, U.S. EPA, National Center for Environmental Assessment, Cincinnati, OH.
- U.S. Environmental Protection Agency, 1999. Screening Level Ecological Risk Assessment Protocol for Hazardous Waste Combustion Facilities, EPA 530-D-99-001A, U.S. EPA, Office of Solid Waste.
- U.S. Environmental Protection Agency. 2001. Risk Assessment Technical Background Document for the Paint and Coatings Hazardous Waste Listing Determination, EPA 68-W6-0053, U.S. EPA, Office of Solid Waste, Washington DC.
- van der Berg M., K. Olie, O. Hutzinger, 1985. Polychlorinated dibenzofurans PCDFs. Environmental occurrence and physical, chemical and biological properties. *Toxicol. Environ. Chem.*, 9, 171-217.
- Vartianen T., P. Lampi, K. Tolonen, J. Tuomisto, 1995. Polychlorodibenzo-p-dioxin and polychlorodibenzofuran concentrations in lake sediments and fish after a ground water pollution with chlorophenols. *Chemosphere*, 30, 1439-1451.
- Vogg H., H. Braun, M. Metzger, J. Schneider, 1986. The especific role of cadmium and mercury in municipal solid waste incineration. *Waste Manage. Res.*, 4, 65-74.
- Wania F., D. Mackay, 1999. The evolution of mass balance models of persistent organic pollutant fate in the environment. *Environ. Pollut.*, 100, 223-240.
- Welsch-Pausch K., M.S. McLachlan, G. Umlauf, 1995. Determination of the principal pathways of polychlorinated dibenzo-p-dioxins and dibenzofurans to lolium multiflorum Welsh Ray grass.. *Environ. Sci. Technol.*, 29, 1090-1098.
- WHO, 1989. Polychlorinated dibenzo-p-dioxins and dibenzofurans. World Health Organisation – International Programme on Chemical Safety, Environmental Health Criteria 88, Geneva, Switzerland.
- Wood J.L., N.J.L. Green, A.E. Johnston, K.C. Jones, 1999. PCDD/Fs in archived historical soils. *Organohalogen Compd.*, 43, 159-162.
- Yake B., D. Rogowski, L. Goldstein, G. Pelletier, 2000. Dioxins in Washington State soils. *Organohalogen Compd.*, 46, 342-345.

- Zook D.R., C. Rappe, 1994. Environmental sources, and fate of polychlorinated dibenzodioxins, dibenzofurans, and related organochlorines. A, Dioxins and Health, Schecter A ed., Plenum Press, NY.