

Bibliografia

A

- Acharya HR, Dooley CM, Thoreson WB, Ahmad I (1997): **cDNA cloning and expression analysis of NeuroD mRNA in human retina.** *Biochem Biophys Res Commun* **233**:459-463.
- Acharya U, Patel S, Koundakjian E, Nagashima K, Han X, Acharya JK (2003): **Modulating Sphingolipid Biosynthetic Pathway Rescues Photoreceptor Degeneration.** *Science* **299**:1740-1743.
- Acland GM, Aguirre GD, Ray J, Zhang Q, Aleman TS, Cideciyan AV, Pearce-Kelling SE, Anand V, Zeng Y, Maguire AM et al (2001): **Gene therapy restores vision in a canine model of childhood blindness.** *Nat Genet* **28**:92-95.
- Aguirre GD, Baldwin V, Pearce-Kelling S, Narfstrom K, Ray K, Acland GM (1998): **Congenital stationary night blindness in the dog: common mutation in the RPE65 gene indicates founder effect.** *Mol Vis* **4**:23.
- Akhmedov NB, Piriev NI, Chang B, Rapoport AL, Hawes NL, Nishina PM, Nusinowitz S, Heckenlively JR, Roderick TH, Kozak CA et al (2000): **A deletion in a photoreceptor-specific nuclear receptor mRNA causes retinal degeneration in the rd7 mouse.** *Proc Natl Acad Sci U S A* **97**:5551-5556.
- Al-Maghtheh M, Inglehearn CF, Keen TJ, Evans K, Moore AT, Jay M, Bird AC, Bhattacharya SS (1994): **Identification of a sixth locus for autosomal dominant retinitis pigmentosa on chromosome 19.** *Hum Mol Genet* **3**:351-354.
- Al-Maghtheh M, Vithana E, Tarttelin E, Jay M, Evans K, Moore T, Bhattacharya S, Inglehearn CF (1996): **Evidence for a major retinitis pigmentosa locus on 19q13.4 (RP11) and association with a unique bimodal expressivity phenotype.** *Am J Hum Genet* **59**:864-871.
- Ali RR, Sarra GM, Stephens C, Alwis MD, Bainbridge JW, Munro PM, Fauser S, Reichel MB, Kinnon C, Hunt DM et al (2000): **Restoration of photoreceptor ultrastructure and function in retinal degeneration slow mice by gene therapy.** *Nat Genet* **25**:306-310.
- Aligianis IA, Forshew T, Johnson S, Michaelides M, Johnson CA, Trembath RC, Hunt DM, Moore AT, Maher ER (2002): **Mapping of a novel locus for achromatopsia (ACHM4) to 1p and identification of a germline mutation in the alpha subunit of cone transducin (GNAT2).** *J Med Genet* **39**:656-660.
- Allikmets R, Shroyer NF, Singh N, Seddon JM, Lewis RA, Bernstein PS, Peiffer A, Zabriskie NA, Li Y, Hutchinson A et al (1997a): **Mutation of the Stargardt disease gene (ABCR) in age-related macular degeneration.** *Science* **277**:1805-1807.
- Allikmets R, Singh N, Sun H, Shroyer NF, Hutchinson A, Chidambaram A, Gerrard B, Baird L, Stauffer D, Peiffer A et al (1997b): **A photoreceptor cell-specific ATP-binding transporter gene (ABCR) is mutated in recessive Stargardt macular dystrophy.** *Nat Genet* **15**:236-246.
- Altherr MR, Wasmuth JJ, Seldin MF, Nadeau JH, Baehr W, Pittler SJ (1992): **Chromosome mapping of the rod photoreceptor cGMP phosphodiesterase beta-subunit gene in mouse and human: tight linkage to the Huntington disease region (4p16.3).** *Genomics* **12**:750-754. {.
- Altschul SF, Gish W, Miller W, Myers EW, Lipman DJ (1990): **Basic local alignment search tool.** *J Mol Biol* **215**:403-410.
- Arbour NC, Zlotogora J, Knowlton RG, Merin S, Rosenmann A, Kanis AB, Rokhlin T, Stone EM, Sheffield VC (1997): **Homozygosity mapping of achromatopsia to chromosome 2 using DNA pooling.** *Hum Mol Genet* **6**:689-694. {.
- Arikawa K, Molday LL, Molday RS, Williams DS (1992): **Localization of peripherin/rds in the disk membranes of cone and rod photoreceptors: relationship to disk membrane morphogenesis and retinal degeneration.** *J Cell Biol* **116**:659-667.
- Arshavsky VY (2002): **Like night and day: rods and cones have different pigment regeneration pathways.** *Neuron* **36**:1-3.
- Ayyagari R, Demirci FY, Liu J, Bingham EL, Stringham H, Kakuk LE, Boehnke M, Gorin MB, Richards JE, Sieving PA (2002): **X-linked recessive atrophic macular degeneration from RPGR mutation.** *Genomics* **80**:166-171.

B

- Banerjee P, Kleyn PW, Knowles JA, Lewis CA, Ross BM, Parano E, Kovats SG, Lee JJ, Penchaszadeh GK, Ott J et al (1998a): **TULP1 mutation in two extended Dominican kindreds with autosomal recessive retinitis pigmentosa.** *Nat Genet* **18**:177-179.
- Banerjee P, Lewis CA, Kleyn PW, Shugart YY, Ross BM, Penchaszadeh GK, Ott J, Jacobson SG, Gilliam TC, Knowles JA (1998b): **Homozygosity and physical mapping of the autosomal recessive retinitis pigmentosa locus (RP14) on chromosome 6p21.3.** *Genomics* **48**:171-177.
- Barak A, Morse LS, Goldkorn T (2001): **Ceramide: a potential mediator of apoptosis in human retinal pigment epithelial cells.** *Invest Ophthalmol Vis Sci* **42**:247-254.
- Bardien S, Ebenezer N, Greenberg J, Inglehearn CF, Bartmann L, Goliath R, Beighton P, Ramesar R, Bhattacharya SS (1995): **An eighth locus for autosomal dominant retinitis pigmentosa is linked to chromosome 17q.** *Hum Mol Genet* **4**:1459-1462.
- Bardien S, Ramesar R, Bhattacharya S, Greenberg J (1997): **Retinitis pigmentosa locus on 17q (RP17): fine localization to 17q22 and exclusion of the PDEG and TIMP2 genes.** *Hum Genet* **101**:13-17.
- Bardien-Kruger S, Greenberg J, Tubb B, Bryan J, Queimado L, Lovett M, Ramesar RS (1999): **Refinement of the RP17 locus for autosomal dominant retinitis pigmentosa, construction of a YAC contig and investigation of the candidate gene retinal fascin.** *Eur J Hum Genet* **7**:332-338.
- Bareil C, Hamel CP, Delague V, Arnaud B, Demaille J, Claustres M (2001): **Segregation of a mutation in CNGB1 encoding the beta-subunit of the rod cGMP-gated channel in a family with autosomal recessive retinitis pigmentosa.** *Hum Genet* **108**:328-334.
- Bartolini F, Bhamidipati A, Thomas S, Schwahn U, Lewis SA, Cowan NJ (2002): **Functional overlap between retinitis pigmentosa 2 protein and the tubulin-specific chaperone cofactor C.** *J Biol Chem* **277**:14629-14634.
- Bascom R, Manara S, Gallie B, Willard H, Kalnins V, McInnes RR (1989): **Identification of a new mammalian photoreceptor-specific gene family.** *Am J Hum Genet*:A172.
- Bascom RA, Connell G, Garcia-Heras J, Collins L, Ledbetter D, Molday RS, Kalnins V, McInnes RR (1990): **Molecular and ultrastructural characterization of the products of the human retinopathy candidate genes ROM1 and RDS.** *Am J Hum Genet*.
- Bascom RA, Manara S, Collins L, Molday RS, Kalnins VI, McInnes RR (1992): **Cloning of the cDNA for a novel photoreceptor membrane protein (rom-1) identifies a disk rim protein family implicated in human retinopathies.** *Neuron* **8**:1171-1184.
- Bascom RA, Liu L, Heckenlively JR, Stone EM, McInnes RR (1995): **Mutation analysis of the ROM1 gene in retinitis pigmentosa.** *Hum Mol Genet* **4**:1895-1902.
- Bateman JB, Klisak I, Kojis T, Mohandas T, Sparkes RS, Li TS, Applebury ML, Bowes C, Farber DB (1992): **Assignment of the beta-subunit of rod photoreceptor cGMP phosphodiesterase gene PDEB (homolog of the mouse rd gene) to human chromosome 4p16.** *Genomics* **12**:601-603.
- Batten ML, Imanishi Y, Maeda T, Tu DC, Moise AR, Bronson D, Possin D, Van Gelder RN, Baehr W, Palczewski K (2004): **Lecithin-retinol acyltransferase is essential for accumulation of all-trans-retinyl esters in the eye and in the liver.** *J Biol Chem* **279**:10422-10432.
- Bayés M, Giordano M, Balcells S, Grinberg D, Vilageliu L, Martínez I, Ayuso C, Benítez J, Ramos-Arroyo MA, Chivelet P et al (1995a): **Homozygous tandem duplication within the gene encoding the beta-subunit of rod phosphodiesterase as a cause for autosomal recessive retinitis pigmentosa.** *Hum Mutat* **5**:228-234.
- Bayés M, Valverde D, Balcells S, Grinberg D, Vilageliu L, Benítez J, Ayuso C, Beneyto M, Baiget M, González-Duarte R (1995b): **Evidence against involvement of recoverin in autosomal recessive retinitis pigmentosa in 42 Spanish families.** *Hum Genet* **96**:89-94.
- Bayés M, Martínez-Mir A, Valverde D, del Rio E, Vilageliu L, Grinberg D, Balcells S, Ayuso C, Baiget M, González-Duarte R (1996): **Autosomal recessive retinitis pigmentosa in Spain: evaluation of four genes and two loci involved in the disease.** *Clin Genet* **50**:380-387.

- Bayés M, Goldaracena B, Martínez-Mir A, Iragui-Madoz MI, Solans T, Chivelet P, Bussaglia E, Ramos-Arroyo MA, Baiget M, Vilageliu L et al (1998): **A new autosomal recessive retinitis pigmentosa locus maps on chromosome 2q31-q33.** *J Med Genet* **35**:141-145.
- Bessant DA, Payne AM, Mitton KP, Wang QL, Swain PK, Plant C, Bird AC, Zack DJ, Swaroop A, Bhattacharya SS (1999): **A mutation in NRL is associated with autosomal dominant retinitis pigmentosa.** *Nat Genet* **21**:355-356.
- Bhattacharya G, Miller C, Kimberling WJ, Jablonski MM, Cosgrove D (2002): **Localization and expression of usherin: a novel basement membrane protein defective in people with Usher's syndrome type IIa.** *Hear Res* **163**:1-11.
- Bhattacharya G, Kalluri R, Orten DJ, Kimberling WJ, Cosgrove D (2004): **A domain-specific usherin/collagen IV interaction may be required for stable integration into the basement membrane superstructure.** *J Cell Sci* **117**:233-242.
- Blanton SH, Heckenlively JR, Cottingham AW, Friedman J, Sadler LA, Wagner M, Friedman LH, Daiger SP (1991): **Linkage mapping of autosomal dominant retinitis pigmentosa (RP1) to the pericentric region of human chromosome 8.** *Genomics* **11**:857-869.
- Boggon TJ, Shan W-S, Santagata S, Myers SC, Shapiro L (1999): **Implication of Tubby Proteins as Transcription Factors by Structure-Based Functional Analysis.** *Science* **286**:2119-2125.
- Boise LH, Gonzalez-Garcia M, Postema CE, Ding L, Lindsten T, Turka LA, Mao X, Nunez G, Thompson CB (1993): **bcl-x, a bcl-2-related gene that functions as a dominant regulator of apoptotic cell death.** *Cell* **74**:597-608.
- Bonapace G, Waheed A, Shah GN, Sly WS (2004): **Chemical chaperones protect from effects of apoptosis-inducing mutation in carbonic anhydrase IV identified in retinitis pigmentosa 17.** *Proc Natl Acad Sci U S A*.
- Bowes C, Li T, Danciger M, Baxter LC, Applebury ML, Farber DB (1990): **Retinal degeneration in the rd mouse is caused by a defect in the beta subunit of rod cGMP-phosphodiesterase.** *Nature* **347**:677-680.
- Bownds D, Dawes J, Miller J, Stahlman M (1972): **Phosphorylation of frog photoreceptor membranes induced by light.** *Nat New Biol* **237**:125-127.
- Bowne SJ, Sullivan LS, Blanton SH, Cepko CL, Blackshaw S, Birch DG, Hughbanks-Wheaton D, Heckenlively JR, Daiger SP (2002): **Mutations in the inosine monophosphate dehydrogenase 1 gene (IMPDH1) cause the RP10 form of autosomal dominant retinitis pigmentosa.** *Hum Mol Genet* **11**:559-568.
- Brody JA, Hussell I, Brink E, Torres J (1970): **Heredity blindness among Pingelapse people of Eastern Caroline Islands.** *Lancet* **1**:1253-1257.
- Broman KW, Weber JL (1999): **Long homozygous chromosomal segments in reference families from the Centre d'Etude du Polymorphisme Humain.** *Am J Hum Genet* **65**:1493-1500.
- Buccoliero R, Bodennec J, Futerman AH (2002): **The role of sphingolipids in neuronal development: lessons from models of sphingolipid storage diseases.** *Neurochem Res* **27**:565-574.
- Buccoliero R, Futerman AH (2003): **The roles of ceramide and complex sphingolipids in neuronal cell function.** *Pharmacol Res* **47**:409-419.
- Bungert S, Molday LL, Molday RS (2001): **Membrane topology of the ATP binding cassette transporter ABCR and its relationship to ABC1 and related ABCA transporters: identification of N-linked glycosylation sites.** *J Biol Chem* **276**:23539-23546.
- Burset M, Seledtsov IA, Solovyev VV (2000): **Analysis of canonical and non-canonical splice sites in mammalian genomes.** *Nucleic Acids Res* **28**:4364-4375.
- Burset M (2002): **Estudi computacional de l'especificació dels llocs d'splicing.** Universitat de Barcelona.
- Burstedt MS, Sandgren O, Holmgren G, Forsman-Semb K (1999): **Bothnia dystrophy caused by mutations in the cellular retinaldehyde-binding protein gene (RLBP1) on chromosome 15q26.** *Invest Ophthalmol Vis Sci* **40**:995-1000.

C

Camuzat A, Dollfus H, Rozet JM, Gerber S, Bonneau D, Bonnemaison M, Briard ML, Dufier JL, Ghazi I, Leowski C et al (1995): **A gene for Leber's congenital amaurosis maps to chromosome 17p.** *Hum Mol Genet* **4**:1447-1452.

Chakarova CF, Hims MM, Bolz H, Abu-Safieh L, Patel RJ, Papaioannou MG, Inglehearn CF, Keen TJ, Willis C, Moore AT et al (2002): **Mutations in HPRP3, a third member of pre-mRNA splicing factor genes, implicated in autosomal dominant retinitis pigmentosa.** *Hum Mol Genet* **11**:87-92.

Chalfant CE, Rathman K, Pinkerman RL, Wood RE, Obeid LM, Ogretmen B, Hannun YA (2002): **De novo ceramide regulates the alternative splicing of caspase 9 and Bcl-x in A549 lung adenocarcinoma cells. Dependence on protein phosphatase-1.** *J Biol Chem* **277**:12587-12595.

Chang JT, Esumi N, Moore K, Li Y, Zhang S, Chew C, Goodman B, Rattner A, Moody S, Stetten G et al (1999): **Cloning and characterization of a secreted frizzled-related protein that is expressed by the retinal pigment epithelium.** *Hum Mol Genet* **8**:575-583.

Chapple JP, Grayson C, Hardcastle AJ, Saliba RS, van der Spuy J, Cheetham ME (2001): **Unfolding retinal dystrophies: a role for molecular chaperones?** *Trends Mol Med* **7**:414-421.

Chen JD, Dickinson P, Gray R, Constable I, Sheffield L, Denton MJ (1989): **Non-allelic mutations in X-linked retinitis pigmentosa.** *Clin Genet* **35**:338-342.

Chen P, Hao W, Rife L, Wang XP, Shen D, Chen J, Ogden T, Van Boemel GB, Wu L, Yang M et al (2001): **A photic visual cycle of rhodopsin regeneration is dependent on Rgr.** *Nat Genet* **28**:256-260.

Chow RL, Lang RA (2001): **Early eye development in vertebrates.** *Annu Rev Cell Dev Biol* **17**:255-296.

Collins C, Hutchinson G, Kowbel D, Riess O, Weber B, Hayden MR (1992): **The human beta-subunit of rod photoreceptor cGMP phosphodiesterase: complete retinal cDNA sequence and evidence for expression in brain.** *Genomics* **13**:698-704.

Collins JS, Schwartz CE (2002): **Detecting polymorphisms and mutations in candidate genes.** *Am J Hum Genet* **71**:1251-1252.

Connell G, Bascom R, Molday L, Reid D, McInnes RR, Molday RS (1991): **Photoreceptor peripherin is the normal product of the gene responsible for retinal degeneration in the rds mouse.** *Proc Natl Acad Sci U S A* **88**:723-726.

Corbeil D, Roper K, Hannah M, Hellwig A, Huttner W (1999): **Selective localization of the polytopic membrane protein prominin in microvilli of epithelial cells - a combination of apical sorting and retention in plasma membrane protrusions.** *J Cell Sci* **112**:1023-1033.

Crabb JW, Goldflam S, Harris SE, Saari JC (1988): **Cloning of the cDNAs encoding the cellular retinaldehyde-binding protein from bovine and human retina and comparison of the protein structures.** *J Biol Chem* **263**:18688-18692.

Cremers FP, van de Pol DJ, van Driel M, den Hollander AJ, van Haren FJ, Knoers NV, Tijmes N, Bergen AA, Rohrschneider K, Blankenagel A et al (1998): **Autosomal recessive retinitis pigmentosa and cone-rod dystrophy caused by splice site mutations in the Stargardt's disease ABCR.** *Hum Mol Genet* **7**:355-362.

D

D'Cruz PM, Yasumura D, Weir J, Matthes MT, Abderrahim H, LaVail MM, Vollrath D (2000): **Mutation of the receptor tyrosine kinase gene Mertk in the retinal dystrophic RCS rat.** *Hum Mol Genet* **9**:645-651.

Dawkins JL, Hulme DJ, Brahmbhatt SB, Auer-Grumbach M, Nicholson GA (2001): **Mutations in SPTLC1, encoding serine palmitoyltransferase, long chain base subunit-1, cause hereditary sensory neuropathy type I.** *Nat Genet* **27**:309-312.

Demant P, Ivanyi D, van Nie R (1979): **The map position of the rds gene on the 17th chromosome of the mouse.** *Tissue Antigens* **13**:53-55.

- Demirci FY, Rigatti BW, Wen G, Radak AL, Mah TS, Baic CL, Traboulsi EI, Alitalo T, Ramser J, Gorin MB (2002): **X-linked cone-rod dystrophy (locus COD1): identification of mutations in RPGR exon ORF15.** *Am J Hum Genet* **70**:1049-1053.
- den Hollander AJ, ten Brink JB, de Kok YJ, van Soest S, van den Born LI, van Driel MA, van de Pol DJ, Payne AM, Bhattacharya SS, Kellner U et al (1999a): **Mutations in a human homologue of Drosophila crumbs cause retinitis pigmentosa (RP12).** *Nat Genet* **23**:217-221.
- den Hollander AJ, van der Velde-Visser SD, Pinckers AJ, Hoyng CB, Brunner HG, Cremers FP (1999b): **Refined mapping of the gene for autosomal dominant retinitis pigmentosa (RP17) on chromosome 17q22.** *Hum Genet* **104**:73-76.
- den Hollander AJ, Heckenlively JR, van den Born LI, de Kok YJ, van der Velde-Visser SD, Kellner U, Jurklies B, van Schooneveld MJ, Blankenagel A, Rohrschneider K et al (2001): **Leber congenital amaurosis and retinitis pigmentosa with Coats-like exudative vasculopathy are associated with mutations in the crumbs homologue 1 (CRB1) gene.** *Am J Hum Genet* **69**:198-203.
- Denton MJ, Chen JD, Serravalle S, Colley P, Halliday FB, Donald J (1988): **Analysis of linkage relationships of X-linked retinitis pigmentosa with the following Xp loci: L1.28, OTC, 754, XJ-1.1, pERT87, and C7.** *Hum Genet* **78**:60-64.
- Dhallan RS, Macke JP, Eddy RL, Shows TB, Reed RR, Yau KW, Nathans J (1992): **Human rod photoreceptor cGMP-gated channel: amino acid sequence, gene structure, and functional expression.** *J Neurosci* **12**:3248-3256.
- Dizhoor AM, Lowe DG, Olshevskaya EV, Laura RP, Hurley JB (1994): **The human photoreceptor membrane guanylyl cyclase, RetGC, is present in outer segments and is regulated by calcium and a soluble activator.** *Neuron* **12**:1345-1352.
- Dizhoor AM, Olshevskaya EV, Henzel WJ, Wong SC, Stults JT, Ankoudinova I, Hurley JB (1995): **Cloning, sequencing, and expression of a 24-kDa Ca(2+)-binding protein activating photoreceptor guanylyl cyclase.** *J Biol Chem* **270**:25200-25206.
- Dizhoor AM, Boikov SG, Olshevskaya EV (1998): **Constitutive activation of photoreceptor guanylate cyclase by Y99C mutant of GCAP-1. Possible role in causing human autosomal dominant cone degeneration.** *J Biol Chem* **273**:17311-17314.
- Donders FC (1857): **Beitrag zur pathologischen Anatomie des Auges. 2. Pigmentbildung in der Netzhaut.** *Arch F Ophthalmol*:139-165.
- Downes SM, Holder GE, Fitzke FW, Payne AM, Warren MJ, Bhattacharya SS, Bird AC (2001): **Autosomal dominant cone and cone-rod dystrophy with mutations in the guanylate cyclase activator 1A gene-encoding guanylate cyclase activating protein-1.** *Arch Ophthalmol* **119**:96-105.
- Driessens CA, Winkens HJ, Hoffmann K, Kuhlmann LD, Janssen BP, Van Vugt AH, Van Hooser JP, Wieringa BE, Deutman AF, Palczewski K et al (2000): **Disruption of the 11-cis-retinol dehydrogenase gene leads to accumulation of cis-retinols and cis-retinyl esters.** *Mol Cell Biol* **20**:4275-4287.
- Dry KL, Manson FD, Lennon A, Bergen AA, Van Dorp DB, Wright AF (1999): **Identification of a 5' splice site mutation in the RPGR gene in a family with X-linked retinitis pigmentosa (RP3).** *Hum Mutat* **13**:141-145.
- Dryja TP, McGee TL, Hahn LB, Cowley GS, Olsson JE, Reichel E, Sandberg MA, Berson EL (1990a): **Mutations within the rhodopsin gene in patients with autosomal dominant retinitis pigmentosa.** *N Engl J Med* **323**:1302-1307.
- Dryja TP, McGee TL, Reichel E, Hahn LB, Cowley GS, Yandell DW, Sandberg MA, Berson EL (1990b): **A point mutation of the rhodopsin gene in one form of retinitis pigmentosa.** *Nature* **343**:364-366.
- Dryja TP, Hahn LB, Cowley GS, McGee TL, Berson EL (1991): **Mutation spectrum of the rhodopsin gene among patients with autosomal dominant retinitis pigmentosa.** *Proc Natl Acad Sci U S A* **88**:9370-9374.
- Dryja TP, Berson EL, Rao VR, Oprian DD (1993): **Heterozygous missense mutation in the rhodopsin gene as a cause of congenital stationary night blindness.** *Nat Genet* **4**:280-283.
- Dryja TP, Finn JT, Peng YW, McGee TL, Berson EL, Yau KW (1995): **Mutations in the gene encoding the alpha subunit of the rod cGMP-gated channel in autosomal recessive retinitis pigmentosa.** *Proc Natl Acad Sci U S A* **92**:10177-10181.
- Dryja TP, Hahn LB, Reboul T, Arnaud B (1996): **Missense mutation in the gene encoding the alpha subunit of rod transducin in the Nougaret form of congenital stationary night blindness.** *Nat Genet* **13**:358-360.
- Dryja TP, Hahn LB, Kajiwara K, Berson EL (1997): **Dominant and digenic mutations in the peripherin/RDS and ROM1 genes in retinitis pigmentosa.** *Invest Ophthalmol Vis Sci* **38**:1972-1982.

Dryja TP, Rucinski DE, Chen SH, Berson EL (1999): **Frequency of mutations in the gene encoding the alpha subunit of rod cGMP-phosphodiesterase in autosomal recessive retinitis pigmentosa.** *Invest Ophthalmol Vis Sci* **40**:1859-1865.

Dryja TP, Adams SM, Grimsby JL, McGee TL, Hong DH, Li T, Andreasson S, Berson EL (2001): **Null RPGRIP1 alleles in patients with Leber congenital amaurosis.** *Am J Hum Genet* **68**:1295-1298.

Duncan JL, LaVail MM, Yasumura D, Matthes MT, Yang H, Trautmann N, Chappelow AV, Feng W, Earp HS, Matsushima GK et al (2003): **An RCS-like retinal dystrophy phenotype in mer knockout mice.** *Invest Ophthalmol Vis Sci* **44**:826-838.

E

Eichers ER, Green JS, Stockton DW, Jackman CS, Whelan J, McNamara JA, Johnson GJ, Lupski JR, Katsanis N (2002): **Newfoundland rod-cone dystrophy, an early-onset retinal dystrophy, is caused by splice-junction mutations in RLBP1.** *Am J Hum Genet* **70**:955-964.

Esteve P, Trouse F, Rodriguez J, Bovolenta P (2003): **SFRP1 modulates retina cell differentiation through a beta-catenin-independent mechanism.** *J Cell Sci* **116**:2471-2481.

Eudy JD, Weston MD, Yao S, Hoover DM, Rehm HL, Ma-Edmonds M, Yan D, Ahmad I, Cheng JJ, Ayuso C et al (1998): **Mutation of a gene encoding a protein with extracellular matrix motifs in Usher syndrome type IIa.** *Science* **280**:1753-1757.

Evans K, Fryer A, Inglehearn C, Duvall-Young J, Whittaker JL, Gregory CY, Butler R, Ebenezer N, Hunt DM, Bhattacharya S (1994): **Genetic linkage of cone-rod retinal dystrophy to chromosome 19q and evidence for segregation distortion.** *Nat Genet* **6**:210-213.

F

Falls HF, Cotterman CW (1948): **Choroidoretinal degeneration: a sex-linked form in which heterozygous women exhibit a tapetal-like retinal reflex.** *Arch Ophthalmol* **40**:685-703.

Farber DB, Danciger JS, Aguirre G (1992): **The beta subunit of cyclic GMP phosphodiesterase mRNA is deficient in canine rod-cone dysplasia 1.** *Neuron* **9**:349-356.

Farrar GJ, McWilliam P, Bradley DG, Kenna P, Lawler M, Sharp EM, Humphries MM, Eiberg H, Conneally PM, Trofatter JA et al (1990): **Autosomal dominant retinitis pigmentosa: linkage to rhodopsin and evidence for genetic heterogeneity.** *Genomics* **8**:35-40.

Farrar GJ, Jordan SA, Kenna P, Humphries MM, Kumar-Singh R, McWilliam P, Allamand V, Sharp E, Humphries P (1991a): **Autosomal dominant retinitis pigmentosa: localization of a disease gene (RP6) to the short arm of chromosome 6.** *Genomics* **11**:870-874.

Farrar GJ, Kenna P, Jordan SA, Kumar-Singh R, Humphries MM, Sharp EM, Sheils DM, Humphries P (1991b): **A three-base-pair deletion in the peripherin-RDS gene in one form of retinitis pigmentosa.** *Nature* **354**:478-480.

Feng W, Yasumura D, Matthes MT, LaVail MM, Vollrath D (2002): **Mertk triggers uptake of photoreceptor outer segments during phagocytosis by cultured retinal pigment epithelial cells.** *J Biol Chem* **277**:17016-17022.

Finckh U, Xu S, Kumaramanickavel G, Schurmann M, Mukkadan JK, Fernandez ST, John S, Weber JL, Denton MJ, Gal A (1998): **Homozygosity mapping of autosomal recessive retinitis pigmentosa locus (RP22) on chromosome 16p12.1-p12.3.** *Genomics* **48**:341-345.

Finnemann SC, Bonilha VL, Marmorstein AD, Rodriguez-Boulan E (1997): **Phagocytosis of rod outer segments by retinal pigment epithelial cells requires alpha(v)beta5 integrin for binding but not for internalization.** *Proc Natl Acad Sci U S A* **94**:12932-12937.

Fletcher EL (2000): **Alterations in neurochemistry during retinal degeneration.** *Microsc Res Tech* **50**:89-102.

Frank RN, Cavanagh HD, Kenyon KR (1973): **Light-stimulated phosphorylation of bovine visual pigments by adenosine triphosphate.** *J Biol Chem* **248**:596-609.

Frasson M, Sahel JA, Fabre M, Simonutti M, Dreyfus H, Picaud S (1999): **Retinitis pigmentosa: rod photoreceptor rescue by a calcium-channel blocker in the rd mouse.** *Nat Med* 5:1183-1187.

Freund CL, Gregory-Evans CY, Furukawa T, Papaioannou M, Looser J, Ploder L, Bellingham J, Ng D, Herbrick JA, Duncan A et al (1997): **Cone-rod dystrophy due to mutations in a novel photoreceptor-specific homeobox gene (CRX) essential for maintenance of the photoreceptor.** *Cell* 91:543-553.

Freund CL, Wang QL, Chen S, Muskat BL, Wiles CD, Sheffield VC, Jacobson SG, McInnes RR, Zack DJ, Stone EM (1998): **De novo mutations in the CRX homeobox gene associated with Leber congenital amaurosis.** *Nat Genet* 18:311-312.

Fuchs S, Nakazawa M, Maw M, Tamai M, Oguchi Y, Gal A (1995): **A homozygous 1-base pair deletion in the arrestin gene is a frequent cause of Oguchi disease in Japanese.** *Nat Genet* 10:360-362.

Furukawa T, Morrow EM, Cepko CL (1997): **Crx, a novel otx-like homeobox gene, shows photoreceptor-specific expression and regulates photoreceptor differentiation.** *Cell* 91:531-541.

Furukawa T, Morrow EM, Li T, Davis FC, Cepko CL (1999): **Retinopathy and attenuated circadian entrainment in Crx-deficient mice.** *Nat Genet* 23:466-470.

G

Gal A, Orth U, Baehr W, Schwinger E, Rosenberg T (1994a): **Heterozygous missense mutation in the rod cGMP phosphodiesterase beta-subunit gene in autosomal dominant stationary night blindness.** *Nat Genet* 7:64-68.

Gal A, Xu S, Piczenik Y, Eiberg H, Duvigneau C, Schwinger E, Rosenberg T (1994b): **Gene for autosomal dominant congenital stationary night blindness maps to the same region as the gene for the beta-subunit of the rod photoreceptor cGMP phosphodiesterase (PDEB) in chromosome 4p16.3.** *Hum Mol Genet* 3:323-325.

Gal A, Li Y, Thompson DA, Weir J, Orth U, Jacobson SG, Apfelstedt-Sylla E, Vollrath D (2000): **Mutations in MERTK, the human orthologue of the RCS rat retinal dystrophy gene, cause retinitis pigmentosa.** *Nat Genet* 26:270-271.

García-Blanco MA, Baraniak AP, Lasda EL (2004): **Alternative splicing in disease and therapy.** *Nat Biotechnol* 22:535-546.

Gerber S, Rozet JM, Bonneau D, Souied E, Camuzat A, Dufier JL, Amalric P, Weissenbach J, Munnich A, Kaplan J (1995): **A gene for late-onset fundus flavimaculatus with macular dystrophy maps to chromosome 1p13.** *Am J Hum Genet* 56:396-399.

Gerber S, Rozet JM, Takezawa SI, dos Santos LC, Lopes L, Gribouval O, Penet C, Perrault I, Ducrocq D, Souied E et al (2000): **The photoreceptor cell-specific nuclear receptor gene (PNR) accounts for retinitis pigmentosa in the Crypto-Jews from Portugal (Marranos), survivors from the Spanish Inquisition.** *Hum Genet* 107:276-284.

Gieser L, Fujita R, Goring HH, Ott J, Hoffman DR, Cideciyan AV, Birch DG, Jacobson SG, Swaroop A (1998): **A novel locus (RP24) for X-linked retinitis pigmentosa maps to Xq26-27.** *Am J Hum Genet* 63:1439-1447.

Gollapalli DR, Maiti P, Rando RR (2003): **RPE65 operates in the vertebrate visual cycle by stereospecifically binding all-trans-retinyl esters.** *Biochemistry* 42:11824-11830.

Gómez-Muñoz A, Frago LM, Álvarez L, Varela-Nieto I (1997): **Stimulation of DNA synthesis by natural ceramide 1-phosphate.** *Biochem J* 325 (Pt 2):435-440.

Gómez-Muñoz A, Kong JY, Salh B, Steinbrecher UP (2004): **Ceramide-1-phosphate blocks apoptosis through inhibition of acid sphingomyelinase in macrophages.** *J Lipid Res* 45:99-105.

González-Duarte R, Bayés M, Martínez-Mir A, Valverde D, Balcells S, Baiget M, Vilageliu L, Grinberg D (1997): **Strategies for the genetic analysis of autosomal recessive retinitis pigmentosa in spanish families.** In: *Degenerative Retinal Diseases.* Edited by Vail L. New York, Plenum Press: 263-257.

Grawe F, Wodarz A, Lee B, Knust E, Skaer H (1996): **The Drosophila genes crumbs and stardust are involved in the biogenesis of adherens junctions.** *Development* 122:951-959.

Grayson C, Bartolini F, Chapple JP, Willison KR, Bhamidipati A, Lewis SA, Luthert PJ, Hardcastle AJ, Cowan NJ, Cheetham ME (2002): **Localization in the human retina of the X-linked retinitis pigmentosa protein RP2, its homologue cofactor C and the RP2 interacting protein Arl3.** *Hum Mol Genet* 11:3065-3074.

Greenberg J, Goliath R, Beighton P, Ramesar R (1994): **A new locus for autosomal dominant retinitis pigmentosa on the short arm of chromosome 17.** *Hum Mol Genet* 3:915-918.

Gu S, Lennon A, Li Y, Lorenz B, Fossarello M, North M, Gal A, Wright A (1998): **Tubby-like protein-1 mutations in autosomal recessive retinitis pigmentosa.** *Lancet* 351:1103-1104.

Gu S, Kumaramanickavel G, Srikanth CR, Denton MJ, Gal A (1999): **Autosomal recessive retinitis pigmentosa locus RP28 maps between D2S1337 and D2S286 on chromosome 2p11-p15 in an Indian family.** *J Med Genet* 36:705-707.

Gu SM, Thompson DA, Srikanth CR, Lorenz B, Finch U, Nicoletti A, Murthy KR, Rathmann M, Kumaramanickavel G, Denton MJ et al (1997): **Mutations in RPE65 cause autosomal recessive childhood-onset severe retinal dystrophy.** *Nat Genet* 17:194-197.

Guillonneau X, Piriev NI, Danciger M, Kozak CA, Cideciyan AV, Jacobson SG, Farber DB (1999): **A nonsense mutation in a novel gene is associated with retinitis pigmentosa in a family linked to the RP1 locus.** *Hum Mol Genet* 8:1541-1546.

Gyapay G, Morissette J, Vignal A, Dib C, Fizames C, Millasseau P, Marc S, Bernardi G, Lathrop M, Weissenbach J (1994): **The 1993-94 Génethon human genetic linkage map.** *Nat Genet* 7:246-339.

H

Haeseleer F, Sokal I, Li N, Pettenati M, Rao N, Bronson D, Wechter R, Baehr W, Palczewski K (1999): **Molecular characterization of a third member of the guanylyl cyclase-activating protein subfamily.** *J Biol Chem* 274:6526-6535.

Haeseleer F, Jang GF, Imanishi Y, Driessen CA, Matsumura M, Nelson PS, Palczewski K (2002): **Dual-substrate specificity short chain retinol dehydrogenases from the vertebrate retina.** *J Biol Chem* 277:45537-45546.

Hagerman GS, Johnson LV (1991): **The photoreceptor-retinal pigmented epithelium interface.** In: *Principles and Practice of Clinical Electrophysiology of Vision.* Edited by Heckenlively JR, Arden GB. St. Louis, Mosby Year Book: 53-68.

Hagstrom SA, North MA, Nishina PL, Berson EL, Dryja TP (1998): **Recessive mutations in the gene encoding the tubby-like protein TULP1 in patients with retinitis pigmentosa.** *Nat Genet* 18:174-176.

Hagstrom SA, Duyao M, North MA, Li T (1999): **Retinal degeneration in tulp1-/- mice: vesicular accumulation in the interphotoreceptor matrix.** *Invest Ophthalmol Vis Sci* 40:2795-2802.

Hagstrom SA, Adamian M, Scimeca M, Pawlyk BS, Yue G, Li T (2001): **A role for the Tubby-like protein 1 in rhodopsin transport.** *Invest Ophthalmol Vis Sci* 42:1955-1962.

Haider NB, Jacobson SG, Cideciyan AV, Swiderski R, Streb LM, Seary C, Beck G, Hockey R, Hanna DB, Gorman S et al (2000): **Mutation of a nuclear receptor gene, NR2E3, causes enhanced S cone syndrome, a disorder of retinal cell fate.** *Nat Genet* 24:127-131.

Haider NB, Nagy JK, Nishina PM (2001): **Excess cone cell proliferation due to lack of a functional NR2E3 causes retinal dysplasia and degeneration in rd7/rd7 mice.** *Hum Mol Genet* 10:1619-1626.

Hameed A, Khaliq S, Ismail M, Anwar K, Mehdi SQ, Bessant D, Payne AM, Bhattacharya SS (2001): **A new locus for autosomal recessive RP (RP29) mapping to chromosome 4q32-q34 in a Pakistani family.** *Invest Ophthalmol Vis Sci* 42:1436-1438.

Hameed A, Abid A, Aziz A, Ismail M, Mehdi SQ, Khaliq S (2003): **Evidence of RPGRIP1 gene mutations associated with recessive cone-rod dystrophy.** *J Med Genet* 40:616-619.

Hanada K, Kumagai K, Yasuda S, Miura Y, Kawano M, Fukasawa M, Nishijima M (2003): **Molecular machinery for non-vesicular trafficking of ceramide.** *Nature* 426:803-809.

Hanein S, Perrault I, Gerber S, Tangy G, Barbet F, Ducrocq D, Calvas P, Dollfus H, Hamel C, Lopponen T et al (2004): **Leber congenital amaurosis: comprehensive survey of the genetic heterogeneity, refinement of the clinical definition, and genotype-phenotype correlations as a strategy for molecular diagnosis.** *Hum Mutat* 23:306-317.

Hannun YA, Luberto C (2000): **Ceramide in the eukaryotic stress response.** *Trends Cell Biol* 10:73-80.

- Hannun YA, Obeid LM (2002): **The Ceramide-centric universe of lipid-mediated cell regulation: stress encounters of the lipid kind.** *J Biol Chem* **277**:25847-25850.
- Hao W, Fong HK (1999): **The endogenous chromophore of retinal G protein-coupled receptor opsin from the pigment epithelium.** *J Biol Chem* **274**:6085-6090.
- Hardcastle AJ, Thiselton DL, Zito I, Ebenezer N, Mah TS, Gorin MB, Bhattacharya SS (2000): **Evidence for a new locus for X-linked retinitis pigmentosa (RP23).** *Invest Ophthalmol Vis Sci* **41**:2080-2086.
- Hardie RC (2003): **Phototransduction: shedding light on translocation.** *Curr Biol* **13**:R775-777.
- Hartl DL, Clark AG (1997): **Principles of population genetics**, 3d edn. Sunderland, MA: Sinauer Associates.
- Heckenlively JR (1982): **Preserved para-arteriole retinal pigment epithelium (PPRPE) in retinitis pigmentosa.** *Br J Ophthalmol* **66**:26-30.
- Heng HH, Wang A, Hu J (1998): **Mapping of the human HPRP3 and HPRP4 genes encoding U4/U6-associated splicing factors to chromosomes 1q21.1 and 9q31-q33.** *Genomics* **48**:273-275.
- Higgins MK, Weitz D, Warne T, Schertler GF, Kaupp UB (2002): **Molecular architecture of a retinal cGMP-gated channel: the arrangement of the cytoplasmic domains.** *Embo J* **21**:2087-2094.
- Hims MM, Diager SP, Inglehearn CF (2003): **Retinitis pigmentosa: genes, proteins and prospects.** *Dev Ophthalmol* **37**:109-125.
- Hisatomi O, Tokunaga F (2002): **Molecular evolution of proteins involved in vertebrate phototransduction.** *Comp Biochem Physiol B Biochem Mol Biol* **133**:509-522.
- Hong DH, Pawlyk BS, Shang J, Sandberg MA, Berson EL, Li T (2000): **A retinitis pigmentosa GTPase regulator (RPGR)-deficient mouse model for X-linked retinitis pigmentosa (RP3).** *Proc Natl Acad Sci U S A* **97**:3649-3654.
- Hong DH, Yue G, Adamian M, Li T (2001): **Retinitis pigmentosa GTPase regulator (RPGR)-interacting protein is stably associated with the photoreceptor ciliary axoneme and anchors RPGR to the connecting cilium.** *J Biol Chem* **276**:12091-12099. Epub 12000 Dec 12094.
- Howes KA, Pennesi ME, Sokal I, Church-Kopish J, Schmidt B, Margolis D, Frederick JM, Rieke F, Palczewski K, Wu SM et al (2002): **GCAP1 rescues rod photoreceptor response in GCAP1/GCAP2 knockout mice.** *Embo J* **21**:1545-1554.
- Huang SH, Pittler SJ, Huang X, Oliveira L, Berson EL, Dryja TP (1995): **Autosomal recessive retinitis pigmentosa caused by mutations in the alpha subunit of rod cGMP phosphodiesterase.** *Nat Genet* **11**:468-471.
- Humphries MM, Rancourt D, Farrar GJ, Kenna P, Hazel M, Bush RA, Sieving PA, Sheils DM, McNally N, Creighton P et al (1997): **Retinopathy induced in mice by targeted disruption of the rhodopsin gene.** *Nat Genet* **15**:216-219.
- Hussell IE, Morton NE (1972): **Pingelap and Mokil Atolls: achromatopsia.** *Am J Hum Genet* **24**:304-309.
- I**
- Ikeda S, Shiva N, Ikeda A, Smith RS, Nusinowitz S, Yan G, Lin TR, Chu S, Heckenlively JR, North MA et al (2000): **Retinal degeneration but not obesity is observed in null mutants of the tubby-like protein 1 gene.** *Hum Mol Genet* **9**:155-163.
- Inglehearn CF, Carter SA, Keen TJ, Lindsey J, Stephenson AM, Bashir R, al-Maghtheh M, Moore AT, Jay M, Bird AC et al (1993): **A new locus for autosomal dominant retinitis pigmentosa on chromosome 7p.** *Nat Genet* **4**:51-53.
- Inglehearn CF, Keen TJ, al-Maghtheh M, Gregory CY, Jay MR, Moore AT, Bird AC, Bhattacharya SS (1994): **Further refinement of the location for autosomal dominant retinitis pigmentosa on chromosome 7p (RP9).** *Am J Hum Genet* **54**:675-680.
- Irvine R (2004): **Inositol lipids: to PHix or not to PHix?** *Curr Biol* **14**:R308-310.

J

Jahng WJ, David C, Nesnas N, Nakanishi K, Rando RR (2003): **A cleavable affinity biotinylation agent reveals a retinoid binding role for RPE65.** *Biochemistry* **42**:6159-6168.

Janecke AR, Thompson DA, Utermann G, Becker C, Hubner CA, Schmid E, McHenry CL, Nair AR, Ruschendorf F, Heckenlively J et al (2004): **Mutations in RDH12 encoding a photoreceptor cell retinol dehydrogenase cause childhood-onset severe retinal dystrophy.** *Nat Genet* **36**:850-854.

Jiang M, Pandey S, Fong HK (1993): **An opsin homologue in the retina and pigment epithelium.** *Invest Ophthalmol Vis Sci* **34**:3669-3678.

Johnson JM, Castle J, Garrett-Engle P, Kan Z, Loerch PM, Armour CD, Santos R, Schadt EE, Stoughton R, Shoemaker DD (2003): **Genome-wide survey of human alternative pre-mRNA splicing with exon junction microarrays.** *Science* **302**:2141-2144.

Jones SE, Jomary C, Grist J, Stewart HJ, Neal MJ (2000a): **Altered expression of secreted frizzled-related protein-2 in retinitis pigmentosa retinas.** *Invest Ophthalmol Vis Sci* **41**:1297-1301.

Jones SE, Jomary C, Grist J, Stewart HJ, Neal MJ (2000b): **Modulated expression of secreted frizzled-related proteins in human retinal degeneration.** *Neuroreport* **11**:3963-3967.

Jordan SA, Farrar GJ, Kumar-Singh R, Kenna P, Humphries MM, Allamand V, Sharp EM, Humphries P (1992): **Autosomal dominant retinitis pigmentosa (adRP; RP6): cosegregation of RP6 and the peripherin-RDS locus in a late-onset family of Irish origin.** *Am J Hum Genet* **50**:634-639.

Jordan SA, Farrar GJ, Kenna P, Humphries MM, Sheils DM, Kumar-Singh R, Sharp EM, Soriano N, Ayuso C, Benitez J et al (1993): **Localization of an autosomal dominant retinitis pigmentosa gene to chromosome 7q.** *Nat Genet* **4**:54-58.

K

Kachi S, Nishizawa Y, Olshevskaya E, Yamazaki A, Miyake Y, Wakabayashi T, Dizhoor A, Usukura J (1999): **Detailed localization of photoreceptor guanylate cyclase activating protein-1 and -2 in mammalian retinas using light and electron microscopy.** *Exp Eye Res* **68**:465-473.

Kajiwara K, Hahn LB, Mukai S, Travis GH, Berson EL, Dryja TP (1991): **Mutations in the human retinal degeneration slow gene in autosomal dominant retinitis pigmentosa.** *Nature* **354**:480-483.

Kajiwara K, Sandberg MA, Berson EL, Dryja TP (1993): **A null mutation in the human peripherin/RDS gene in a family with autosomal dominant retinitis punctata albescens.** *Nat Genet* **3**:208-212.

Kajiwara K, Berson EL, Dryja TP (1994): **Digenic retinitis pigmentosa due to mutations at the unlinked peripherin/RDS and ROM1 loci.** *Science* **264**:1604-1608.

Kanatsuka A, Tokuyama Y, Nozaki O, Matsui K, Egashira T (2002): **Beta-cell dysfunction in late-onset diabetic subjects carrying homozygous mutation in transcription factors NeuroD1 and Pax4.** *Metabolism* **51**:1161-1165.

Kaplan J, Gerber S, Larget-Piet D, Rozet JM, Dollfus H, Dufier JL, Odent S, Postel-Vinay A, Janin N, Briard ML et al (1993): **A gene for Stargardt's disease (fundus flavimaculatus) maps to the short arm of chromosome 1.** *Nat Genet* **5**:308-311.

Kawano Y, Kypta R (2003): **Secreted antagonists of the Wnt signalling pathway.** *J Cell Sci* **116**:2627-2634.

Kedzierski W, Nusinowitz S, Birch D, Clarke G, McInnes RR, Bok D, Travis GH (2001): **Deficiency of rds/peripherin causes photoreceptor death in mouse models of digenic and dominant retinitis pigmentosa.** *Proc Natl Acad Sci U S A* **98**:7718-7723.

Keeler CE (1924): *Proc Natl Acad Sci USA*:329-333.

- Keen TJ, Inglehearn CF, Green ED, Cunningham AF, Patel RJ, Peacock RE, Gerken S, White R, Weissenbach J, Bhattacharya SS (1995): **A YAC contig spanning the dominant retinitis pigmentosa locus (RP9) on chromosome 7p.** *Genomics* **28**:383-388.
- Keen TJ, Hims MM, McKie AB, Moore AT, Doran RM, Mackey DA, Mansfield DC, Mueller RF, Bhattacharya SS, Bird AC et al (2002): **Mutations in a protein target of the Pim-1 kinase associated with the RP9 form of autosomal dominant retinitis pigmentosa.** *Eur J Hum Genet* **10**:245-249.
- Kelsell RE, Evans K, Gregory CY, Moore AT, Bird AC, Hunt DM (1997): **Localisation of a gene for dominant cone-rod dystrophy (CORD6) to chromosome 17p.** *Hum Mol Genet* **6**:597-600.
- Kelsell RE, Gregory-Evans K, Payne AM, Perrault I, Kaplan J, Yang RB, Garbers DL, Bird AC, Moore AT, Hunt DM (1998): **Mutations in the retinal guanylate cyclase (RETGC-1) gene in dominant cone-rod dystrophy.** *Hum Mol Genet* **7**:1179-1184.
- Kennan A, Aherne A, Palfi A, Humphries M, McKee A, Stitt A, Simpson DA, Demtroder K, Orntoft T, Ayuso C et al (2002): **Identification of an IMPDH1 mutation in autosomal dominant retinitis pigmentosa (RP10) revealed following comparative microarray analysis of transcripts derived from retinas of wild-type and Rho(-/-) mice.** *Hum Mol Genet* **11**:547-557.
- Kent WJ (2002): **BLAT--the BLAST-like alignment tool.** *Genome Res* **12**:656-664.
- Khaliq S, Hameed A, Ismail M, Mehdi SQ, Bessant DA, Payne AM, Bhattacharya SS (1999): **Refinement of the locus for autosomal recessive Retinitis pigmentosa (RP25) linked to chromosome 6q in a family of Pakistani origin.** *Am J Hum Genet* **65**:571-574.
- Kimberling WJ, Weston MD, Moller C, Davenport SL, Shugart YY, Priluck IA, Martini A, Milani M, Smith RJ (1990): **Localization of Usher syndrome type II to chromosome 1q.** *Genomics* **7**:245-249.
- Kimberling WJ, Weston MD, Moller C, van Aarem A, Cremers CW, Sumegi J, Ing PS, Connolly C, Martini A, Milani M et al (1995): **Gene mapping of Usher syndrome type Ila: localization of the gene to a 2.1-cM segment on chromosome 1q41.** *Am J Hum Genet* **56**:216-223.
- Kleyn PW, Fan W, Kovats SG, Lee JJ, Pulido JC, Wu Y, Berkemeier LR, Misumi DJ, Holmgren L, Charlat O et al (1996): **Identification and characterization of the mouse obesity gene tubby: a member of a novel gene family.** *Cell* **85**:281-290.
- Knowles JA, Shugart Y, Banerjee P, Gilliam TC, Lewis CA, Jacobson SG, Ott J (1994): **Identification of a locus, distinct from RDS-peripherin, for autosomal recessive retinitis pigmentosa on chromosome 6p.** *Hum Mol Genet* **3**:1401-1403.
- Kobayashi M, Takezawa S, Hara K, Yu RT, Umesono Y, Agata K, Taniwaki M, Yasuda K, Umesono K (1999): **Identification of a photoreceptor cell-specific nuclear receptor.** *Proc Natl Acad Sci U S A* **96**:4814-4819.
- Koch KW, Duda T, Sharma RK (2002): **Photoreceptor specific guanylate cyclases in vertebrate phototransduction.** *Mol Cell Biochem* **230**:97-106.
- Kohl S, Marx T, Giddings I, Jagle H, Jacobson SG, Apfelstedt-Sylla E, Zrenner E, Sharpe LT, Wissinger B (1998): **Total colourblindness is caused by mutations in the gene encoding the alpha-subunit of the cone photoreceptor cGMP-gated cation channel.** *Nat Genet* **19**:257-259.
- Kohl S, Baumann B, Broghammer M, Jagle H, Sieving P, Kellner U, Spegal R, Anastasi M, Zrenner E, Sharpe LT et al (2000): **Mutations in the CNGB3 gene encoding the beta-subunit of the cone photoreceptor cGMP-gated channel are responsible for achromatopsia (ACHM3) linked to chromosome 8q21.** *Hum Mol Genet* **9**:2107-2116.
- Kohl S, Baumann B, Rosenberg T, Kellner U, Lorenz B, Vadalà M, Jacobson SG, Wissinger B (2002): **Mutations in the cone photoreceptor G-protein alpha-subunit gene GNAT2 in patients with achromatopsia.** *Am J Hum Genet* **71**:422-425.
- Kojis TL, Heinzmann C, Flodman P, Ngo JT, Sparkes RS, Spence MA, Bateman JB, Heckenlively JR (1996): **Map refinement of locus RP13 to human chromosome 17p13.3 in a second family with autosomal dominant retinitis pigmentosa.** *Am J Hum Genet* **58**:347-355.
- Kolb H (2003): **How the retina works.** *Am Sci* **91**:28-35.
- Kramer RH, Molokanova E (2001): **Modulation of cyclic-nucleotide-gated channels and regulation of vertebrate phototransduction.** *J Exp Biol* **204**:2921-2931.

BIBLIOGRAFIA (222)

Kuhn H, Dreyer WJ (1972): **Light dependent phosphorylation of rhodopsin by ATP.** *FEBS Lett* **20**:1-6.

Kumar A, Shetty J, Kumar B, Blanton SH (2004): **Confirmation of linkage and refinement of the RP28 locus for autosomal recessive retinitis pigmentosa on chromosome 2p14-p15 in an Indian family.** *Mol Vis* **10**:399-402.

L

Lander ES, Linton LM, Birren B, Nusbaum C, Zody MC, Baldwin J, Devon K, Dewar K, Doyle M, FitzHugh W et al (2001): **Initial sequencing and analysis of the human genome.** *Nature* **409**:860-921.

Leber T (1869): **Über retinitis pigmentosa und angeborene amaurose.** *Albrecht von Graefes Archiv für Ophthalmologie* **15**:1-25.

Leber T (1971): **Über hereditare und congenital-anglegte Schnervenleiden.** *Albrecht von Graefes Archiv für Ophthalmologie* **17**:249.

Leutelt J, Oehlmann R, Younus F, van den Born LI, Weber JL, Denton MJ, Mehdi SQ, Gal A (1995): **Autosomal recessive retinitis pigmentosa locus maps on chromosome 1q in a large consanguineous family from Pakistan.** *Clin Genet* **47**:122-124.

Levade T, Malagari-Cazenave S, Gouaze V, Segui B, Tardy C, Betito S, Andrieu-Abadie N, Cuvillier O (2002): **Ceramide in apoptosis: a revisited role.** *Neurochem Res* **27**:601-607.

Lewis BP, Green RE, Brenner SE (2003): **Evidence for the widespread coupling of alternative splicing and nonsense-mediated mRNA decay in humans.** *Proc Natl Acad Sci U S A* **100**:189-192.

Lewis CA, Batlle IR, Batlle KG, Banerjee P, Cideciyan AV, Huang J, Aleman TS, Huang Y, Ott J, Gilliam TC et al (1999): **Tubby-like protein 1 homozygous splice-site mutation causes early-onset severe retinal degeneration.** *Invest Ophthalmol Vis Sci* **40**:2106-2114.

Lewis RA, Otterud B, Stauffer D, Lalouel JM, Leppert M (1990): **Mapping recessive ophthalmic diseases: linkage of the locus for Usher syndrome type II to a DNA marker on chromosome 1q.** *Genomics* **7**:250-256.

Li N, Fariss RN, Zhang K, Otto-Bruc A, Haeseleer F, Bronson D, Qin N, Yamazaki A, Subbaraya I, Milam AH et al (1998): **Guanylate-cyclase-inhibitory protein is a frog retinal Ca²⁺-binding protein related to mammalian guanylate-cyclase-activating proteins.** *Eur J Biochem* **252**:591-599.

Liang H, Yao N, Song JT, Luo S, Lu H, Greenberg JT (2003): **Ceramides modulate programmed cell death in plants.** *Genes Dev* **17**:2636-2641.

Liang Y, Fotiadis D, Maeda T, Maeda A, Modzelewska A, Filipek S, Saperstein DA, Engel A, Palczewski K (2004): **Rhodopsin signaling and organization in heterozygote rhodopsin knockout mice.** *J Biol Chem*.

Liu Q, Lyubarsky A, Skalet JH, Pugh EN, Jr., Pierce EA (2003): **RP1 is required for the correct stacking of outer segment discs.** *Invest Ophthalmol Vis Sci* **44**:4171-4183.

Liu Q, Zuo J, Pierce EA (2004): **The retinitis pigmentosa 1 protein is a photoreceptor microtubule-associated protein.** *J Neurosci* **24**:6427-6436.

Liu X, Seno K, Nishizawa Y, Hayashi F, Yamazaki A, Matsumoto H, Wakabayashi T, Usukura J (1994): **Ultrastructural localization of retinal guanylate cyclase in human and monkey retinas.** *Exp Eye Res* **59**:761-768.

Liu XZ, Hope C, Liang CY, Zou JM, Xu LR, Cole T, Mueller RF, Bundey S, Nance W, Steel KP et al (1999): **A mutation (2314delG) in the Usher syndrome type IIA gene: high prevalence and phenotypic variation.** *Am J Hum Genet* **64**:1221-1225.

Lord-Grignon J, Tetreault N, Mears AJ, Swaroop A, Bernier G (2004): **Characterization of new transcripts enriched in the mouse retina and identification of candidate retinal disease genes.** *Invest Ophthalmol Vis Sci* **45**:3313-3319.

Lotery AJ, Jacobson SG, Fishman GA, Weleber RG, Fulton AB, Namperumalsamy P, Heon E, Levin AV, Grover S, Rosenow JR et al (2001a): **Mutations in the CRB1 gene cause Leber congenital amaurosis.** *Arch Ophthalmol* **119**:415-420.

Lotery AJ, Malik A, Shami SA, Sindhi M, Chohan B, Maqbool C, Moore PA, Denton MJ, Stone EM (2001b): **CRB1 mutations may result in retinitis pigmentosa without para-arteriolar RPE preservation.** *Ophthalmic Genet* **22**:163-169.

Lowe DG, Dizhoor AM, Liu K, Gu Q, Spencer M, Laura R, Lu L, Hurley JB (1995): **Cloning and expression of a second photoreceptor-specific membrane retina guanylyl cyclase (RetGC), RetGC-2.** *Proc Natl Acad Sci U S A* **92**:5535-5539.

Luberto C, Kraveka JM, Hannun YA (2002): **Ceramide regulation of apoptosis versus differentiation: a walk on a fine line. Lessons from neurobiology.** *Neurochem Res* **27**:609-617.

Lund RD, Adamson P, Sauve Y, Keegan DJ, Girman SV, Wang S, Winton H, Kanuga N, Kwan AS, Beauchene L et al (2001): **Subretinal transplantation of genetically modified human cell lines attenuates loss of visual function in dystrophic rats.** *Proc Natl Acad Sci U S A* **98**:9942-9947.

Luo HR, Moreau GA, Levin N, Moore MJ (1999): **The human Prp8 protein is a component of both U2- and U12-dependent spliceosomes.** *Rna* **5**:893-908.

M

Ma J, Norton JC, Allen AC, Burns JB, Hasel KW, Burns JL, Sutcliffe JG, Travis GH (1995): **Retinal degeneration slow (rds) in mouse results from simple insertion of a t haplotype-specific element into protein-coding exon II.** *Genomics* **28**:212-219.

Ma J, Zhang J, Othersen KL, Moiseyev G, Ablonczy Z, Redmond TM, Chen Y, Crouch RK (2001): **Expression, purification, and MALDI analysis of RPE65.** *Invest Ophthalmol Vis Sci* **42**:1429-1435.

Malecki MT, Jhala US, Antonellis A, Fields L, Doria A, Orban T, Saad M, Warram JH, Montminy M, Krolewski AS (1999): **Mutations in NEUROD1 are associated with the development of type 2 diabetes mellitus.** *Nat Genet* **23**:323-328.

Marlhens F, Bareil C, Griffoin JM, Zrenner E, Amalric P, Eliaou C, Liu SY, Harris E, Redmond TM, Arnaud B et al (1997): **Mutations in RPE65 cause Leber's congenital amaurosis.** *Nat Genet* **17**:139-141.

Martínez-Mir A, Bayés M, Vilageliu L, Grinberg D, Ayuso C, del Rio T, García-Sandoval B, Bussaglia E, Baiget M, González-Duarte R et al (1997a): **A new locus for autosomal recessive retinitis pigmentosa (RP19) maps to 1p13-1p21.** *Genomics* **40**:142-146.

Martínez-Mir A, Vilela C, Bayés M, Valverde D, Dain L, Beneyto M, Marco M, Baiget M, Grinberg D, Balcells S et al (1997b): **Putative association of a mutant ROM1 allele with retinitis pigmentosa.** *Hum Genet* **99**:827-830.

Martínez-Mir A, Paloma E, Allikmets R, Ayuso C, del Rio T, Dean M, Vilageliu L, González-Duarte R, Balcells S (1998): **Retinitis pigmentosa caused by a homozygous mutation in the Stargardt disease gene ABCR.** *Nat Genet* **18**:11-12.

Martínez-Mir A, Paloma E, Balcells S, Vilageliu L, Pittler SJ, González-Duarte R (1999): **Genetic mapping and evaluation of PDE6A in 49 Spanish families with autosomal recessive retinitis pigmentosa.** In: *Retinal Degenerative Diseases and Experimental Theory.* Edited by Vail L. New York, Plenum Publishers: 201-213.

Massiello A, Salas A, Pinkerman RL, Roddy P, Roesser JR, Chalfant CE (2004): **Identification of two RNA cis-elements that function to regulate the 5' splice site selection of Bcl-x pre-mRNA in response to ceramide.** *J Biol Chem* **279**:15799-15804.

Mata NL, Moghrabi WN, Lee JS, Bui TV, Radu RA, Horwitz J, Travis GH (2004): **Rpe65 is a retinyl ester binding protein that presents insoluble substrate to the isomerase in retinal pigment epithelial cells.** *J Biol Chem* **279**:635-643.

Matsuda T, Cepko CL (2004): **Electroporation and RNA interference in the rodent retina in vivo and in vitro.** *Proc Natl Acad Sci U S A* **101**:16-22.

Maugeri A, Klevering BJ, Rohrschneider K, Blankenagel A, Brunner HG, Deutman AF, Hoyng CB, Cremers FP (2000): **Mutations in the ABCA4 (ABCR) gene are the major cause of autosomal recessive cone-rod dystrophy.** *Am J Hum Genet* **67**:960-966.

Maw MA, John S, Jablonka S, Muller B, Kumaramanickavel G, Oehlmann R, Denton MJ, Gal A (1995): **Oguchi disease: suggestion of linkage to markers on chromosome 2q.** *J Med Genet* **32**:396-398.

BIBLIOGRAFIA (224)

- Maw MA, Kennedy B, Knight A, Bridges R, Roth KE, Mani EJ, Mukkadan JK, Nancarrow D, Crabb JW, Denton MJ (1997): **Mutation of the gene encoding cellular retinaldehyde-binding protein in autosomal recessive retinitis pigmentosa.** *Nat Genet* **17**:198-200.
- Maw MA, Corbeil D, Koch J, Hellwig A, Wilson-Wheeler JC, Bridges RJ, Kumaramanickavel G, John S, Nancarrow D, Roper K et al (2000): **A frameshift mutation in prominin (mouse)-like 1 causes human retinal degeneration.** *Hum Mol Genet* **9**:27-34.
- McGee TL, Devoto M, Ott J, Berson EL, Dryja TP (1997): **Evidence that the penetrance of mutations at the RP11 locus causing dominant retinitis pigmentosa is influenced by a gene linked to the homologous RP11 allele.** *Am J Hum Genet* **61**:1059-1066.
- McGuire RE, Gannon AM, Sullivan LS, Rodriguez JA, Daiger SP (1995): **Evidence for a major gene (RP10) for autosomal dominant retinitis pigmentosa on chromosome 7q: linkage mapping in a second, unrelated family.** *Hum Genet* **95**:71-74.
- McGuire RE, Jordan SA, Braden VV, Bouffard GG, Humphries P, Green ED, Daiger SP (1996): **Mapping the RP10 locus for autosomal dominant retinitis pigmentosa on 7q: refined genetic positioning and localization within a well-defined YAC contig.** *Genome Res* **6**:255-266.
- McHenry CL, Liu Y, Feng W, Nair AR, Feathers KL, Ding X, Gal A, Vollrath D, Sieving PA, Thompson DA (2004): **MERTK arginine-844-cysteine in a patient with severe rod-cone dystrophy: loss of mutant protein function in transfected cells.** *Invest Ophthalmol Vis Sci* **45**:1456-1463.
- McKie AB, McHale JC, Keen TJ, Tattelin EE, Goliath R, van Lith-Verhoeven JJ, Greenberg J, Ramesar RS, Hoyng CB, Cremers FP et al (2001): **Mutations in the pre-mRNA splicing factor gene PRPC8 in autosomal dominant retinitis pigmentosa (RP13).** *Hum Mol Genet* **10**:1555-1562.
- McLaughlin ME, Sandberg MA, Berson EL, Dryja TP (1993): **Recessive mutations in the gene encoding the beta-subunit of rod phosphodiesterase in patients with retinitis pigmentosa.** *Nat Genet* **4**:130-134.
- McNally N, Kenna PF, Rancourt D, Ahmed T, Stitt A, Colledge WH, Lloyd DG, Palfi A, O'Neill B, Humphries MM et al (2002): **Murine model of autosomal dominant retinitis pigmentosa generated by targeted deletion at codon 307 of the rds-peripherin gene.** *Hum Mol Genet* **11**:1005-1016.
- McWilliam P, Farrar GJ, Kenna P, Bradley DG, Humphries MM, Sharp EM, McConnell DJ, Lawler M, Sheils D, Ryan C et al (1989): **Autosomal dominant retinitis pigmentosa (ADRP): localization of an ADRP gene to the long arm of chromosome 3.** *Genomics* **5**:619-622.
- Mears AJ, Kondo M, Swain PK, Takada Y, Bush RA, Saunders TL, Sieving PA, Swaroop A (2001): **Nrl is required for rod photoreceptor development.** *Nat Genet* **29**:447-452.
- Mehalow AK, Kameya S, Smith RS, Hawes NL, Denegre JM, Young JA, Bechtold L, Haider NB, Tepass U, Heckenlively JR et al (2003): **CRB1 is essential for external limiting membrane integrity and photoreceptor morphogenesis in the mammalian retina.** *Hum Mol Genet* **12**:2179-2189.
- Meindl A, Dry K, Herrmann K, Manson F, Ciccodicola A, Edgar A, Carvalho MR, Achatz H, Hellebrand H, Lennon A et al (1996): **A gene (RPGR) with homology to the RCC1 guanine nucleotide exchange factor is mutated in X-linked retinitis pigmentosa (RP3).** *Nat Genet* **13**:35-42.
- Miano MG, Testa F, Filippini F, Trujillo M, Conte I, Lanzara C, Millan JM, De Bernardo C, Grammatico B, Mangino M et al (2001): **Identification of novel RP2 mutations in a subset of X-linked retinitis pigmentosa families and prediction of new domains.** *Hum Mutat* **18**:109-119.
- Milam AH, Hendrickson AE, Xiao M, Smith JE, Possin DE, John SK, Nishina PM (2000): **Localization of tubby-like protein 1 in developing and adult human retinas.** *Invest Ophthalmol Vis Sci* **41**:2352-2356.
- Milam AH, Rose L, Cideciyan AV, Barakat MR, Tang WX, Gupta N, Aleman TS, Wright AF, Stone EM, Sheffield VC et al (2002): **The nuclear receptor NR2E3 plays a role in human retinal photoreceptor differentiation and degeneration.** *Proc Natl Acad Sci U S A* **99**:473-478.
- Millan JM, Martinez F, Vilela C, Beneyto M, Prieto F, Najera C (1995): **An autosomal dominant retinitis pigmentosa family with close linkage to D7S480 on 7q.** *Hum Genet* **96**:216-218.
- Milunsky A, Huang XL, Milunsky J, DeStefano A, Baldwin CT (1999): **A locus for autosomal recessive achromatopsia on human chromosome 8q.** *Clin Genet* **56**:82-85.

- Miraglia S, Godfrey W, Yin AH, Atkins K, Warnke R, Holden JT, Bray RA, Waller EK, Buck DW (1997): **A Novel Five-Transmembrane Hematopoietic Stem Cell Antigen: Isolation, Characterization, and Molecular Cloning.** *Blood* **90**:5013-5021.
- Mitton KP, Swain PK, Chen S, Xu S, Zack DJ, Swaroop A (2000): **The leucine zipper of NRL interacts with the CRX homeodomain. A possible mechanism of transcriptional synergy in rhodopsin regulation.** *J Biol Chem* **275**:29794-29799.
- Mohamed Z, Bell C, Hammer HM, Converse CA, Esakowitz L, Haites NE (1996): **Linkage of a medium sized Scottish autosomal dominant retinitis pigmentosa family to chromosome 7q.** *J Med Genet* **33**:714-715.
- Morimura H, Fishman GA, Grover SA, Fulton AB, Berson EL, Dryja TP (1998): **Mutations in the RPE65 gene in patients with autosomal recessive retinitis pigmentosa or leber congenital amaurosis.** *Proc Natl Acad Sci U S A* **95**:3088-3093.
- Morimura H, Berson EL, Dryja TP (1999a): **Recessive mutations in the RLBP1 gene encoding cellular retinaldehyde-binding protein in a form of retinitis punctata albescens.** *Invest Ophthalmol Vis Sci* **40**:1000-1004.
- Morimura H, Saindelle-Ribeaudeau F, Berson EL, Dryja TP (1999b): **Mutations in RGR, encoding a light-sensitive opsin homologue, in patients with retinitis pigmentosa.** *Nat Genet* **23**:393-394.
- Morrow EM, Furukawa T, Cepko CL (1998): **Vertebrate photoreceptor cell development and disease.** *Trends Cell Biol* **8**:353-358.
- Morrow EM, Furukawa T, Lee JE, Cepko CL (1999): **NeuroD regulates multiple functions in the developing neural retina in rodent.** *Development* **126**:23-36.
- Muradov KG, Artemyev NO (2000): **Loss of the effector function in a transducin-alpha mutant associated with Nougaret night blindness.** *J Biol Chem* **275**:6969-6974.
- Musarella MA, Anson-Cartwright L, Leal SM, Gilbert LD, Worton RG, Fishman GA, Ott J (1990): **Multipoint linkage analysis and heterogeneity testing in 20 X-linked retinitis pigmentosa families.** *Genomics* **8**:286-296.

N

- Naash MI, Hollyfield JG, al-Ubaidi MR, Baehr W (1993): **Simulation of human autosomal dominant retinitis pigmentosa in transgenic mice expressing a mutated murine opsin gene.** *Proc Natl Acad Sci U S A* **90**:5499-5503.
- Nakazawa M, Wada Y, Tamai M (1998): **Arrestin gene mutations in autosomal recessive retinitis pigmentosa.** *Arch Ophthalmol* **116**:498-501.
- Nathans J, Hogness DS (1984): **Isolation and nucleotide sequence of the gene encoding human rhodopsin.** *Proc Natl Acad Sci U S A* **81**:4851-4855.
- Naya FJ, Huang HP, Qiu Y, Mutoh H, DeMayo FJ, Leiter AB, Tsai MJ (1997): **Diabetes, defective pancreatic morphogenesis, and abnormal enteroendocrine differentiation in BETA2/neuroD-deficient mice.** *Genes Dev* **11**:2323-2334.
- Nichols BE, Drack AV, Vandenberghe K, Kimura AE, Sheffield VC, Stone EM (1993a): **A 2 base pair deletion in the RDS gene associated with butterfly-shaped pigment dystrophy of the fovea.** *Hum Mol Genet* **2**:601-603.
- Nichols BE, Sheffield VC, Vandenberghe K, Drack AV, Kimura AE, Stone EM (1993b): **Butterfly-shaped pigment dystrophy of the fovea caused by a point mutation in codon 167 of the RDS gene.** *Nat Genet* **3**:202-207.
- Noben-Trauth K, Naggert JK, North MA, Nishina PM (1996): **A candidate gene for the mouse mutation tubby.** *Nature* **380**:534-538.
- North MA, Naggert JK, Yan Y, Noben-Trauth K, Nishina PM (1997): **Molecular characterization of TUB, TULP1, and TULP2, members of the novel tubby gene family and their possible relation to ocular diseases.** *Proc Natl Acad Sci U S A* **94**:3128-3133.

O

Obeid LM, Linardic CM, Karolak LA, Hannun YA (1993): **Programmed cell death induced by ceramide.** *Science* **259**:1769-1771.

Oliveira L, Miniou P, Viegas-Pequignot E, Rozet JM, Dollfus H, Pittler SJ (1994): **Human retinal guanylate cyclase (GUC2D) maps to chromosome 17p13.1.** *Genomics* **22**:478-481.

Olsson JE, Gordon JW, Pawlyk BS, Roof D, Hayes A, Molday RS, Mukai S, Cowley GS, Berson EL, Dryja TP (1992): **Transgenic mice with a rhodopsin mutation (Pro23His): a mouse model of autosomal dominant retinitis pigmentosa.** *Neuron* **9**:815-830.

Østerberg G (1935): **Topography of the layer of rods and cones in the human retina.** *Acta Ophthal*:1-103.

Ott J, Bhattacharya S, Chen JD, Denton MJ, Donald J, Dubay C, Farrar GJ, Fishman GA, Frey D, Gal A et al (1990): **Localizing multiple X chromosome-linked retinitis pigmentosa loci using multilocus homogeneity tests.** *Proc Natl Acad Sci U S A* **87**:701-704.

P

Palczewski K, Subbaraya I, Gorczyca WA, Helekar BS, Ruiz CC, Ohguro H, Huang J, Zhao X, Crabb JW, Johnson RS et al (1994): **Molecular cloning and characterization of retinal photoreceptor guanylyl cyclase-activating protein.** *Neuron* **13**:395-404.

Paloma E, Hjelmqvist L, Bayés M, García-Sandoval B, Ayuso C, Balcells S, González-Duarte R (2000): **Novel mutations in the TULP1 gene causing autosomal recessive retinitis pigmentosa.** *Invest Ophthalmol Vis Sci* **41**:656-659.

Paloma E, Martínez-Mir A, Vilageliu L, González-Duarte R, Balcells S (2001): **Spectrum of ABCA4 (ABCR) gene mutations in Spanish patients with autosomal recessive macular dystrophies.** *Hum Mutat* **17**:504-510.

Paloma E, Coco R, Martínez-Mir A, Vilageliu L, Balcells S, González-Duarte R (2002a): **Analysis of ABCA4 in mixed Spanish families segregating different retinal dystrophies.** *Hum Mutat* **20**:476.

Paloma E, Martínez-Mir A, García-Sandoval B, Ayuso C, Vilageliu L, González-Duarte R, Balcells S (2002b): **Novel homozygous mutation in the alpha subunit of the rod cGMP gated channel (CNGA1) in two Spanish sibs affected with autosomal recessive retinitis pigmentosa.** *J Med Genet* **39**:E66.

Pandey S, Blanks JC, Spee C, Jiang M, Fong HK (1994): **Cytoplasmic retinal localization of an evolutionary homolog of the visual pigments.** *Exp Eye Res* **58**:605-613.

Payne AM, Downes SM, Bessant DA, Taylor R, Holder GE, Warren MJ, Bird AC, Bhattacharya SS (1998): **A mutation in guanylate cyclase activator 1A (GUCA1A) in an autosomal dominant cone dystrophy pedigree mapping to a new locus on chromosome 6p21.1.** *Hum Mol Genet* **7**:273-277.

Pennesi ME, Cho JH, Yang Z, Wu SH, Zhang J, Wu SM, Tsai MJ (2003a): **BETA2/NeuroD1 null mice: a new model for transcription factor-dependent photoreceptor degeneration.** *J Neurosci* **23**:453-461.

Pennesi ME, Howes KA, Baehr W, Wu SM (2003b): **Guanylate cyclase-activating protein (GCAP) 1 rescues cone recovery kinetics in GCAP1/GCAP2 knockout mice.** *Proc Natl Acad Sci U S A* **100**:6783-6788.

Pentao L, Lewis RA, Ledbetter DH, Patel PI, Lupski JR (1992): **Maternal uniparental isodisomy of chromosome 14: association with autosomal recessive rod monochromacy.** *Am J Hum Genet* **50**:690-699.

Pepe IM (2001): **Recent advances in our understanding of rhodopsin and phototransduction.** *Prog Retin Eye Res* **20**:733-759.

Pepperberg DR, Crouch RK (2001): **An illuminating new step in visual-pigment regeneration.** *Lancet* **358**:2098-2099.

Perrault I, Rozet JM, Calvas P, Gerber S, Camuzat A, Dollfus H, Chatelin S, Souied E, Ghazi I, Leowski C et al (1996): **Retinal-specific guanylate cyclase gene mutations in Leber's congenital amaurosis.** *Nat Genet* **14**:461-464.

- Perrault I, Rozet JM, Gerber S, Kelsell RE, Souied E, Cabot A, Hunt DM, Munnich A, Kaplan J (1998): **A retGC-1 mutation in autosomal dominant cone-rod dystrophy.** *Am J Hum Genet* **63**:651-654.
- Perrault I, Hanein S, Gerber S, Barbet F, Ducrocq D, Dollfus H, Hamel C, Dufier JL, Munnich A, Kaplan J et al (2004): **Retinal Dehydrogenase 12 (RDH12) Mutations in Leber Congenital Amaurosis.** *Am J Hum Genet* **75**.
- Petersen-Jones SM, Entz DD, Sargan DR (1999): **cGMP phosphodiesterase-alpha mutation causes progressive retinal atrophy in the Cardigan Welsh corgi dog.** *Invest Ophthalmol Vis Sci* **40**:1637-1644.
- Pettus BJ, Chalfant CE, Hannun YA (2002): **Ceramide in apoptosis: an overview and current perspectives.** *Biochimica et Biophysica Acta (BBA) - Molecular and Cell Biology of Lipids* **1585**:114-125.
- Pettus BJ, Bielawska A, Spiegel S, Roddy P, Hannun YA, Chalfant CE (2003): **Ceramide kinase mediates cytokine- and calcium ionophore-induced arachidonic acid release.** *J Biol Chem* **278**:38206-38213.
- Pettus BJ, Bielawska A, Subramanian P, Wijesinghe DS, Maceyka M, Leslie CC, Evans JH, Freiberg J, Roddy P, Hannun YA et al (2004): **Ceramide 1-phosphate is a direct activator of cytosolic phospholipase A2.** *J Biol Chem* **279**:11320-11326.
- Phelan JK, Bok D (2000): **A brief review of retinitis pigmentosa and the identified retinitis pigmentosa genes.** *Mol Vis* **6**:116-124.
- Pierce EA, Quinn T, Meehan T, McGee TL, Berson EL, Dryja TP (1999): **Mutations in a gene encoding a new oxygen-regulated photoreceptor protein cause dominant retinitis pigmentosa.** *Nat Genet* **22**:248-254.
- Pittler SJ, Baehr W, Wasmuth JJ, McConnell DG, Champagne MS, vanTuinen P, Ledbetter D, Davis RL (1990): **Molecular characterization of human and bovine rod photoreceptor cGMP phosphodiesterase alpha-subunit and chromosomal localization of the human gene.** *Genomics* **6**:272-283.
- Pittler SJ, Baehr W (1991): **Identification of a nonsense mutation in the rod photoreceptor cGMP phosphodiesterase beta-subunit gene of the rd mouse.** *Proc Natl Acad Sci U S A* **88**:8322-8326.
- Pittler SJ, Keeler CE, Sidman RL, Baehr W (1993): **PCR analysis of DNA from 70-year-old sections of rodless retina demonstrates identity with the mouse rd defect.** *Proc Natl Acad Sci U S A* **90**:9616-9619.
- Pugh EN, Jr., Nikonorov S, Lamb TD (1999): **Molecular mechanisms of vertebrate photoreceptor light adaptation.** *Curr Opin Neurobiol* **9**:410-418.
- Puram KL, Guo W-X, Qian W-H, Nikbakht K, Boustany R-M (1999): **CLN3 Defines a Novel Antiapoptotic Pathway Operative in Neurodegeneration and Mediated by Ceramide.** *Molecular Genetics and Metabolism* **66**:294-308.

Q

- Quadro L, Blaner WS, Salchow DJ, Vogel S, Piantedosi R, Gouras P, Freeman S, Cosma MP, Colantuoni V, Gottesman ME (1999): **Impaired retinal function and vitamin A availability in mice lacking retinol-binding protein.** *Embo J* **18**:4633-4644.

R

- Ramón y Cajal S (1892): **La rétine des vertébrés. La cellule.**, vol. Tomo IX, primer fascículo.
- Rebello G, Ramesar R, Vorster A, Roberts L, Ehrenreich L, Oppon E, Gama D, Bardien S, Greenberg J, Bonapace G et al (2004): **Apoptosis-inducing signal sequence mutation in carbonic anhydrase IV identified in patients with the RP17 form of retinitis pigmentosa.** *Proc Natl Acad Sci U S A* **101**:6617-6622.
- Redmond TM, Yu S, Lee E, Bok D, Hamasaki D, Chen N, Goletz P, Ma JX, Crouch RK, Pfeifer K (1998): **Rpe65 is necessary for production of 11-cis-vitamin A in the retinal visual cycle.** *Nat Genet* **20**:344-351.
- Rehemtulla A, Warwar R, Kumar R, Ji X, Zack DJ, Swaroop A (1996): **The basic motif-leucine zipper transcription factor Nrl can positively regulate rhodopsin gene expression.** *Proc Natl Acad Sci U S A* **93**:191-195.

Rivolta C, Sweklo EA, Berson EL, Dryja TP (2000): **Missense mutation in the USH2A gene: association with recessive retinitis pigmentosa without hearing loss.** *Am J Hum Genet* **66**:1975-1978.

Robitaille J, MacDonald ML, Kaykas A, Sheldahl LC, Zeisler J, Dube MP, Zhang LH, Singaraja RR, Guernsey DL, Zheng B et al (2002): **Mutant frizzled-4 disrupts retinal angiogenesis in familial exudative vitreoretinopathy.** *Nat Genet* **32**:326-330.

Roepman R, van Duijnhoven G, Rosenberg T, Pinckers AJ, Bleeker-Wagemakers LM, Bergen AA, Post J, Beck A, Reinhardt R, Ropers HH et al (1996): **Positional cloning of the gene for X-linked retinitis pigmentosa 3: homology with the guanine-nucleotide-exchange factor RCC1.** *Hum Mol Genet* **5**:1035-1041.

Rosenfeld PJ, Cowley GS, McGee TL, Sandberg MA, Berson EL, Dryja TP (1992): **A null mutation in the rhodopsin gene causes rod photoreceptor dysfunction and autosomal recessive retinitis pigmentosa.** *Nat Genet* **1**:209-213.

Ruiz A, Borrego S, Marcos I, Antíñolo G (1998): **A major locus for autosomal recessive retinitis pigmentosa on 6q, determined by homozygosity mapping of chromosomal regions that contain gamma-aminobutyric acid-receptor clusters.** *Am J Hum Genet* **62**:1452-1459.

Ruiz A, Winston A, Lim YH, Gilbert BA, Rando RR, Bok D (1999): **Molecular and biochemical characterization of lecithin retinol acyltransferase.** *J Biol Chem* **274**:3834-3841.

S

Saari JC (2000): **Biochemistry of visual pigment regeneration: the Friedenwald lecture.** *Invest Ophthalmol Vis Sci* **41**:337-348.

Saari JC, Nawrot M, Kennedy BN, Garwin GG, Hurley JB, Huang J, Possin DE, Crabb JW (2001): **Visual cycle impairment in cellular retinaldehyde binding protein (CRALBP) knockout mice results in delayed dark adaptation.** *Neuron* **29**:739-748.

Sacks O (1996): **The Island of the Colour-blind and Cycad Island.** London: Picador.

Saishin Y, Shimada S, Morimura H, Sato K, Ishimoto I, Tano Y, Tohyama M (1997): **Isolation of a cDNA encoding a photoreceptor cell-specific actin-bundling protein: retinal fascin.** *FEBS Lett* **414**:381-386.

Sakuma H, Inana G, Murakami A, Yajima T, Weleber RG, Murphey WH, Gass JD, Hotta Y, Hayakawa M, Fujiki K et al (1995): **A heterozygous putative null mutation in ROM1 without a mutation in peripherin/RDS in a family with retinitis pigmentosa.** *Genomics* **27**:384-386.

Santagata S, Boggon TJ, Baird CL, Gomez CA, Zhao J, Shan WS, Myszka DG, Shapiro L (2001): **G-protein signaling through tubby proteins.** *Science* **292**:2041-2050.

Schulz HL, Goetz T, Kaschkoetoe J, Weber BH (2004): **The Retinome - defining a reference transcriptome of the adult mammalian retina/retinal pigment epithelium.** *BMC Genomics* **5**:50.

Schwahn U, Lenzner S, Dong J, Feil S, Hinzmann B, van Duijnhoven G, Kirschner R, Hemberger M, Bergen AA, Rosenberg T et al (1998): **Positional cloning of the gene for X-linked retinitis pigmentosa 2.** *Nat Genet* **19**:327-332.

Seeliger MW, Biesalski HK, Wissinger B, Gollnick H, Gielen S, Frank J, Beck S, Zrenner E (1999): **Phenotype in retinol deficiency due to a hereditary defect in retinol binding protein synthesis.** *Invest Ophthalmol Vis Sci* **40**:3-11.

Seeliger MW, Grimm C, Stahlberg F, Friedburg C, Jaissle G, Zrenner E, Guo H, Reme CE, Humphries P, Hofmann F et al (2001): **New views on RPE65 deficiency: the rod system is the source of vision in a mouse model of Leber congenital amaurosis.** *Nat Genet* **29**:70-74.

Sharon D, Blackshaw S, Cepko CL, Dryja TP (2002): **Profile of the genes expressed in the human peripheral retina, macula, and retinal pigment epithelium determined through serial analysis of gene expression (SAGE).** *Proc Natl Acad Sci U S A* **99**:315-320.

Shen D, Jiang M, Hao W, Tao L, Salazar M, Fong HK (1994): **A human opsin-related gene that encodes a retinaldehyde-binding protein.** *Biochemistry* **33**:13117-13125.

Shyjan AW, de Sauvage FJ, Gillett NA, Goeddel DV, Lowe DG (1992): **Molecular cloning of a retina-specific membrane guanylyl cyclase.** *Neuron* **9**:727-737.

- Sidjanin DJ, Lowe JK, McElwee JL, Milne BS, Phippen TM, Sargan DR, Aguirre GD, Acland GM, Ostrander EA (2002): **Canine CNGB3 mutations establish cone degeneration as orthologous to the human achromatopsia locus ACHM3**. *Hum Mol Genet* **11**:1823-1833.
- Sidow A (1996): **Gen(om)e duplications in the evolution of early vertebrates**. *Curr Opin Genet Dev* **6**:715-722.
- Simon A, Hellman U, Wernstedt C, Eriksson U (1995): **The retinal pigment epithelial-specific 11-cis retinol dehydrogenase belongs to the family of short chain alcohol dehydrogenases**. *J Biol Chem* **270**:1107-1112.
- Simon A, Lagercrantz J, Bajalica-Lagercrantz S, Eriksson U (1996): **Primary structure of human 11-cis retinol dehydrogenase and organization and chromosomal localization of the corresponding gene**. *Genomics* **36**:424-430.
- Smith AJ, Schlichtenbrede FC, Tscherlutter M, Bainbridge JW, Thrasher AJ, Ali RR (2003): **AAV-Mediated gene transfer slows photoreceptor loss in the RCS rat model of retinitis pigmentosa**. *Mol Ther* **8**:188-195.
- Sohocki MM, Sullivan LS, Mintz-Hittner HA, Birch D, Heckenlively JR, Freund CL, McInnes RR, Daiger SP (1998): **A range of clinical phenotypes associated with mutations in CRX, a photoreceptor transcription-factor gene**. *Am J Hum Genet* **63**:1307-1315.
- Sokal I, Li N, Surgucheva I, Warren MJ, Payne AM, Bhattacharya SS, Baehr W, Palczewski K (1998): **GCP1 (Y99C) mutant is constitutively active in autosomal dominant cone dystrophy**. *Mol Cell* **2**:129-133.
- Spiegel S, Milstien S, Shabbits JA, Mayer LD (2003): **Sphingosine-1-phosphate: an enigmatic signalling lipid**. *Nat Rev Mol Cell Biol* **4**:397-407.
- Stockton DW, Lewis RA, Abboud EB, Al-Rajhi A, Jabak M, Anderson KL, Lupski JR (1998): **A novel locus for Leber congenital amaurosis on chromosome 14q24**. *Hum Genet* **103**:328-333.
- Strachan T, Read AP (2004): **Human Molecular Genetics**, 3rd edn. New York: Garland Science.
- Suber ML, Pittler SJ, Qin N, Wright GC, Holcombe V, Lee RH, Craft CM, Lolley RN, Baehr W, Hurwitz RL (1993): **Irish setter dogs affected with rod/cone dysplasia contain a nonsense mutation in the rod cGMP phosphodiesterase beta-subunit gene**. *Proc Natl Acad Sci U S A* **90**:3968-3972.
- Sugiura M, Kono K, Liu H, Shimizugawa T, Minekura H, Spiegel S, Kohama T (2002): **Ceramide Kinase, a Novel Lipid Kinase. MOLECULAR CLONING AND FUNCTIONAL CHARACTERIZATION**. *J Biol Chem* **277**:23294-23300.
- Sullivan LS, Heckenlively JR, Bowne SJ, Zuo J, Hide WA, Gal A, Denton M, Inglehearn CF, Blanton SH, Daiger SP (1999): **Mutations in a novel retina-specific gene cause autosomal dominant retinitis pigmentosa**. *Nat Genet* **22**:255-259.
- Sun H, Nathans J (1997): **Stargardt's ABCR is localized to the disc membrane of retinal rod outer segments**. *Nat Genet* **17**:15-16.
- Sundin OH, Yang JM, Li Y, Zhu D, Hurd JN, Mitchell TN, Silva ED, Maumenee IH (2000): **Genetic basis of total colourblindness among the Pingelapese islanders**. *Nat Genet* **25**:289-293.
- Swain PK, Chen S, Wang QL, Affatigato LM, Coats CL, Brady KD, Fishman GA, Jacobson SG, Swaroop A, Stone E et al (1997): **Mutations in the cone-rod homeobox gene are associated with the cone-rod dystrophy photoreceptor degeneration**. *Neuron* **19**:1329-1336.
- Swaroop A, Xu JZ, Pawar H, Jackson A, Skolnick C, Agarwal N (1992): **A conserved retina-specific gene encodes a basic motif/leucine zipper domain**. *Proc Natl Acad Sci U S A* **89**:266-270.
- T**
- Takatsuna Y, Chiba T, Adachi-Usami E, Kaneko T (1994): **Distribution of phosphate-activated glutaminase-like immunoreactivity in the retina of rodents**. *Curr Eye Res* **13**:629-637.
- Tam BM, Moritz OL, Papermaster DS (2004): **The C terminus of peripherin/rds participates in rod outer segment targeting and alignment of disk incisures**. *Mol Biol Cell* **15**:2027-2037.
- Tepass U (1996): **Crumbs, a component of the apical membrane, is required for zonula adherens formation in primary epithelia of Drosophila**. *Dev Biol* **177**:217-225.

BIBLIOGRAFIA (230)

Thiselton DL, Hampson RM, Nayudu M, Van Maldergem L, Wolf ML, Saha BK, Bhattacharya SS, Hardcastle AJ (1996): **Mapping the RP2 locus for X-linked retinitis pigmentosa on proximal Xp: a genetically defined 5-cM critical region and exclusion of candidate genes by physical mapping.** *Genome Res* 6:1093-1102.

Thompson DA, Li Y, McHenry CL, Carlson TJ, Ding X, Sieving PA, Apfelstedt-Sylla E, Gal A (2001): **Mutations in the gene encoding lecithin retinol acyltransferase are associated with early-onset severe retinal dystrophy.** *Nat Genet* 28:123-124.

Travis GH, Brennan MB, Danielson PE, Kozak CA, Sutcliffe JG (1989): **Identification of a photoreceptor-specific mRNA encoded by the gene responsible for retinal degeneration slow (rds).** *Nature* 338:70-73.

Travis GH, Sutcliffe JG, Bok D (1991): **The retinal degeneration slow (rds) gene product is a photoreceptor disc membrane-associated glycoprotein.** *Neuron* 6:61-70.

Travis GH, Groshan KR, Lloyd M, Bok D (1992): **Complete rescue of photoreceptor dysplasia and degeneration in transgenic retinal degeneration slow (rds) mice.** *Neuron* 9:113-119.

Tubb BE, Bardien-Kruger S, Kashork CD, Shaffer LG, Ramagli LS, Xu J, Siciliano MJ, Bryan J (2000): **Characterization of human retinal fascin gene (FSCN2) at 17q25: close physical linkage of fascin and cytoplasmic actin genes.** *Genomics* 65:146-156.

Tuson M, Marfany G, Gonzalez-Duarte R (2004): **Mutation of CERKL, a novel human ceramide kinase gene, causes autosomal recessive retinitis pigmentosa (RP26).** *Am J Hum Genet* 74:128-138.

V

Valero R, Bayés M, Francisca Sàncchez-Font M, González-Angulo O, González-Duarte R, Marfany G (2001): **Characterization of alternatively spliced products and tissue-specific isoforms of USP28 and USP25.** *Genome Biol* 2:RESEARCH0043.

Valverde D, Solans T, Grinberg D, Balcells S, Vilageliu L, Bayes M, Chivelet P, Besmond C, Goossens M, Gonzalez-Duarte R et al (1996): **A novel mutation in exon 17 of the beta-subunit of rod phosphodiesterase in two RP sisters of a consanguineous family.** *Hum Genet* 97:35-38.

van de Pavert SA, Kantardzhieva A, Malyshева A, Meuleman J, Versteeg I, Levelt C, Klooster J, Geiger S, Seeliger MW, Rashbass P et al (2004): **Crumbs homologue 1 is required for maintenance of photoreceptor cell polarization and adhesion during light exposure.** *J Cell Sci* 117:4169-4177.

van Hooser JP, Aleman TS, He YG, Cideciyan AV, Kuksa V, Pittler SJ, Stone EM, Jacobson SG, Palczewski K (2000): **Rapid restoration of visual pigment and function with oral retinoid in a mouse model of childhood blindness.** *Proc Natl Acad Sci U S A* 97:8623-8628.

van Nie R, Ivanyi D, Demant P (1978): **A new H-2-linked mutation, rds, causing retinal degeneration in the mouse.** *Tissue Antigens* 12:106-108.

van Soest S, Ingeborgh van den Born L, Gal A, Farrar GJ, Bleeker-Wagemakers LM, Westerveld A, Humphries P, Sandkuijl LA, Bergen AA (1994): **Assignment of a gene for autosomal recessive retinitis pigmentosa (RP12) to chromosome 1q31-q32.1 in an inbred and genetically heterogeneous disease population.** *Genomics* 22:499-504.

Vervoort R, Lennon A, Bird AC, Tulloch B, Axton R, Miano MG, Meindl A, Meitinger T, Ciccodicola A, Wright AF (2000): **Mutational hot spot within a new RPGR exon in X-linked retinitis pigmentosa.** *Nat Genet* 25:462-466.

Veske A, Nilsson SE, Narfstrom K, Gal A (1999): **Retinal dystrophy of Swedish briard/briard-beagle dogs is due to a 4-bp deletion in RPE65.** *Genomics* 57:57-61.

Vithana EN, Abu-Safieh L, Allen MJ, Carey A, Papaioannou M, Chakarova C, Al-Maghtheh M, Ebenezer ND, Willis C, Moore AT et al (2001): **A human homolog of yeast pre-mRNA splicing gene, PRP31, underlies autosomal dominant retinitis pigmentosa on chromosome 19q13.4 (RP11).** *Mol Cell* 8:375-381.

Vollrath D, Feng W, Duncan JL, Yasumura D, D'Cruz PM, Chappelow A, Matthes MT, Kay MA, LaVail MM (2001): **Correction of the retinal dystrophy phenotype of the RCS rat by viral gene transfer of Mertk.** *Proc Natl Acad Sci U S A* 98:12584-12589.

W

Wada Y, Abe T, Takeshita T, Sato H, Yanashima K, Tamai M (2001): **Mutation of human retinal fascin gene (FSCN2) causes autosomal dominant retinitis pigmentosa.** *Invest Ophthalmol Vis Sci* **42**:2395-2400.

Waggoner DW, Johnson LB, Mann PC, Morris V, Guastella J, Bajjalieh SM (2004): **MuLK: A novel eukaryotic multi-substrate lipid kinase.** *J Biol Chem.*

Weber B, Riess O, Hutchinson G, Collins C, Lin BY, Kowbel D, Andrew S, Schappert K, Hayden MR (1991): **Genomic organization and complete sequence of the human gene encoding the beta-subunit of the cGMP phosphodiesterase and its localisation to 4p 16.3.** *Nucleic Acids Res* **19**:6263-6268.

Wei X, Malicki J (2002): **nagie oko, encoding a MAGUK-family protein, is essential for cellular patterning of the retina.** *Nat Genet* **31**:150-157.

Weidenhammer EM, Singh M, Ruiz-Noriega M, Woolford JL, Jr. (1996): **The PRP31 gene encodes a novel protein required for pre-mRNA splicing in *Saccharomyces cerevisiae*.** *Nucleic Acids Res* **24**:1164-1170.

Weidenhammer EM, Ruiz-Noriega M, Woolford JL, Jr. (1997): **Prp31p promotes the association of the U4/U6 x U5 tri-snRNP with prespliceosomes to form spliceosomes in *Saccharomyces cerevisiae*.** *Mol Cell Biol* **17**:3580-3588.

Weigmann A, Corbeil D, Hellwig A, Huttner WB (1997): **Prominin, a novel microvilli-specific polytopic membrane protein of the apical surface of epithelial cells, is targeted to plasmalemmal protrusions of non-epithelial cells.** *PNAS* **94**:12425-12430.

Wells J, Wroblewski J, Keen J, Inglehearn C, Jubb C, Eckstein A, Jay M, Arden G, Bhattacharya S, Fitzke F et al (1993): **Mutations in the human retinal degeneration slow (RDS) gene can cause either retinitis pigmentosa or macular dystrophy.** *Nat Genet* **3**:213-218.

Weng J, Mata NL, Azarian SM, Tzekov RT, Birch DG, Travis GH (1999): **Insights into the function of Rim protein in photoreceptors and etiology of Stargardt's disease from the phenotype in abcr knockout mice.** *Cell* **98**:13-23.

Winick JD, Blundell ML, Galke BL, Salam AA, Leal SM, Karayiorgou M (1999): **Homozygosity mapping of the Achromatopsia locus in the Pingelapse.** *Am J Hum Genet* **64**:1679-1685.

Wissinger B, Jagle H, Kohl S, Broghammer M, Baumann B, Hanna DB, Hedels C, Apfelstedt-Sylla E, Randazzo G, Jacobson SG et al (1998): **Human rod monochromacy: linkage analysis and mapping of a cone photoreceptor expressed candidate gene on chromosome 2q11.** *Genomics* **51**:325-331. {.

Wissinger B, Gamer D, Jagle H, Giorda R, Marx T, Mayer S, Tippmann S, Broghammer M, Jurklies B, Rosenberg T et al (2001): **CNGA3 mutations in hereditary cone photoreceptor disorders.** *Am J Hum Genet* **69**:722-737. "HG00457/HG/NHGRI" } , "Journal Article" } , {.

X

Xu S, Nakazawa M, Tamai M, Gal A (1995): **Autosomal dominant retinitis pigmentosa locus on chromosome 19q in a Japanese family.** *J Med Genet* **32**:915-916.

Xu SY, Denton M, Sullivan L, Daiger SP, Gal A (1996a): **Genetic mapping of RP1 on 8q11-q21 in an Australian family with autosomal dominant retinitis pigmentosa reduces the critical region to 4 cM between D8S601 and D8S285.** *Hum Genet* **98**:741-743.

Xu SY, Schwartz M, Rosenberg T, Gal A (1996b): **A ninth locus (RP18) for autosomal dominant retinitis pigmentosa maps in the pericentromeric region of chromosome 1.** *Hum Mol Genet* **5**:1193-1197.

Xu SY, Rosenberg T, Gal A (1998): **Refined genetic mapping of autosomal dominant retinitis pigmentosa locus RP18 reduces the critical region to 2 cM between D1S442 and D1S2858 on chromosome 1q.** *Hum Genet* **102**:493-494. mapped in the future.

BIBLIOGRAFIA (232)

Xue L, Gollapalli DR, Maiti P, Jahng WJ, Rando RR (2004): **A palmitoylation switch mechanism in the regulation of the visual cycle.** *Cell* **117**:761-771.

Y

Yamamoto H, Simon A, Eriksson U, Harris E, Berson EL, Dryja TP (1999): **Mutations in the gene encoding 11-cis retinol dehydrogenase cause delayed dark adaptation and fundus albipunctatus.** *Nat Genet* **22**:188-191.

Yamamoto S, Sippel KC, Berson EL, Dryja TP (1997): **Defects in the rhodopsin kinase gene in the Oguchi form of stationary night blindness.** *Nat Genet* **15**:175-178.

Yamazaki H, Ohguro H, Maeda T, Maruyama I, Takano Y, Metoki T, Nakazawa M, Sawada H, Dezawa M (2002): **Preservation of retinal morphology and functions in royal college surgeons rat by nilvadipine, a Ca(2+) antagonist.** *Invest Ophthalmol Vis Sci* **43**:919-926.

Yan RT, Wang SZ (1998): **neuroD induces photoreceptor cell overproduction in vivo and de novo generation in vitro.** *J Neurobiol* **36**:485-496.

Yang RB, Foster DC, Garbers DL, Fulle HJ (1995): **Two membrane forms of guanylyl cyclase found in the eye.** *Proc Natl Acad Sci U S A* **92**:602-606.

Yang RB, Garbers DL (1997): **Two eye guanylyl cyclases are expressed in the same photoreceptor cells and form homomers in preference to heteromers.** *J Biol Chem* **272**:13738-13742.

Yang Z, Peachey NS, Moshfeghi DM, Thirumalaichary S, Chorich L, Shugart YY, Fan K, Zhang K (2002): **Mutations in the RPGR gene cause X-linked cone dystrophy.** *Hum Mol Genet* **11**:605-611.

Yin AH, Miraglia S, Zanjani ED, Almeida-Porada G, Ogawa M, Leary AG, Olweus J, Kearney J, Buck DW (1997): **AC133, a Novel Marker for Human Hematopoietic Stem and Progenitor Cells.** *Blood* **90**:5002-5012.

Z

Zeiss CJ, Ray K, Acland GM, Aguirre GD (2000): **Mapping of X-linked progressive retinal atrophy (XLPRA), the canine homolog of retinitis pigmentosa 3 (RP3).** *Hum Mol Genet* **9**:531-537.

Zhang Q, Acland GM, Wu WX, Johnson JL, Pearce-Kelling S, Tulloch B, Vervoort R, Wright AF, Aguirre GD (2002): **Different RPGR exon ORF15 mutations in Canids provide insights into photoreceptor cell degeneration.** *Hum Mol Genet* **11**:993-1003.

Zhao Y, Hong DH, Pawlyk B, Yue G, Adamian M, Grynberg M, Godzik A, Li T (2003): **The retinitis pigmentosa GTPase regulator (RPGR)- interacting protein: subserving RPGR function and participating in disk morphogenesis.** *Proc Natl Acad Sci U S A* **100**:3965-3970. Epub 2003 Mar 3921.

Zhou Z, Licklider LJ, Gygi SP, Reed R (2002): **Comprehensive proteomic analysis of the human spliceosome.** *Nature* **419**:182-185.

Zito I, Downes SM, Patel RJ, Cheetham ME, Ebenezer ND, Jenkins SA, Bhattacharya SS, Webster AR, Holder GE, Bird AC et al (2003): **RPGR mutation associated with retinitis pigmentosa, impaired hearing, and sinorespiratory infections.** *J Med Genet* **40**:609-615.