



UNIVERSITAT DE BARCELONA

U

B

Facultat de Biologia

Departament de Microbiologia

**Les famílies de proteïnes Hha/YmoA i H-NS: regulació global de
l'expressió gènica a *Escherichia coli* i paper en la conjugació plasmídica.**

Núria Forns Fradera

Tesi Doctoral

Barcelona, abril 2006

BIBLIOGRAFIA

- Abeles, A.** (1986). *P1 plasmid replication: purification and DNA-binding activity of replication protein RepA*. The Journal of Biological Chemistry. **261**: 3548-3555.
- Abeles, A. L., Snyder, K. M. i Chatteraj, D. K.** (1984). *P1 plasmid replication: replicon structure*. Journal of Molecular Biology. **173**: 307-324.
- Achtman, M., Kennedy, N. i Skurray, R.** (1977). *Cell-cell interactions in conjugating Escherichia coli: role of traT protein in surface exclusion*. Proceedings of the National Academy of Sciences of the United States of America. **74**: 5104-5108.
- Achtman, M., Morelli, G. i Schwuchow, S.** (1978). *Cell-cell interactions in conjugating Escherichia coli: role of F pili and fate of mating aggregates*. Journal of Bacteriology. **135**: 1053-1061.
- Adams, H., Teertstra, W., Koster, M. i Tommassen, J.** (2002). *PspE (phage-shock protein E) of Escherichia coli is a rhodanese*. FEBS Letters. **518**: 173-176.
- Ahn, S.-J., Lemos, J.A.C. i Burne, R.A.** (2005). *Role of HtrA in growth and competence of Streptococcus mutans UA159*. Journal of Bacteriology. **187**: 3028-3038.
- Alba, B. M., Leeds, J. A., Onufryk, C., Lu, C. Z. i Gross, C. A.** (2002). *DegS and YaeL participate sequentially in the cleavage of RseA to activate the sigma(E)-dependent extracytoplasmic stress response*. Genes and Development. **16**: 2156-2168.
- Ali Azam, T. i Ishihama, A.** (1999). *Twelve species of the nucleoid-associated protein from Escherichia coli. Sequence recognition specificity and DNA binding affinity*. The Journal of Biological Chemistry. **274**: 33105-33113.
- Ali Azam, T., Iwata, A., Nishimura, A., Ueda, S. i Ishihama, A.** (1999). *Growth Phase-dependent variation in protein composition of the Escherichia coli nucleoid*. Journal of Bacteriology. **181**: 6361-6370.
- Almiron, M., Link, A.J., Furlong, D. i Kolter, R.** (1992). *A novel DNA-binding protein with regulatory and protective roles in starved Escherichia coli*. Genes and Development. **6**: 2646-2654.
- Almrud, J.J., Kern, A.D., Wang, S.C., Czerwinski, R.M., Johnson, W.H. Jr, Murzin, A.G., Hackert, M.L. i Whitman, C.P.** (2002). *The crystal structure of YdcE, a 4-oxalocrotonate tautomerase homologue from Escherichia coli*,

- confirms the structural basis for oligomer diversity. Biochemistry. 41:12010-24.*
- Alonso, G., Baptista, K., Ngo, T. i Taylor, D.E.** (2005). *Transcriptional organization of the temperature-sensitive transfer system from the IncHII plasmid R27. Microbiology. 151: 3563-3573.*
- Alonso, G., Vilchez, G., Bruzual, I. i Rodríguez-Lemoine, V.** (2002). *Characterization of plasmid MIP233 (IncHI3) of the H complex. Research in Microbiology. 153: 149-153.*
- Alt-Morbe, J., Stryker, J.L., Fuqua, C., Li, P.L., Farrand, S.K. i Winans, S.C.** (1996). *The conjugal transfer system of Agrobacterium tumefaciens octopine-type Ti plasmids is closely related to the transfer system of an IncP plasmid and distantly related to Ti plasmid vir genes. Journal of Bacteriology. 178: 4248-4257.*
- Amster-Choder, O.** (2005). *The bgl sensory system: a transmembrane signalling pathway controlling transcriptional antitermination. Current Opinion in Microbiology. 8: 127-134.*
- Amster-Choder, O. i Wright, A.** (1990). *Regulation of activity of transcriptional antiterminator in E. coli by phosphorylation in vivo. Science. 249: 540-542.*
- Amster-Choder, O. i Wright, A.** (1992). *Modulation of the dimerization of a transcriptional antiterminator protein by phosphorylation. Science. 257: 1395-1398.*
- Anantharaman, V., Koonin, E.V. i Aravind, L.** (2001). *Regulatory potential, phyletic distribution and evolution of ancient, intracellular small-molecule-binding domains. Journal of Molecular Biology 307: 1271-1292.*
- Anderson, E.S.** (1975). *The problem and implications of chloramphenicol resistance in the typhoid bacillus. The Journal of Hygiene. 74: 289-299.*
- Anthony, K.G., Klimke, W.A., Manchak, J. i Frost, L.S.** (1999). *Comparison of proteins involved in pilus synthesis and mating pair stabilization from the related plasmids F and R100-1: insights into the mechanism of conjugation. Journal of Bacteriology. 181: 5149-5159.*
- Anthony, K.G., Sherburne, C., Sherburne, R. i Frost, L.S.** (1994). *The role of the pilus in recipient cell recognition during bacterial conjugation mediated by F-like plasmids. Molecular Microbiology. 13: 939-953.*

- Arnqvist, A., Olsen, A. i Normark, S.** (1994). *Sigma S-dependent growth-phase induction of the csgBA promoter in Escherichia coli can be achieved in vivo by sigma 70 in the absence of the nucleoid-associated protein H-NS.* *Molecular Microbiology.* **13:** 1021-1032.
- Atlung, T. i Ingmer, H.** (1997). *H-NS: a modulator of environmentally regulated gene expression.* *Molecular Microbiology.* **24:** 7-17.
- Atmakuri, K., Cascales, E. i Christie, P.J.** (2004). *Energetic components VirD4, VirB11 and VirB4 mediate early DNA transfer reactions required for bacterial type IV secretion.* *Molecular Microbiology.* **54:** 1199-1211.
- Austin, S. i Nordstorm, K.** (1990). *Partition-mediated incompatibility of bacterial plasmids.* *Cell.* **60:** 351-354.
- Babu, M.M. i Teichmann, S.A.** (2003). *Evolution of transcription factors and the gene regulatory network in Escherichia coli.* *Nucleic Acids Research.* **31:** 1234–1244.
- Backert, S., Ziska, E., Brinkmann, V., Zimny-Arndt, U., Fauconnier, A., Jungblut, P.R., Naumann, M. i Meyer, T.F.** (2000). *Translocation of the Helicobacter pylori CagA protein in gastric epithelial cells by a type IV secretion apparatus.* *Cellular Microbiology.* **2:** 155-164.
- Bae, X., Xia, B., Inouye, M. i Severinov, K.** (2000). *Escherichia coli CspA-family RNA chaperones are transcription antiterminators.* *Proceedings of the National Academy of Sciences of the United States of America.* **97** (14): 7784-7789.
- Bailey, M.J.A., Koronakis, V., Schmoll, T. i Hughes, C.** (1992). *Escherichia coli HlyT protein, a transcriptional activator of haemolysin synthesis and secretion, is encoded by the rfaH (sfrB) locus required for expression of sex factor and lipopolysaccharide genes.* *Molecular Microbiology.* **6:** 1003-1012.
- Ball, C.A. i Johnson, R.C.** (1991). *Multiple effects of Fis on integration and the control of lysogeny in phage lambda.* *Journal of Bacteriology.* **173:** 4032-4038.
- Balsalobre, C., Johansson, J., Uhlin, B.E., Juárez, A. i Muñoz, F.J.** (1999). *Alterations in protein expression caused by the hha mutation in Escherichia coli: influence of growth medium osmolarity.* *Journal of Bacteriology.* **181:** 3018-3024.

- Balsalobre, C., Juárez, A., Madrid, C., Mouriño, M., Prenafreta, A. i Muñoa, F.J.** (1996). *Complementation of the hha mutation in Escherichia coli by the ymoA gene from Yersinia enterocolitica: dependence on the gene dosage.* Microbiology. **142**: 1841-1846.
- Balzer, D., Pansegrau, W. i Lanka, E.** (1994). *Essential motifs of relaxase (TraI) and TraG proteins involved in conjugative transfer of plasmid RP4.* Journal of Bacteriology. **176**: 4285-4295.
- Baron, C., O'Callaghan, D. i Lanka, E.** (2002). *Bacterial secrets of secretion: EuroConference on the biology of type IV secretion processes.* Molecular Microbiology. **43**: 1359-1365.
- Baron, C., Thorstenson, Y.R. i Zambryski, P.C.** (1997). *The lipoprotein VirB7 interacts with VirB9 in the membranes of Agrobacterium tumefaciens.* Journal of Bacteriology. **179**: 1211-1218.
- Barth, M., Marschall, C., Muffler, A., Fischer, D. i Hengge-Aronis, R.** (1995). *Role for the histone-like protein H-NS in growth phase-dependent and osmotic regulation of σ^S and many σ^S -dependent genes in Escherichia coli.* Journal of Bacteriology. **177**: 3455-3464.
- Barth, P.T.** (1979). *RP4 and R300B as wide host-range plasmid cloning vehicles.* A Timmis, K.N. i Puhler, A. (eds.). Plasmids of medical, environmental and commercial importance. Elsevier/North-Holland Publishing Co., Amsterdam, pàgs. 339-410.
- Bates, S., Cashmore, A.M. i Wilkins, B.M.** (1998). *IncP plasmids are unusually effective in mediating conjugation of Escherichia coli and Saccharomyces cerevisiae: involvement of the tra2 mating system.* Journal of Bacteriology. **180**: 6538-6543.
- Baumler, A. J., Kusters, J.G., Stojiljkovic, I. i Heffron, F.** (1994). *Salmonella typhimurium loci involved in survival within macrophages.* Infection and Immunity. **62**: 1623-1630.
- Bayer, M., Bischof, K., Noiges, R. i Koraimann, G.** (2000). *Subcellular localization and processing of the lytic transglycosylase of the conjugative plasmid R1.* FEBS Letters. **466**: 389-393.
- Bayer, M., Iberer, R., Bischof, K., Rassi, E., Stabentheiner, E., Zellnig, G. i Koraimann, G.** (2001). *Functional and mutational analysis of p19: a DNA*

- transfer protein with muramidase activity*. Journal of Bacteriology. **183**: 3176-3183.
- Bazaral, M. i Helsinki, D.R.** (1970). *Replication of bacterial plasmid and an episome in Escherichia coli*. Biochemistry. **9**: 399-406.
- Beaupré, C.E., Bohne, J., Dale, E.M. i Binns, A.N.** (1997). *Interactions between VirB9 and VirB10 membrane proteins involved in movement of DNA from Agrobacterium tumefaciens into plant cells*. Journal of Bacteriology. **179**: 78-89.
- Beloin, C. i Dorman, C.J.** (2003). *An extended role for the nucleoid structuring protein H-NS in the virulence gene regulatory cascade of Shigella flexneri*. Molecular Microbiology. **47**: 825-838.
- Beloin, C., Deighan, P., Doyle, M. i Dorman, C.J.** (2003). *Shigella flexneri 2a strain 2457T expresses three members of the H-NS-like protein family: characterization of the Sfh protein*. Molecular Genetics and Genomics. **270**: 66-77.
- Berger, B., Wilson, D.B., Wolf, E., Tonchev, T., Milla, M. i Kim, P.S.** (1995). *Predicting coiled coils by use of pairwise residue correlations*. Proceedings of the National Academy of Sciences of the United States of America. **92**: 8259-8263.
- Berlyn, M.K.B., Low, K.B. i Rudd, K.E.** (1996). *Integrated linkage map of Escherichia coli K12*. A Neidhardt, F.C., Curtis III, R., Ingraham, J.L., Lin, E.C.C., Low, K.B., Magasanik, B., Reznikoff, W.S., Riley, M., Schaechter, M. i Umberger, H.E. (eds.). *Escherichia coli and Salmonella: Cellular and molecular biology*, 2nd ed., vol. 2. American Society for Microbiology Press, Washington DC, pàgs. 1715-1902.
- Berquist, P.L., Saadi, S. i Maas, W.K.** (1986). *Distribution of basic replicons having homology with RepFIA, RepFIB i RepFIC among incF group plasmids*. Plasmid. **15**: 19-34.
- Bianchi, A.A. i Baneyx, F.** (1999). *Hyperosmotic shock induces the ³² and ^E stress regulons of Escherichia coli*. Molecular Microbiology. **34**: 1029-1038.
- Birnboim, H.C.** (1983). *A rapid alkaline extraction method for the isolation of plasmid DNA*. Methods in Enzymology. **100**: 243-254.

- Blanco, A., Juárez, A. i Pastor, F.I.J.** (1991). *Overproduction of a Clostridium cellulolyticum endoglucanase by mutant strains of Escherichia coli*. FEMS Microbiology Letters **81**: 221-226.
- Blattner, F.R., Plunkett, G. III, Bloch, C.A., Perna, N.T., Burland, V., Riley, M., Collado-Vides, J., Glasner, J.D., Rode, C.K., Mayhew, G.F., Gregor, J., Davis, N.W., Kirkpatrick, H.A., Goeden, M.A., Rose, D.J., Mau, B. i Shao, Y.** (1997). *The complete genome sequence of Escherichia coli K-12*. Science **277**: 1453-1474.
- Bloch, V., Yang, Y, Margeat, E., Chavanieu, A., Augé, M.T., Robert, B., Arold, S., Rimsky, S. i Kochoyan, M.** (2003). *The H-NS dimerization domain defines a new fold contributing to DNA recognition*. Nature Structural Biology. **10**: 212-218.
- Böhm, A. i Boos W.** (2004). *Gene regulation in prokaryotes by subcellular relocation of transcription factors*. Current Opinion in Microbiology. **7**: 151-156.
- Bolland, S., Llosa, M., Avila, P. i de la Cruz, F.** (1990). *General organization of the conjugal transfer genes of the IncW plasmid R388 and interactions between R388 and IncN and IncP plasmids*. Journal of Bacteriology. **172**: 5795-5802.
- Bouvier, J., Gordia, S., Kampmann, G., Lange, R., Hengge-Aronis, R. i Gutiérrez, C.** (1998). *Interplay between global regulators of Escherichia coli: effect of RpoS, Lrp and H-NS on transcription of the gene osmC*. Molecular Microbiology. **28**: 971-980.
- Bracco, L., Kotlarz, D., Kolb, A., Diekmann, S. i Buc, H.** (1989). *Synthetic curved DNA sequences can act as a transcriptional activators in Escherichia coli*. EMBO Journal. **8**: 4289-4296.
- Bradford, M.M.** (1976). *A rapid and sensitive method for the quantization of micrograms quantities of proteins utilizing the principle of protein-dye binding*. Analytical Biochemistry. **72**: 248-254.
- Bradley, D.E.** (1980). *Morphological and serological relationships of conjugative pili*. Plasmid. **4**: 155-169.
- Bradley, D.E., Hughes, V.M., Richards, H. i Datta, N.** (1982). *R plasmids of a new incompatibility group determine constitutive production of H pili*. Plasmid. **7**: 230-238.

- Bradley, D.E., Taylor, D.E. i Cohen, D.R.** (1980). *Specification of surface mating systems among conjugative drug resistance plasmids in Escherichia coli K-12*. Journal of Bacteriology. **143**: 1466-1470.
- Brady, G., Frey, J., Danbara, H. i Timmis, K. N.** (1983). *Replication control mutations of plasmid R6-5 and their effects on interactions of RNA-I control element with its target*. Journal of Bacteriology. **154**: 429-436.
- Bramhill, D. i Kornberg, A.** (1988). *A model for initiation at origins of DNA replication*. Cell. **54**: 915-918.
- Brandi, A., Spurio, R., Gualerzi, C.O. i Pon, C.L.** (1999). *Massive presence of the Escherichia coli "major cold-shock protein" CspA under non-stress conditions*. EMBO Journal. **18**: 1653-1659.
- Braun, V., Schonherr, R. i Hobbie, S.** (1993). *Enterobacterial haemolysins: activation, secretion and pore formation*. Trends in Microbiology. **1**: 211-216.
- Browning, D.F. i Busby, S.J.W.** (2004). *The regulation of bacterial transcription initiation*. Nature Reviews. **2**: 1-9.
- Buchanan-Wollaston, V., Passiatorre, J.E. i Cannon, F.** (1987). *The mob and oriT mobilization functions of bacterial plasmid promote its transfer to plants*. Nature. **328**: 172-175.
- Buchrieser, C., Glaser, P., Rusniok, C., Nedjari, H., D'Hauteville, H., Kunst, F., Sansonetti, P. i Parsot, C.** (2000). *The virulence plasmid pWR100 and the repertoire of proteins secreted by the type III secretion apparatus of Shigella flexneri*. Molecular Microbiology. **38**: 760-771.
- Buhrdorf, R., Forster, C., Haas, R. i Fischer, W.** (2003). *Topological analysis of a putative virB8 homologue essential for the cag type IV secretion system in Helicobacter pylori*. International Journal of Medical Microbiology. **293**: 213-217.
- Bullock, W.O., Fernandez, J.M. i Short, J.M.** (1987). *XL1-Blue: A high efficiency plasmid transforming recA Escherichia coli strain with Beta-Galactosidase section*. Biotechniques. **5**: 376-379.
- Burland, V., Shao, Y. Perna, N.T., Plunkett, G., Sofia, H.J. i Blattner, F.R.** (1998). *The complete DNA sequence and analysis of the large virulence plasmid of Escherichia coli O157:H7*. Nucleic Acids Research **26**: 4196-4204.
- Burnette, W.N.** (1981). *"Western blotting": Electrophoretic transfer of proteins from sodium dodecyl sulfate-polyacrilamide gels to unmodified nitrocellulose*

- and radiographic detection with antibody and radioiodinated protein A. Analytical Biochemistry. 112: 195-203.*
- Bustamante, V.H., Santana, F.J., Calva, E. i Puente, J.L.** (2001). *Transcriptional regulation of type III secretion genes in enteropathogenic Escherichia coli: Ler antagonizes H-NS-dependent repression. Molecular Microbiology. 39: 664-678.*
- Byrd, D.R. i Matson, S.W.** (1997). *Nicking by transesterification: the reaction catalysed by a relaxase. Molecular Microbiology. 25: 1011-1022.*
- Cabezón E., Lanka, E. i de la Cruz, F.** (1994). *Requirements for mobilization of plasmids RSF1010 and ColE1 by the IncW plasmid R388: trwB and RP4 traG are interchangeable. Journal of Bacteriology. 176: 4455-4458.*
- Cabezón, E., Sastre, J.I. i de la Cruz, F.** (1997). *Genetic evidence of a coupling role for the TraG protein family in bacterial conjugation. Molecular of General Genetics. 254: 400-406.*
- Camacho, E.M. i Casadesús, J.** (2002). *Conjugal transfer of the virulence plasmid of Salmonella enterica is regulated by the leucine-responsive regulatory protein and DNA adenine methylation. Molecular Microbiology. 44: 1589-1598.*
- Camacho, E.M. i Casadesús, J.** (2005). *Regulation of traJ transcription in the Salmonella virulence plasmid by strand-specific DNA adenine hemimethylation. Molecular Microbiology. 57: 1700-1718.*
- Camacho, E.M., Serna, A., Madrid, C., Marqués, S., Fernández, R., de la Cruz, F., Juárez, A. i Casadesús, J.** (2005). *Regulation of finP transcription by DNA adenine methylation in the virulence plasmid of Salmonella enterica. Journal of Bacteriology. 187: 5691-5699.*
- Campbell, E. A., Tupy, J. L., Gruber, T. M., Wang, S., Sharp M. M., Gross, C.A. i Darst, S.A.** (2003). *Crystal structure of Escherichia coli sigmaE with the cytoplasmic domain of its anti-sigma RseA. Molecular Cell. 11: 1067-1078.*
- Cao, T.B. i Saier, M.H., Jr.** (2001). *Conjugal type IV macromolecular transfer systems of Gram-negative bacteria: organismal distribution, structural constraints and evolutionary conclusions. Microbiology. 147: 3201-3214.*
- Caramel, A. i Schnetz K.** (1998). *Lac and lambda repressors relieve silencing of the Escherichia coli bgl promoter. Activation by alteration of a repressing nucleoprotein complex. Journal of Molecular Biology. 284: 875-883.*

- Caramel, A. i Schnetz K.** (2000). *Antagonistic control of the Escherichia coli bgl promoter by FIS and CAP in vitro*. Molecular Microbiology. **36**: 85-92.
- Carleton, S., Projan, S. J., Highlander, S. K., Moghazeh, S. i Novick, R. P.** (1984). *Control of pT181 replication. II. Mutational analysis*. EMBO Journal. **3**: 2407-2414.
- Carmona, M., Balsalobre, C., Muñoa, F.J., Mouriño, M., Jubete, Y., De la Cruz, F. i Juárez, A.** (1993). *Escherichia coli hha mutants, DNA supercoiling and expression of haemolysin genes from recombinant plasmid pANN202-312*. Molecular Microbiology. **9**: 1011-1018.
- Cascales, E. i Christie, P.J.** (2003). *The versatile bacterial type IV secretion systems*. Nature Reviews. Microbiology. **1**: 137-149.
- Cascales, E. i Christie, P.J.** (2004a). *Agrobacterium VirB10: an ATP energy sensor required for type IV secretion*. Proceedings of the National Academy of Sciences of the United States of America. **101**: 17228-17233.
- Cascales, E. i Christie, P.J.** (2004b). *Definition of a bacterial type IV secretion pathway for a DNA substrate*. Science. **304**: 1170-1173.
- Cavicchioli, R., Schröder, I., Constanti, M. i Gunsalus R.P.** (1995). *The NarX and NarQ sensor-transmitter proteins of Escherichia coli each require two conserved histidines for nitrate-dependent signal transduction to NarL*. Journal of Bacteriology **177**: 2416-2424.
- Cerdan, R., Bloch, V., Yang, Y., Bertin, P., Dumas, C., Rimsky, S., Kochoyan, M. i Arold, S.T.** (2003). *Crystal structure of the N-terminal dimerisation domain of VicH, the H-NS-like protein of Vibrio cholerae*. Journal of Molecular Biology. **334**: 179-185.
- Chaconas, G. i Chen, C. W.** (2005). *Replication of linear bacterial chromosomes: no longer going around circles*. A Higgins, P.N. (ed.). The Bacterial Chromosome. ASM Press, Washington DC, pàgs. 525-539.
- Charpentier, E., Gerbaud, G. i Courvalin, P.** (1999). *Conjugative mobilization of the rolling-circle plasmid pIP823 from Listeria monocytogenes BM4293 among gram-positive and gram-negative bacteria*. Journal of Bacteriology. **181**: 3368-3374.
- Cheah, K.C. i Skurray, R.** (1986). *The F plasmid carries an IS3 insertion within finO*. Journal of General Microbiology. **132**: 3269-3275.

- Cheperanov, P.P. i Wackernagel, W.** (1995). *Gene disruption in Escherichia coli: Tc^r and Km^r cassettes with the option of Flp-catalyzed excision of the antibiotic-resistance determinant.* *Gene* **158**: 2-14.
- Chiang, R. C., Cavicchioli, R. i Gunsalus, R.P.** (1992). *Identification and characterization of narQ, a second nitrate sensor for nitrate-dependent gene regulation in Escherichia coli.* *Molecular Microbiology*. **6**: 1913-1923.
- Christie, P.J.** (1997). *Agrobacterium tumefaciens T-complex transport apparatus: a paradigm for a new family of multifunctional transporters in eubacteria.* *Journal of Bacteriology*. **179**: 3085-3094.
- Christie, P.J.** (2001). *Type IV secretion: intercellular transfer of macromolecules by systems ancestrally related to conjugation machines.* *Molecular Microbiology*. **40**: 294-305.
- Christie, P.J. i Vogel, J.P.** (2000). *Bacterial type IV secretion: conjugation systems adapted to deliver effector molecules to host cells.* *Trends in Microbiology*. **8**: 354-360.
- Clausen, T., Southan, C. i Ehrmann, M.** (2002). *The HtrA family of proteases: implications for protein composition and cell fate.* *Molecular Cell*. **10**: 443-455.
- Clewell, D.B.** (1993a). *Bacterial sex pheromone-induced plasmid transfer.* *Cell*. **73**: 9-12.
- Clewell, D.B.** (1993b). *Sex pheromones and the plasmid-encoded mating response in Enterococcus faecalis.* A Clewell, D.B. (ed.). *Bacterial Conjugation*. Plenum Press, New York, pàgs. 349-367.
- Clewell, D.B. i Flannagan, S.E.** (1993). *The conjugative transposons of Gram-negative bacteria.* A Clewell, D.B. (ed.). *Bacterial Conjugation*. Plenum Press, New York, pàgs. 369-393.
- Clewell, D.B., Flannagan, S.E. i Jaworski, D.D.** (1995). *Unconstrained bacterial promiscuity: the Tn916-Tn1545 family of conjugative transposons.* *Trends in Microbiology*. **3**: 229-236.
- Cohen, S.N., Chang, A.C.Y. i Hsu, L.** (1972). *Nonchromosomal antibiotic resistance in bacteria: genetic transformation of Escherichia coli by R-factor DNA.* *Proceedings of the National Academy of Sciences of the United States of America*. **69**: 2110-2114.

- Coker, C., Bakare, O.O. i Mobley, H.L.** (2000). *H-NS is a repressor of the Proteus mirabilis urease transcriptional activator gene ureR*. Journal of Bacteriology. **182**: 2649-2653.
- Cole, S.P., Lanka, E. i Guiney, D.G.** (1993). *Site-directed mutations in the relaxase operon of RP4*. Journal of Bacteriology. **175**: 4911-4916.
- Collet, J.F. i Bardwell, J.C.** (2002). *Oxidative protein folding in bacteria*. Molecular Microbiology. **44**: 1-8.
- Cornelis, G., Sluiters, C., Delor, I., Gelb, D., Kaninga, K., Lambert de Rouvroit, C., Sory, M.P., Vanooteghem, J.C. i Michaelis T.** (1991). *YmoA, a Yersinia enterocolitica chromosomal gene modulating the expression of virulence functions*. Molecular Microbiology. **5**: 1023-1034.
- Cornelis, G., Sluiters, C., Lambert de Rouvroit, C. i Michiels, T.** (1989). *Homology between VirF, the transcriptional activator of the Yersinia virulence regulon, and AraC, the Escherichia coli arabinose operon regulator*. Journal of Bacteriology. **171**: 254-282.
- Cornelis, G., Vanootegem, J.C. i Sluiters, C.** (1987). *Transcription of the yop regulon from Y. enterocolitica requires trans acting pYV and chromosomal genes*. Microbial Pathogenesis. **2**: 367-379.
- Cortassa, S. i Aon, M. A.** (1993). *Altered topoisomerase activities may be involved in the regulation of DNA supercoiling in aerobic-anarobic transitions in Escherichia coli*. Molecular and Cellular Biochemistry **126**: 115-124.
- Couturier, M., Bex, F., Berquist, P. i Maas, W.** (1988). *Identification and classification of bacterial plasmids*. Microbiological Reviews. **52**: 375-395.
- Covacci, A. i Rappuoli, R.** (1993). *Pertussis toxin export requires accessory genes located downstream from the pertussis toxin operon*. Molecular Microbiology. **8**: 429-434.
- Crossman, L.C.** (2005). *Plasmid replicons of Rhizobium*. Biochemical Society Transactions. **33**: 157-158.
- Cunningham, T.P., Montelaro, R.C. i Rushlow, K.E.** (1993). *Lentivirus envelope sequences and proviral genomes are stabilized in Escherichia coli when cloned in low-copy-number plasmid vector*. Gene **9**: 93-98.
- Curtiss III, R.** (1969). *Bacterial conjugation*. Annual Review of Microbiology. **23**: 136.

- Cusick, M.E. i Belfort, M.** (1998). *Domain structure and RNA annealing activity of the Escherichia coli regulatory protein StpA*. *Molecular Microbiology*. **28**: 847-857.
- Dame, R.T. i Goosen, N.** (2002). *HU: promoting or counteracting DNA compaction?* *FEBS Letters*. **529**: 151-156.
- Dame, R. T., Wyman, C. i Goosen, N.** (2001). *Structural basis for preferential binding of H-NS to curve DNA*. *Biochemie*. **83**: 231-234.
- Dame, R.T., Wyman, C., Wurm, R., Wagner, R. i Gossen, N.** (2002). *Structural basis for H-NS mediated trapping of RNA polymerase in the open initiation complex at the rrnB P1*. *Journal Biological Chemistry*. **277**: 2146-2150.
- Danese, P., Snyder, W., Cosma, C., Davis, L. i Silhavy, T.** (1995). *The Cpx two-component signal transduction pathway of Escherichia coli regulatestranscription of the gene specifying the stress-inducible periplasmic protease, DegP*. *Genes and Development*. **9**: 387-398.
- Das, A., Anderson, L.B. i Xie, Y.H.** (1997). *Delineation of the interaction domains of Agrobacterium tumefaciens VirB7 and VirB9 by use of the yeast two-hybrid assay*. *Journal of Bacteriology*., **179**: 3404-3409.
- Das, A. i Xie, Y.H.** (1998). *Construction of transposon Tn3phoA: its application in defining the membrane topology of the Agrobacterium tumefaciens DNA transfer proteins*. *Molecular Microbiology*., **27**: 405-411.
- Das, A. i Xie, Y.H.** (2000). *The Agrobacterium T-DNA transport pore proteins VirB8: VirB9: and VirB10 interact with one another*. *Journal of Bacteriology*., **182**: 758-763.
- Datsenko, K.A. i Wanner, B.L.** (2000). *One-step inactivation of chromosomal genes in Escherichia coli K-12 using PCR products*. *Proceedings of the National Academy of Sciences of the United States of America*. **97**: 6640-6645.
- Datta, N.** (1979). *Plasmid classification: incompatibility grouping*. A Timmis, K. N. i Puhler, A. (eds.). *Plasmids of Medical, Environmental and Commercial Importance*. Elsevier/North Holland Publishing Co., Amsterdam, pàgs. 3-12.
- Davies, J.** (1994). *Inactivation of antibiotics and the dissemination of resistance genes*. *Science*. **264**: 375-382.
- Davis, M. A., Martin, K. A. i Austin, J. S.** (1992). *Biochemical activities of the ParA partition protein of the P1 plasmid*. *Molecular Microbiology*. **6**: 1141-1147.

- De Biase, D., Tramonti, A., Bossa, F. i Visca, P.** (1999). *The response to stationary-phase stress conditions in Escherichia coli: role and regulation of the glutamic acid decarboxylase system.* Molecular Microbiology. **32**: 1198-1211.
- De la Cruz, F., Carmona, M. i Juárez, A.** (1992). *The Hha protein from Escherichia coli is highly homologous to the YmoA protein from Yersinia enterocolitica.* Molecular Microbiology. **6**: 3451-3454.
- De la Cruz, F. i Davies, J.** (2000). *Horizontal gene transfer and the origin of species: Lessons from bacteria.* Trends in Microbiology. **8**: 128-133.
- De Lorenzo, V., Herrero, M., Jakubzik, U. i Timmis, K.N.** (1990). *Mini-Tn5 transposon derivatives for insertion mutagenesis, promoter probing, and chromosomal insertion of cloned DNA in Gram-negative Eubacteria.* Journal of Bacteriology. **172**: 6568-6572.
- Defez, R. i De Felice, M.** (1981). *Cryptic operon for beta-glucoside metabolism in Escherichia coli K12: genetic evidence for a regulatory protein.* Genetics. **97**: 11-25.
- Deighan, P., Beloin, C. i Dorman, C.J.** (2003). *Three-way interactions among the Sfh, StpA and H-NS nucleoid-associated proteins of Shigella flexneri 2a strain 2457T.* Molecular Microbiology. **48**: 1401-1416.
- Deighan, P., Free, A. i Dorman, C.J.** 2000. *A role for the Escherichia coli H-NS-like protein StpA in OmpF porin expression through modulation of micF RNA stability.* Molecular Microbiology **38**: 126-139.
- Demple, B.** (1996). *Redox signaling and gene control in the Escherichia coli soxRS oxidative stress regulon.* Gene **179**: 53-57.
- Dersch P., Kneip S. i Bremer E.** (1994). *The nucleoid-associated DNA-binding protein H-NS is required for the efficient adaptation of Escherichia coli K-12 to a cold environment.* Molecular and General Genetics **245**: 255-259.
- Dersch, P., Schmidt, K. i Bremer, E.** (1993). *Synthesis of the Escherichia coli K-12 nucleoid-associated DNA-binding protein H-NS is subjected to growth-phase control and autoregulation.* Molecular Microbiology. **8**: 875-889.
- Di Laurenzin, L., Frost, L.S. i Paranchych, W.** (1992). *The TraM protein of the conjugative plasmid F binds to the origin of transfer of the F and ColE1 plasmids.* Molecular Microbiology. **6**: 2951-2959.

- Disque-Kochem, C. i Dreiseikelmann, B.** (1997). *The cytoplasmic DNA-binding protein TraM binds to the inner membrane protein TraD in vitro*. Journal of Bacteriology., **179**: 6133-6137.
- Dorman, C. J.** (2004). *H-NS: a universal regulator for a dynamic genome*. Nature Reviews. Microbiology. **2**: 391-400.
- Dorman, C.J. i Deighan, P.** (2003). *Regulation of gene expression by histone-like proteins in bacteria*. Current Opinion in Genetics and Development. **13**: 179-184.
- Dorman, C.J., Hinton, J.C.D. i Free, A.** (1999). *Domain organization and oligomerization among H-NS-like nucleoid-associated proteins in bacteria*. Trends in Microbiology. **7**: 124-128.
- Dove, S.L., Darst, S.A. i Hochschild, A.** (2003). *Region 4 of σ as a target for transcription regulation*. Molecular Microbiology. **48**: 863-874.
- Dower, W.J., Miller, F.J. i Ragsdale, C.W.** (1988). *High efficiency transformation of E. coli by high voltage electroporation*. Nucleic Acids Research. **16**: 6127-6145.
- Drlica, K.** (1992). Control of bacterial DNA supercoiling. *Molecular Microbiology*. **6**: 425-33.
- Durland, R. H., Toukdarian, A., Fang, F. i Helsinki D. R.** (1990). *Mutations of the trfA replication gene of the broad-host-range plasmid RK2 result in elevated plasmid copy numbers*. Journal of Bacteriology. **172**: 3859-3867.
- Dürrenberger, M.B., Villiger, W. i Bachi, T.** (1991). *Conjugational junctions: morphology of specific contacts in conjugating Escherichia coli bacteria*. Journal of Structural Biology. **107**: 146-156.
- Ebersbach, G. i Gerdes, K.** (2005). *Plasmid segregation mechanisms*. Annual Review of Genetics. **39**: 453-479.
- Ebright, R.H. i Busby, S.** (1995). *The Escherichia coli RNA polymerase subunit: structure and function*. Current Opinion in Genetics and Development. **5**: 197-203.
- Edgar, R., Chatteraj, D. K. i Yarmolinsky, M.** (2001). *Pairing of P1 plasmid partition sites by ParB*. Molecular Microbiology. **42**: 1360-1370.
- Edman, P.** (1970). *Sequence determination*. Molecular Biology, Biochemistry and Biophysics. **8**: 211-255.

- Ehrmann, M. i Clausen, T.** (2004). *Proteolysis as a regulatory mechanism*. Annual Review of Genetics. **38**: 709-724.
- Eisenbrandt, R., Kalkum, M., Lai, E.M., Lurz, R., Kado, C.I. i Lanka, E.** (1999). *Conjugative pili of IncP plasmids, and the Ti plasmid T pilus are composed of cyclic subunits*. The Journal of Biological Chemistry., **274**: 22548-22555.
- Ellison, D.W., Young, B., Nelson, K. i Miller, V.L.** (2003). *YmoA negatively regulates expression of invasin from Yersinia enterocolitica*. Journal of Bacteriology. **185**: 7153-7159.
- Elzer, P. H., Phillips, R. W., Robertson, G. T. i Roop, R. M.** (1996). *The HtrA stress response protease contributes to resistance of Brucella abortus to killing by murine phagocytes*. Infection and Immunity. **64**: 4838-4841.
- Esposito, D., Petrovic, A., Harris, R., Ono, S., Eccleston, J.F., Mbabaali, A., Haq, I., Higgins, C.F., Hinton, J.C., Driscoll, P.C., i Ladbury, J.E.** (2002). *H-NS oligomerization domain structure reveals the mechanism for high order self-association of the intact protein*. Journal of Molecular Biology. **324**: 841-850.
- Fahlen, T.F., Mathur, N. i Jones, B.D.** (2000). *Identification and characterization of mutants with increased expression of hilA, the invasion gene transcriptional activator of Salmonella typhimurium*. FEMS Immunology Medicine Microbiology. **28**: 25-35.
- Fahlen, T.F., Wilson, R.L., Boddicker, J.D. i Jones, B.D.** (2001). *Hha is a negative modulator of transcription of hilA, the Salmonella enterica serovar Typhimurium invasion gene transcriptional activator*. Journal of Bacteriology **183**: 6620-6629.
- Falconi, M., Brandi, A., La Teana, A., Gualerzi, C.O. i Pon C.L.** (1996). *Antagonistic involvement of FIS and H-NS proteins in transcriptional control of hns expression*. Molecular Microbiology. **19**: 965-975.
- Falconi, M., Colonna, B., Prosseda, G., Micheli, G. i Gualerzi, C.O.** (1998). *Thermoregulation of Shigella and Escherichia coli EIEC pathogenicity. A temperature-dependent structural transition of DNA modulates accessibility of virF promoter to transcriptional repressor H-NS*. EMBO Journal. **17**: 7033-7043.
- Falconi, M., Higgins, N.P., Spurio, R., Pon, C.L. i Gualerzi, C.O.** (1993). *Expression of the gene encoding the major bacterial nucleoid protein H-NS is*

- subject to transcriptional auto-repression. Molecular Microbiology. 10: 273-282.*
- Falconi, M., McGovern, V., Gualerzi, G., Hillyard, D. i Higgins, N.P.** (1991). *Mutations altering chromosomal protein H-NS induce mini-Mu transposition. New Biologist. 3: 615-625.*
- Falconi, M., Prosseda, G., Giangrossi, M., Beghetto, E. i Colonna, B.** (2001). *Involvement of FIS in the H-NS-mediated regulation of virF gene of Shigella and enteroinvasive Escherichia coli. Molecular Microbiology. 42: 439-452.*
- Farrand, S.K.** (1993). *Conjugal transfer of Agrobacterium plasmids. A Clewell, D.B. (ed.). Bacterial Conjugation. Plenum Press, New York, pàgs. 255-291.*
- Farizo, K.M., Huang, T. i Burns, D.L.** (2000). *Importance of holotoxin assembly in Ptl-mediated secretion of pertussis toxin from Bordetella pertussis. Infection and Immunity. 68: 4049-4054.*
- Fernandez, D., Dang, T.A., Spudich, G.M., Zhou, X.R., Berger, B.R. i Christie, P.J.** (1996). *The Agrobacterium tumefaciens virB7 gene product, a proposed component of the T-complex transport apparatus, is a membrane-associated lipoprotein exposed at the periplasmic surface. Journal of Bacteriology., 178: 3156-3167.*
- Fica, A., Fernández-Beros, M.E., Aron-Hott, L., Rivas, A., D'Ottone, K., Chumpitaz, J., Guevara, J.M., Rodríguez, M. i Cabello, F.** (1997). *Antibiotic-resistant Salmonella typhi from two outbreaks: few ribotypes and IS200 types harbor IncHII plasmids.. Microbial Drug Resistance. 3: 339-343.*
- Filutowicz, M., McEachern, M., Greener, A., Mukhopadyay, P., Ulenhopp, E., Durland, R. i Helsinki, D.** (1985). *Role of the initiation protein and direct nucleotide sequence repeats in the regulation of plasmid R6K replication. A Helsinki, D.R., Cohen, S.N., Clewell, D.B., Jackson, D.A. i Hollaender, A. (eds.). Plasmids in Bacteria. Plenum Publishing, New York, pàgs. 125-140.*
- Filutowicz, M., McEachern, M. i Helsinki, D.** (1986). *Positive and negative roles of an initiator protein at an origin of replication. Proceedings of the National Academy of Sciences of the United States of America. 83: 9645-9649.*
- Finkel, S.A. i Johnson, R.C.** (1992). *The Fis protein: it's not just for DNA inversion anymore. Molecular Microbiology. 6: 3257-3265.*
- Firth, N., Ippen-Ihler, K. i Skurray, R.** (1996). *Structure and function of the F factor and mechanism of conjugation. A Neidhardt, F.C., Curtis III, R.,*

- Ingraham, J.L., Lin, E.C.C., Low, K.B., Magasanik, B., Reznikoff, W.S., Riley, M., Schaechter, M., Umberger, H.E. (eds.). *Escherichia coli* and *Salmonella*: Cellular and Molecular Biology. American Society for Microbiology Press, Washington, DC, pàgs. 2377-2401.
- Firth, N., Ridgway, K.P., Byrne, M.E., Fink, P.D., Johnson, L., Paulsen, I.T. i Skurray, R.A.** (1993). *Analysis of a transfer region from the staphylococcal conjugative plasmid pSK41*. *Gene*. **136**: 13-25.
- Firth, N. i Skurray, R.** (1992). *Characterization of the F plasmid bifunctional conjugation gene, traG*. *Molecular of General Genetics*. **232**: 145-153.
- Forns, N., Baños, R., Balsalobre, C., Juárez, A. i Madrid, C.** (2005). *Temperature-dependent conjugative transfer of R27: role of chromosome- and plasmid-encoded Hha and H-NS proteins*. *Journal of Bacteriology*. **187**(12): 3950-3959.
- Free, A. i Dorman, C.J.** (1997). *The Escherichia coli stpA gene is transiently expressed during growth in rich medium and is induced in minimal medium and by stress conditions*. *Journal of Bacteriology*. **179**: 909-918.
- Free, A., Williams, R. M., i Dorman, C. J.** (1998). *The StpA protein functions as a molecular adapter to mediate repression of the bgl operon by truncated H-NS in Escherichia coli*. *Journal of Bacteriology*. **180**: 994-997.
- Freundlich, M., Ramani, N., Mathew, E., Sirko, A. i Tsui, P.** (1992). *The role of integration host factor in gene expression in Escherichia coli*. *Molecular Microbiology*. **6**: 2557-2563.
- Frey, J. i Bagdasarian, M.** (1989). *The molecular biology of IncQ plasmids*. A Thomas, C.M. (ed.). *Promiscuous plasmids of Gram-negative Bacteria*. Academic Press Ltd., London, pàgs. 79-94.
- Friedrich, K., Gualerzi, C.O., Lammi, M., Losso, M.A. i Pon, C.L.** (1988). *Proteins from the prokaryotic nucleoid. Interaction of nucleic acids with the 15 kDa Escherichia coli histone-like protein H-NS*. *FEBS Letters*. **229**: 197-202.
- Frost, L.S.** (1993). *Conjugative pili and pilus-specific phages*. A Clewell, D.B. (ed.). *Bacterial Conjugation*. Plenum Press, New York, pàgs. 189-221.
- Frost, L.S., Finlay, B.B., Opgenorth, A., Paranchych, W. i Lee, J.S.** (1985). *Characterization and sequence analysis of pilin from F-like plasmids*. *Journal of Bacteriology*. **164**: 1238-1247.

- Frost, L.S., Ippen-Ihler, K. i Skurray, R.A.** (1994). *Analysis of the sequence and gene products of the transfer region of the F sex factor*. Microbiological Reviews. **58**: 162-210.
- Frost, L.S., Leplae, R., Summers, A.O. i Toussaint, A.** (2005). *Mobile genetic elements: the agents of open source evolution*. Nature Reviews. **3**: 722-732.
- Fullner, K.J. i Nester, E.W.** (1996). *Temperature affects the T-DNA transfer machinery of Agrobacterium tumefaciens*. Journal of Bacteriology. **178**: 1498-1504.
- Fullner, K.J., Lara, J.C. i Nester, E.W.** (1996). *Pilus assembly by Agrobacterium T-DNA transfer genes*. Science. **273**: 1107-1109.
- Fullner, K.J., Stephens, K.M. i Nester, E.W.** (1994). *An essential virulence protein of Agrobacterium tumefaciens, VirB4: requires an intact mononucleotide binding domain to function in transfer of T-DNA*. Molecular of General Genetics. **245**: 704-715.
- Gabant, P., Chahdi, A.O. i Couturier, M.** (1994). *Nucleotide sequence and replication characteristics of RepHII B: a replicon specific to the IncHII plasmids*. Plasmid. **31**: 111-120.
- Gabant, P., Newnham, P., Taylor, D. i Couturier, M.** (1993). *Isolation and location on the R27 map of two replicons and an incompatibility determinant specific for IncHII plasmids*. Journal of Bacteriology. **175**: 7697-7701.
- Gajiwala, K.S. i Burley, S.K.** (2000). *HDEA, a periplasmic protein that supports acid resistance en pathogenic enteric bacteria*. Journal of Molecular Biology. **295**: 605-612.
- García, J., Cordeiro, T.N., Nieto, J.M., Pons, I., Juárez, A. i Pons, M.** (2005). *Interaction between the bacterial nucleoid associated proteins Hha and H-NS involves a conformational change of Hha*. Biochemical Journal. **388**: 755-762.
- Geider, K. i Hoffmann-Berling, H.** (1981). *Proteins controlling the helical structure of DNA*. Annual Review of Biochemistry. **50**: 233-260.
- Gerdes, K., Moller-Jensen, J. i Bugge, J.R.** (2000). *Plasmid and chromosome partitioning: surprises from phylogeny*. Molecular Microbiology. **37**: 455-466.
- Giangrossi, M., Zattoni, S., Tramonti, A., De Biase, D. i Falconi, M.** *Antagonistic role of H-NS and GadX in the regulation of the glutamate decarboxylase-*

- dependent acid resistance system in Escherichia coli*. The Journal of Biological Chemistry. **280**: 21489-21505.
- Giel, M., Desnoyer, M. i Lopilato, J.** (1996). *A mutation in new gene, bglJ, activates the bgl operon in Escherichia coli K-12*. Genetics. **143**: 627-635.
- Gilmour, M. W., Gunton, J. E., Lawley, T. E. i Taylor, D. E.** (2003). *Interaction between the IncHII plasmid R27 coupling protein and type IV secretion system: TraG associates with the coiled-coil mating pair formation protein TrhB*. Molecular Microbiology. **49**: 105-116.
- Gilmour, M.W., Lawley, T.D., Rooker, M.M., Newnham, P.J. i Taylor, D.E.** (2001). *Cellular location and temperature-dependent assembly of IncHII plasmid R27-encoded TrhC-associated conjugative transfer protein complexes*. Molecular Microbiology. **42**: 705-715.
- Gilmour, M. W., Thomson, N.R., Sondens, M., Parkhill, J. i Taylor, D.E.** (2004). *The complete sequence of the resistance plasmid R478: defining the backbone components of incompatibility group H conjugative plasmids through comparative genomics*. Plasmid. **52**: 182-202.
- Glaser, P., Ladant, D., Selzer, D., Pichot, F., Ullmann, A. i Daunchin, A.** (1988). *The calmodulin-sensitive adenylate-cyclase of Bordetella pertussis: cloning and expression in Escherichia coli*. Molecular Microbiology. **2**: 19-30.
- Godessart, N., Muñoa, F.J., Regué, M. i Juárez, A.** (1988). *Chromosomal mutations that increase the production of a plasmid-encoded haemolysin in Escherichia coli*. Journal of General Microbiology. **134**: 2779-2787.
- Goebel, W. i Hedgpeth, J.** (1982). *Cloning and functional characterization of the plasmid encoded hemolysin determinant of Escherichia coli*. Journal of Bacteriology. **151**: 1290-1298.
- Goebel, W. i Schrempf, H.** (1971). *Isolation and characterization of supercoiled circular deoxyribonucleic acid from beta-haemolytic strains of Escherichia coli*. Journal of Bacteriology. **106**: 311-317.
- Goh, E.B., Siino, D.F. i Igo, M.M.** (2004). *The Escherichia coli tppB (ydgR) gene represents a new class of OmpR-regulated genes*. Journal of Bacteriology. **186**: 4019-4024.
- Goldberg, M.D., Johnson, M., Hilton, J.C.D. i Williams, P.H.** (2001). *Role of the nucleoid-associated protein Fis in the regulation of virulence properties of enteropathogenic Escherichia coli*. Molecular Microbiology. **41**: 549-559.

- Gomez-Lus, R.** (1998). *Evolution of bacterial resistance to antibiotics during the last three decades*. International Microbiology: the Official Journal of the Spanish Society for Microbiology. **1**: 279-284.
- Gomis-Ruth, F.X., Moncalian, G., de la Cruz, F. i Coll, M.** (2002). *Conjugative plasmid protein TrwB, an integral membrane type IV secretion system coupling protein. Detailed structural features and mapping of the active site cleft*. The Journal of Biological Chemistry. **277**: 7556-7566.
- Gomis-Ruth, F.X., Moncalian, G., Perez-Luque, R., Gonzalez, A., Cabezon, E., de la Cruz, F. i Coll, M.** (2001). *The bacterial conjugation protein TrwB resembles ring helicases and F1-ATPase*. Nature. **409**: 637-641.
- González-Gil, G., Bringmann, P. i Kahmann, R.** (1996). *FIS is a regulator of metabolism in Escherichia coli*. Molecular Microbiology. **22**: 21-29.
- Goosen, N i Van de Putte, P.** (1995). *The regulation of transcription initiation by integration host factor*. Molecular Microbiology. **16**: 1-7.
- Göransson, M., Sonden, B., Nilsson, P., Dagberg, B., Forsman, K., Emanuelsson, K. i Uhlin, B.E.** (1990). *Transcriptional silencing and thermoregulation of gene expression in Escherichia coli*. Nature. **344**: 682-685.
- Gordon, G. S., Sitnikov, D., Webb, C. D., Teleman, A., Straight, A., Losick, R., Murray, A. W. i Wright, A.** (1997). *Chromosome and low copy plasmid segregation in E. coli: visual evidence for distinct mechanisms*. Cell. **90**: 1113-1121.
- Gordon, G. S. i Wright, A.** (2000) *DNA segregation in bacteria*. Annual Review of Microbiology. **54**: 681-708.
- Görke, B. i Rak B.** (1999). *Catabolite control of Escherichia coli regulatory protein BglG activity by antagonistically acting phosphorylations*. The EMBO Journal. **18 (12)**: 3370-3379.
- Gormley, E. P. i Davies, J.** (1991). *Transfer of plasmid RSF1010 by conjugation from Escherichia coli to Streptomyces lividans and Mycobacterium smegmatis*. Journal of Bacteriology. **173**: 6705-6708.
- Gottesman, S.** (1984). *Bacterial regulation: global regulatory networks*. Annual Review of Genetics. **18**: 415-441.
- Govantes, F., Orjalo, A. V. i Gunsalus, R. P.** (2000). *Interplay between three global regulatory proteins mediates oxygen regulation of the Escherichia coli*

- cytochrome d oxidase (cydAB) operon*. *Molecular Microbiology*. **38**: 1061-1073.
- Goyard, S. i Bertin, P.** (1997). *Characterization of BpH3 and H-NS-like protein in Bordetella pertussis*. *Molecular Microbiology*. **24**: 815-823.
- Grahn, A.M., Haase, J., Bamford, D.H. i Lanka, E.** (2000). *Components of the RP4 conjugative transfer apparatus form an envelope structure bridging inner and outer membranes of donor cells: implications for related macromolecule transport systems*. *Journal of Bacteriology*. **182**: 1564-1574.
- Gray, C. W., Ward, R.V., Karran, E., Turconi, S., Rowles, A., Viglianghi, D., Southan, C., Barton, A., Fantom, K.G., West, A., Savopoulos, J., Hassan, N.J., Clinkenbeard, H., Hanning, C., Amegadzie, B., Davis, J.B., Dingwall, C., Livi, G.P. i Creasy, C. L.** (2000). *Characterization of human HtrA2, a novel serine protease involved in the mammalian cellular stress response*. *European Journal of Biochemistry*. **267**: 5699-5710.
- Grindley, N.D.F., Grindley, J.N. i Anderson, E.S.** (1972). *R factor compatibility groups*. *Molecular General Genetics*. **119**: 287-297.
- Grohmann, E., Günter, M. i Espinosa, M.** (2003). *Conjugative plasmid transfer in gram-positive bacteria*. *Microbiology and Molecular Biology Reviews*. **67**: 277-301.
- Grove, D.C. i Randall, W.A.** (1955). *Assay Methods of Antibiotics*. Medical Encyclopedia Inc., New York.
- Gruber, T.M. i Gross, C.A.** (2003). *Multiple sigma subunits and the partitioning of bacterial transcription space*. *Annual Review of Microbiology*. **57**: 441-466.
- Gruss, A. i Ehrlich, S. D.** (1989). *The family of highly interrelated single-stranded deoxyribonucleic acid plasmids*. *Microbiological Reviews*. **53**: 231-241.
- Guilvout, I., Hardie, K.R., Sauvonnet, N. i Pugsley, A.P.** (1999). *Genetic dissection of the outer membrane secretin PulD: are there distinct domains for multimerization and secretion specificity?* *Journal of Bacteriology*. **181**: 7212-7220.
- Guiney, D.G.** (1993). *Broad host range conjugative and mobilizable plasmids in gram-negative bacteria*. A Clewell D.B. (ed.). *Bacterial Conjugation*. Plenum Press, New York, pàgs. 75-103.

- Guiney, D.G. i Lanka, E.** (1989). *Conjugative transfer of IncP plasmids*. A Thomas C.M. (ed.). *Promiscuous plasmids of Gram-negative Bacteria*. Academic Press Ltd., London, pàgs. 27-56.
- Gunton, J.E., Gilmour, M.W., Alonso, G., Taylor, D.E.** (2005). *Subcellular localization and functional domains of the coupling protein, TraG, from IncHI plasmid R27*. *Microbiology*. **151**: 3549-3561.
- Gupta, S.D., Lee, B.T., Camakaris, J. i Wu, H.C.** (1995). *Identification of cutC and cutF (nlpE) genes involved in copper tolerance in Escherichia coli*. *Journal of Bacteriology*. **177**(15): 4207-4215.
- Gutierrez, C., Devedjian, J. C. i Gutierrez, C.** (1991). *Osmotic induction of gene osmC expression in Escherichia coli K-12*. *Journal of Molecular Biology*. **220**: 959-973.
- Haack, K.R., Robinson, C.L., Miller, K.J., Fowlkes, J.W. i Mellies, J.L.** (2003). *Interaction of Ler at the LEE5 (tir) operon of enteropathogenic Escherichia coli*. *Infection and Immunity*. **71**: 384-392.
- Haase, J., Kalkum, M. i Lanka, E.** (1996). *TrbK, a small cytoplasmic membrane lipoprotein, functions in entry exclusion of the IncP alpha plasmid RP4*. *Journal of Bacteriology*. **178**: 6720-6729.
- Haase, J. i Lanka, E.** (1997). *A specific protease encoded by the conjugative DNA transfer systems of IncP and Ti plasmids is essential for pilus synthesis*. *Journal of Bacteriology*. **179**: 5728-5735.
- Hamilton, C.M., Lee, H., Li, P.L., Cook, D.M., Piper, K.R., von Bodman, S.B., Lanka, E., Ream, W. i Farrand, S.K.** (2000). *TraG from RP4 and TraG and VirD4 from Ti plasmids confer relaxosome specificity to the conjugal transfer system of pTiC58*. *Journal of Bacteriology*. **182**: 1541-1548.
- Hampton, M.D., Ward, L.R., Rowe, B. i Threlfall, E.J.** (1998). *Molecular fingerprinting of multidrug-resistant Salmonella enterica serotype Typhi*. *Emerg. Infect. Dis.* **4**: 317-320.
- Hanahan, D., Jessee, J. i Bloom, F.R.** (1991). *Plasmid transformation of Escherichia coli and other bacteria*. *Methods in Enzymology*. **204**: 63-113.
- Hapfelmeier, S., Domke, N., Zambryski, P.C. i Baron, C.** (2000). *VirB6 is required for stabilization of VirB5 and VirB3 and formation of VirB7 homodimers in Agrobacterium tumefaciens*. *Journal of Bacteriology*. **182**: 4505-4511.

- Hardie, K.R., Issartel, J.P., Koronakis, E., Hughes, C. i Koronakis, V.** (1991). *In vitro activation of Escherichia coli prohaemolysin to the mature membrane-targeted toxin requires HlyC and a low molecular-weight cytosolic polypeptide*. *Molecular Microbiology*. **5**: 1669-1679.
- Harris, R.L., Hombs, V. i Silverman, P.M.** (2001). *Evidence that F-plasmid proteins TraV, TraK and TraB assemble into an envelope-spanning structure in Escherichia coli*. *Molecular Microbiology*. **42**: 757-766.
- Harris, R.L. i Silverman, P.M.** (2002). *Roles of internal cysteines in the function, localization, and reactivity of the TraV outer membrane lipoprotein encoded by the F plasmid*. *Journal of Bacteriology*. **184**: 3126-3129.
- Hatfield, G.W. i Benham, C.J.** (2002). *DNA topology-mediated control of global gene expression in Escherichia coli*. *Annual Review of Genetics*. **36**: 175-203.
- Hedges, R.W., Datta, N., Coetzee, J.N. i Dennison, S.** (1973). *R factors from Proteus Morgani*. *Journal of General Microbiology*. **77**: 249-259.
- Heinemann, J. A. i Sprage Jr., G. F.** (1989). *Bacterial conjugative plasmids mobilize DNA transfer between bacteria and yeast*. *Nature*. **340**: 205-209.
- Helmann, J.D.** (2002). *The extracytoplasmatic function (EFC) sigma factors*. *Advanced Microbiological Physiology* **46**: 47-110.
- Henderson, D. i Meyer, R.** (1999). *The MobA-linked primase is the only replication protein of R1162 required for conjugal mobilization*. *Journal of Bacteriology*. **181**: 2973-2978.
- Hengge-Aronis, R.** (1996). *Back to log phase: σ^S as a global regulator in osmotic control of gene expression in Escherichia coli*. *Molecular Microbiology*. **21**: 887-893.
- Hengge-Aronis, R.** (2002). *Signal transduction and regulatory mechanisms involved in control of the sigma (S) (RpoS) subunit of RNA polymerase*. *Microbiology and Molecular Biology Reviews*. **66**: 373-395.
- Heroven, A.K., Nagel, G., Tran, H.J., Parr, S. i Dersch, P.** (2004). *RovA is autoregulated and antagonizes H-NS-mediated silencing of invasion and rovA expression in Yersinia pseudotuberculosis*. *Molecular Microbiology*. **53**: 871-888.
- Herrero, M., de Lorenzo, V. i Timmis, K.N.** (1990). *Transposon vectors containing non-antibiotic resistance selection markers for cloning and stable*

- chromosomal insertion of foreign genes in gram-negative bacteria.* Journal of Bacteriology. **172**: 6557-6567.
- Hersh, B.M., Farooq, F.T., Barstad, D.N., Blankenhorn, D.L. i Slonczewski, J.L.** (1996). *A glutamate-dependent acid resistance gene in Escherichia coli.* Journal of Bacteriology. **178** (13): 3978-3981.
- Hess, J., Wels, W., Vogel, M. i Goebel, W.** (1986). *Nucleotide sequence of a plasmid- encoded haemolysin determinant and its comparison with a corresponding chromosomal haemolysin sequence.* FEMS Microbiology Letters. **34**: 1-11.
- Higgins, C.F., Dorman, C.J., Stirling, D.A., Waddell, L., Booth, I.R., May, G. I. i Bremer, E.** (1988). *A physiological role for DNA supercoiling in the osmotic regulation of gene expression in S. typhimurium and E. coli.* Cell. **52**: 569-584.
- Highlander, S. K. i Novick, R. P.** (1990). *Mutational and physiological analyses of plasmid pT181 function expressing incompatibility.* Plasmid. **23**: 1-15.
- Hill, C.S., Packman, L.C., i Thomas, J.O.** (1990). *Phosphorylation at clustered - Ser-Pro-X-Lys/Arg- motifs in sperm-specific histones H1 and H2B.* EMBO Journal **9**: 805-813.
- Hill, L.R.** (1966). *An index to deoxyribonucleic acid base compositions of bacterial species.* Journal of General Microbiology. **44**: 419-437.
- Hinnebusch, J. i Tilly, K.** (1993). *Linear plasmids and chromosomes in bacteria.* Molecular Microbiology. **10**: 917-922.
- Hiraga, S.** (2000). *Dynamic localization of bacterial and plasmid chromosomes.* Annual Review of Microbiology. **34**: 21-59.
- Hochschild, A. i Dove, S.L.** (1998). *Protein-protein contacts that activate and repress prokaryotic transcription.* Cell. **92**: 597-600.
- Hochuli, E.** (1988). *Large-scale chromatography of recombinant proteins.* Journal of Chromatography. **444**: 293-302.
- Hofreuter, D., Odenbreit, S. i Haas, R.** (2001). *Natural transformation competence in Helicobacter pylori is mediated by the basic components of a type IV secretion system.* Molecular Microbiology. **41**: 379-391.
- Holland, I.B., Mackman, N. i Nicaud, J.M.** (1986). *Secretion of proteins from bacteria.* Biotechnology. **4**: 427-431.

- Holsters, M., Silva, B., Van, V.F., Genetello, C., De, B.M., Dhaese, P., Depicker, A., Inze, D., Engler, G., Villarroel, R. i .** (1980). *The functional organization of the nopaline A. tumefaciens plasmid pTiC58*. Plasmid. **3**: 212-230.
- Hommais, F., Krin, E., Laurent-Winter, C., Soutourina, O., Malpertuy, A., Le Caer, J., Danchin, A. i Bertin, P.** (2001). *Large-scale monitoring of pleiotropic regulation of gene expression by prokaryotic nucleoid-associated protein, H-NS*. Molecular Microbiology. **40**(1): 20-36.
- Hopwood, D.A. i Kieser, T.** (1993). *Conjugative plasmids of Streptomyces*. A Clewell, D.B. (ed.). Bacterial Conjugation. Plenum Press, New York, pàgs. 293-311.
- Howard, M., Nelson, W.C. i Matson, S.W.** (1995). *Stepwise assembly of a relaxosome at the F plasmid origin of transfer*. The Journal of Biological Chemistry. **270**: 28381-28386.
- Huges, V. M. i Datta, N.** (1983). *Conjugative plasmids in bacteria of the pre-biotic era*. Nature. **302**: 725-726.
- Hughes, K. i Mathee, K.** (1998). *The anti-sigma factors*. Annual Review of Microbiology. **52**: 231-286.
- Hulton, C.S.J., Seirafi, A., Hinton, J.C.D., Sidebotham, J.M., Waddell, L., Pavitt, G.D., Owen-Hughes, T., Spassky, A., Buc, H. i Higgins, C.F.** (1990). *Histone-like protein H1 (H-NS), DNA supercoiling, and gene expression in bacteria*. Cell. **63**: 631-642.
- Hurme, R., Berndt, K.D., Namork, E. i Rhen, M.** (1996). *DNA binding exerted by a bacterial gene regulator with an extensive coiled-coil domain*. The Journal of Biological Chemistry. **271**: 12626-12631.
- Hurme, R., Berndt, K.D., Normark, S.J. i Rhen, M.** (1997). *A proteinaceous gene regulatory thermometer in Salmonella*. Cell. **90**: 55-64.
- Ibrahim, Y. M., Kerr, A. R., McCluskey, J. i Mitchell, T. J.** (2004). *Role of HtrA in the virulence and competence of Streptococcus pneumoniae*. Infection and Immunity. **72**(6): 3584-3591.
- Inamoto, S., Yoshioka, Y. i Ohtsubo, E.** (1991). *Site- and strand-specific nicking in vitro at oriT by the traY-traI endonuclease of plasmid R100*. The Journal of Biological Chemistry. **266**: 10086-10092.
- Iordanescu, S.** (1987). *The Inc3B determinant of plasmid pT181. A mutational analysis*. Molecular of general genetics. **207**: 60-67.

- Ippen-Ihler, K.A. i Minkley, E.G., Jr.** (1986). *The conjugation system of F, the fertility factor of Escherichia coli*. Annual Review of Genetics. **20**: 593-624.
- Ippen-Ihler, K. i Skurray, R.** (1993). *Genetic organization of transfer-related determinants on the sex factor F and related plasmids*. A Clewell, D.B. (ed.). Bacterial Conjugation. Plenum Press, New York, pàgs.23-52.
- Ishihama, A.** (2000). *Functional modulation of Escherichia coli RNA polymerase*. Annual Review of Microbiology. **54**: 499-518.
- Issartel, J.P., Koronakis, V. i Hughes, C.** (1991). *Activation of E. coli prohaemolysin to the mature toxin by acyl carrier protein-dependent fatty acylation*. Nature. **351**: 759-761.
- Jakubowski, S.J., Krishnamoorthy, V. i Christie, P.J.** (2003). *Agrobacterium tumefaciens VirB6 protein participates in formation of VirB7 and VirB9 complexes required for type IV secretion*. Journal of Bacteriology. **185**: 2867-2878.
- Jakubowski, S.J., Krishnamoorthy, V., Cascales, E. i Christie, P.J.** (2004). *Agrobacterium tumefaciens VirB6 domains direct the ordered export of a DNA substrate through a type IV secretion System*. Journal of Molecular Biology. **341**: 961-977.
- Jensen, R. B., Dam, M. i Gerdes, K.** (1994). *Partitioning of plasmid R1. The parA operon is autoregulated by ParR and its transcription is highly stimulated by downstream activating element*. Journal of Molecular Biology. **236**: 1299-1309.
- Jensen, R. B. i Gerdes, K.** (1997). *Partitioning of plasmid R1. The ParM protein exhibits ATPase activity and interacts with the centromere-like ParR-parC complex*. Journal of Molecular Biology. **269**: 505-513.
- Jensen, R. B., Lurz, R. i Gerdes, K.** (1998). *Mechanism of DNA segregation in prokaryotes: replicon pairing by parC of plasmid R1*. Proceedings of the National Academy of Sciences of the United States of America. **95**: 8550-8555.
- Jiang, Y., Yang, F., Zhang, X., Yang, J., Chen, L., Yan, Y., Nie, H., Xiong, Z., Wang, J., Dong, J., Xue, Y., Xu, X., Zhu, Y., Chen, S. i Jin, Q.** (2005). *The complete sequence and analysis of the large virulence plasmid pSS of Shigella sonnei*. Plasmid. **54**: 149-159.

- Jin,Q., Yuan,Z.H., Xu,J.G., Wang,Y., Shen,Y., Lu,W.C., Wang,J.H., Liu,H., Yang,J., Yang,F., Qu,D., Zhang,X.B., Zhang,J.Y., Yang,G.W., Wu,H.T., Dong,J., Sun,L.L., Xue,Y., Zhao,A.L., Gao,Y.S., Zhu,J.P., Kan,B., Chen,S.X., Yao,Z.J., He,B.K., Chen,R.S., Ma,D.L., Qiang,B.Q., Wen,Y.M., Hou,Y.D. i Yu,J.** (2002). *Genome sequence of Shigella flexneri 2a: insights into pathogenicity through comparison with genomes of Escherichia coli K12 and O157*. Nucleic Acids Research. **30**: 4432-4441.
- Jin, S., Song, Y.N., Deng, W.Y., Gordon, M.P. i Nester, E.W.** (1993). *The regulatory VirA protein of Agrobacterium tumefaciens does not function at elevated temperatures*. Journal of Bacteriology. **175**: 6830-6835.
- Jishage, M., Iwata, A., Ueda, S. i Ishihama, A.** (1996). *Regulation of RNA polymerase sigma subunit synthesis in Escherichia coli: intracellular levels of four species of sigma subunit under various growth conditions*. Journal of Bacteriology **178**: 5447-5454.
- Johansson, J., Balsalobre, C., Wang, S.Y., Urbonaviciene, J., Jin, D.J., Sondén, B. i Uhlin, B.E.** (2000). *Nucleoid proteins stimulate stringently controlled bacterial promoters: A link between the cAMP-CRP and the (p)ppGpp regulons in Escherichia coli*. Cell. **102**: 475-485.
- Johansson, J., Dagberg, B., Richet, E. i Uhlin, B.E.** (1998). *H-NS and StpA proteins stimulate expression of maltose regulon in Escherichia coli*. Journal of Bacteriology. **180**: 6117-6125.
- Johansson, J., Eriksson, S., Sondén, B., Wai, S.N. i Uhlin. B.E.** (2001). *Heteromeric interactions among nucleoid-associated bacterial proteins: Localization of StpA-stabilizing regions in H-NS of Escherichia coli*. Journal of Bacteriology. **183**: 2343-2347.
- Johansson, J. i Uhlin, B.E.** (1999). *Differential protease-mediated turnover of H-NS and StpA revealed by a mutation altering protein stability and stationary-phase survival of Escherichia coli*. Proceedings of the National Academy of Sciences of the United States of America. **96**: 10776-10781.
- Jones, A.L., Shirasu, K. i Kado, C.I.** (1994). *The product of the virB4 gene of Agrobacterium tumefaciens promotes accumulation of VirB3 protein*. Journal of Bacteriology. **176**: 5255-5261.
- Jones, C.H., Bolken, T.C., Jones K.F., Zeller, G.O. i Hruby, D.E.** (2001). *Conserved DegP protease in gram-positive bacteria is essential for thermal*

- and oxidative tolerance and full virulence in *Streptococcus pyogenes*. *Infection and Immunity*. **69**: 5538-5545.
- Juárez, A., Hughes, C., Vogel, M. i Goebel, W.** (1984). *Expression and regulation of the plasmid-encoded haemolysin determinant of Escherichia coli*. *Molecular and General Genetics*. **197**: 196-203.
- Jubete, Y., Zabala, J.C., Juárez, A. i De la Cruz, F.** (1995). *hlyM, a transcriptional silencer downstream of the promoter in the hly operon of Escherichia coli*. *Journal of Bacteriology*. **177**: 242-246.
- Kajitani, M. i Ishihama, A.** (1991). *Identification and sequence determination of the host factor gene bacteriophage Q β* . *Nucleic Acids Research*. **19**: 1063-1066.
- Kalkum, M., Eisenbrandt, R. i Lanka, E.** (2004). *Proteins circlets as sex pilus subunits*. *Current Protein & Peptide Science*. **5**: 417-424.
- Kamio, Y. i Terawaki, Y.** (1983). *Nucleotide sequence of an incompatibility region of mini-RtsI that contains five direct repeats*. *Journal of Bacteriology*. **155**: 1185-1191.
- Kamio, Y., Itoh, Y. i Terawaki, Y.** (1988). *Purification of RstI RepA protein and binding of the protein to mini-RtsI DNA*. *Journal of Bacteriology*. **170**: 4411-4414.
- Kanehara, K., Ito, K. i Akiyama, Y.** (2002). *YaeL (EcfE) activates the sigma(E) pathway of stress response through a site-2 cleavage of anti-sigma(E), RseA*. *Genes and Development*. **16**: 2147-2155.
- Kar, S. i Adhya, S.** (2001). *Recruitment of HU by piggyback: a special role of GalR in repressosome assembly*. *Genes and Development*. **15**: 2273-2281.
- Kariuki, S., Revathi, G., Muyodi, J., Mwituria, J., Munyalo, A., Mirza, S. i Hart, C.A.** (2004). *Characterization of multidrug-resistant typhoid outbreaks in Kenya*. *Journal of Clinical Microbiology*. **42**: 1477-1482.
- Kellogg, S.T., Chatterjee, D.K. i Chakrabarty, A.M.** (1981). *Plasmid-assisted molecular breeding: new technique for enhanced biodegradation of persistent toxic chemicals*. *Science*. **214**: 1133-1135.
- Khan, M. A. i Isaacson, R. E.** (1998). *In vivo expression of the -glucoside (bgl) operon of Escherichia coli occurs in mouse liver*. *Journal of Bacteriology*. **180**: 4746-4749.
- Kim, K.I., Park, S., Kang S.H., Cheong, G. i Chung, C.H.** (1999). *Selective degradation of unfolded proteins by the self-compartmentalizing HtrA*

- protease, a periplasmic heat shock protein in Escherichia coli.* Journal of Molecular Biology. **294**: 1363-1374.
- Kim, S.R. i Komano, T.** (1992) *Nucleotide sequence of the R721 shufflon.* Journal of Bacteriology **174**: 7053-7058.
- Kitell, B.L. i Helsinki, D.R.** (1993). *Plasmid incompatibility and replication control.* A Clewell, D. B. (ed.). Bacterial conjugation. Plenum Press, New York, pàgs. 223-242.
- Klimke, W.A. i Frost, L.S.** (1998). *Genetic analysis of the role of the transfer gene, traN, of the F and R100-1 plasmids in mating pair stabilization during conjugation.* Journal of Bacteriology. **180**: 4036-4043.
- Klimke, W.A., Rypien, C.D., Klinger, B., Kennedy, R.A., Rodriguez-Maillard, J.M. i Frost, L.S.** (2005). *The mating pair stabilization protein, TraN, of the F plasmid is an outer-membrane protein with two regions that are important for its function in conjugation.* Microbiology. **151**: 3527-3540.
- Kolmar, H., Waller, P. R. H., Sauer, R. T.** (1996). *The DegP and DegQ periplasmic endoproteases of Escherichia coli: specificity for cleavage sites and substrate conformation.* Journal of Bacteriology. **178**: 5926-5929.
- Koraimann, G.** (2003). *Lytic transglycosylases in macromolecular transport systems of Gram-negative bacteria.* Cellular and Molecular Life Sciences. **60**: 2371-2388.
- Koronakis, V., Cross, M. i Hughes, C.** (1988). *Expression of the Escherichia coli haemolysin secretion gene hlyB involves transcript anti-terminator within the hly operon.* Nucleic Acids Research. **16**: 4789-4800.
- Krall, L., Wiedemann, U., Unsin, G., Weiss, S., Domke, N. i Baron, C.** (2002). *Detergent extraction identifies different VirB protein subassemblies of the type IV secretion machinery in the membranes of Agrobacterium tumefaciens.* Proceedings of National Academy of Sciences of the United States of America. **99**: 11405-11410.
- Krause, S., Barcena, M., Pansegrau, W., Lurz, R., Carazo, J.M. i Lanka, E.** (2000). *Sequence-related protein export NTPases encoded by the conjugative transfer region of RP4 and by the cag pathogenicity island of Helicobacter pylori share similar hexameric ring structures.* Proceedings of National Academy of Sciences of the United States of America. **97**: 3067-3072.

- Kues, U. i Stahl, U.** (1989). *Replication of plasmids in gram-negative bacteria*. Microbiological Reviews. **53**: 491-516.
- Kuhn, B., bdel-Monem, M., Krell, H. i Hoffmann-Berling, H.** (1979). *Evidence for two mechanisms for DNA unwinding catalyzed by DNA helicases*. The Journal of Biological Chemistry. **254**: 11343-11350.
- Kumar, R.B. i Das, A.** (2001). *Functional analysis of the Agrobacterium tumefaciens T-DNA transport pore protein VirB8*. Journal of Bacteriology. **183**: 3636-3641.
- Kumar, R.B., Xie, Y.H. i Das, A.** (2000). *Subcellular localization of the Agrobacterium tumefaciens T-DNA transport pore proteins: VirB8 is essential for the assembly of the transport pore*. Molecular Microbiology. **36**: 608-617.
- Kurenbach, B., Bohn, C., Prabhu, J., Abudukerim, M., Szewzyk, U. i Grohmann, E.** (2003). *Intergeneric transfer of the Enterococcus faecalis plasmid pIP501 to Escherichia coli and Streptomyces lividans and sequence analysis of its tra region*. Plasmid. **50**: 86-93.
- Kutsukake, K.** (1997). *Autogenous and global control of the flagellar master operon, flhD, in Salmonella typhimurium*. Molecular of General Genetics. **254**: 440-448.
- Lacatena, R. M. i Cesareni, G.** (1981). *Base pairing of RNAI with its complementary sequence in the primer precursor inhibits ColEI replication*. Nature. **294**: 623-626.
- Laemmli, U.K.** (1970). *Cleavage of structural proteins during the assembly of head of the bacteriophage T4*. Nature. **227** (259): 680-685.
- Lahue, E.E. i Matson, S.W.** (1988). *Escherichia coli DNA helicase I catalyzes a unidirectional and highly processive unwinding reaction*. The Journal of Biological Chemistry. **263**: 3208-3215.
- Lahue, E.E. i Matson, S.W.** (1990). *Purified Escherichia coli F-factor TraY protein binds oriT*. Journal of Bacteriology. **172**: 1385-1391.
- Lai, E.M. i Kado, C.I.** (2000). *The T-pilus of Agrobacterium tumefaciens*. Trends in Microbiology. **8**: 361-369.
- Lai, E.M., Eisenbrandt, R., Kalkum, M., Lanka, E. i Kado, C.I.** (2002). *Biogenesis of T pili in Agrobacterium tumefaciens requires precise VirB2 propilin cleavage and cyclization*. Journal of Bacteriology. **184**: 327-330.

- Landgraf, J. R., Levinthal, M. i Danchin, A.** (1994). *The role of H-NS in one-carbon metabolism*. *Biochemie*. **76**: 1063-1070.
- Lanka, E. i Wilkins, B. M.** (1995). *DNA processing reactions in bacterial conjugation*. *Annual Review of Biochemistry*. **64**: 141-169.
- Larsen, P.I., Sydnnes, L.K., Landfald, B. i Strøm, A.R.** (1987). *Osmoregulation in Escherichia coli by accumulation of organic osmolytes: betaines, glutamic acid, and threolose*. *Archives of Microbiology*. **147**: 1-7.
- Lawley, T.D., Burland, V. i Taylor, D.E.** (2000). *Analysis of the complete nucleotide sequence of the tetracycline-resistance transposon Tn10*. *Plasmid*. **43**: 235-239.
- Lawley, T.D., Gilmour, M.W., Gunton, J.E., Standeven, L.J. i Taylor, D.E.** (2002a). *Functional and mutational analysis of conjugative transfer region 1 (Tra1) from the IncH11 plasmid R27*. *Journal of Bacteriology*. **184**: 2173-2180.
- Lawley, T.D., Gilmour, M.W., Gunton, J.E., Tracz, D.M. i Taylor, D.E.** (2003a). *Functional and mutational analysis of conjugative transfer region 2 (Tra2) from the IncH11 plasmid R27*. *Journal of Bacteriology*. **185**: 581-591.
- Lawley, T.D., Klimke, W.A., Gubbins, M.J., i Frost L.S.** (2003b). *F factor conjugation is a true type IV secretion system*. *FEMS Microbiology Letters*. **224**: 1-15.
- Lawley, T.D., Gordon, G.S., Wright, A. i Taylor, D.E.** (2002b). *Bacterial conjugative transfer: visualization of successful mating pairs and plasmid establishment in live Escherichia coli*. *Molecular Microbiology*. **44**: 947-956.
- Lawley, T.D. i Taylor, D.E.** (2003). *Characterization of the double-partitioning modules of R27: correlating plasmid stability with plasmid localization*. *Journal of Bacteriology*. **185**: 3060-3067.
- Lebaron, P., Roux, V., Lett, M.C. i Baleux, B.** (1993). *Effects of pili rigidity and energy availability on conjugative plasmid transfer in aquatic environments*. *Microbial Releases: viruses, bacteria, fungi*. **2**: 127-133.
- Lederberg, J. i Tatum, E.L.** (1946). *Gene recombination in E. coli*. *Nature*. **158**: 558.
- Lee, M.H., Kosuk, N., Bailey, J., Traxler, B. i Manoil, C.** (1999). *Analysis of F factor TraD membrane topology by use of gene fusions and trypsin-sensitive insertions*. *Journal of Bacteriology*. **181**: 6108-6113.

- Lejeune, P. i Danchin, A.** (1990). *Mutations in the bglY gene increase the frequency of spontaneous deletions in Escherichia coli K12*. Proceedings of the National Academy of Sciences of the United States of America. **87**: 360-363.
- Lessl, M., Balzer, D., Lurz, R., Waters, V.L., Guiney, D.G. i Lanka, E.** (1992). *Dissection of IncP conjugative plasmid transfer: definition of the transfer region Tra2 by mobilization of the Tra1 region in trans*. Journal of Bacteriology. **174**: 2493-2500.
- Lessl, M. i Lanka, E.** (1994). *Common mechanisms in bacterial conjugation and Ti-mediated T-DNA transfer to plant cells*. Cell. **77**: 321-324.
- Li, L.Y., Shoemaker, N.B. i Salyers, A.A.** (1993). *Characterization of the mobilization region of a Bacteroides insertion element (NBU1) that is excised and transferred by Bacteroides conjugative transposons*. Journal of Bacteriology., **175**: 6588-6598.
- Li, L.Y., Shoemaker, N.B. i Salyers, A.A.** (1995). *Location and characteristics of the transfer region of a Bacteroides conjugative transposon and regulation of transfer genes*. Journal of Bacteriology. **177**: 4992-4999.
- Li, S. R., Dorrell, N., Everest, P. H., Dougan, G. i Wren, B. W.** (1996). *Construction and characterization of Yersinia enterocolitica O:8 high-temperature requirement (htrA) isogenic mutant*. Infection and Immunity. **64**: 2088-2094.
- Lin, L. -S. i Meyer, R. J.** (1986). *Directly repeated, 20-bp sequence of plasmid R1162 DNA is required for replication, expression of incompatibility, and copy number control*. Plasmid. **15**: 35-47.
- Linderoth, N.A., Model, P. i Russel, M.** (1996). *Essential role of a sodium dodecyl sulfate-resistant protein IV multimer in assembly-export of filamentous phage*. Journal of Bacteriology. **178**: 1962-1970.
- Lipinska, B., Zylicz, M i Georgopoulos, C.** (1990). *The HtrA (DegP) protein, essential for Escherichia coli survival at high temperatures, is an endopeptidase*. Journal of Bacteriology. **172**: 1791-1797.
- Liu, Q. i Richardson, C.C.** (1993). *Gene 5.5 protein of bacteriophage T7 inhibits the nucleoid protein H-NS of Escherichia coli*. Proceedings of National Academy of Sciences of the United States of America. **90**: 1761-1765.

- Llosa, M., Bolland, S. i de la Cruz, F.** (1994). *Genetic organization of the conjugal DNA processing region of the IncW plasmid R388*. Journal of Molecular Biology. **235**: 448-464.
- Llosa, M. i de la Cruz, F.** (2005). *Bacterial conjugation: a potential tool for genomic engineering*. Research in Microbiology. **156**: 1-6.
- Llosa, M., Gomis-Ruth, F.X., Coll, M. i de la Cruz, F.F.** (2002). *Bacterial conjugation: a two-step mechanism for DNA transport*. Molecular Microbiology. **45**: 1-8.
- Llosa, M., Grandoso, G. i de la Cruz, F.** (1995). *Nicking activity of TrwC directed against the origin of transfer of the IncW plasmid R388*. Journal of Molecular Biology. **246**: 54-62.
- Llosa, M. i O'Callaghan, D.** (2004). *Euroconference on the Biology of Type IV Secretion Processes: bacterial gates into the outer world*. Molecular Microbiology. **53**: 1-8.
- Llosa, M., Zunzunegui, S. i de la Cruz, F.** (2003). *Conjugative coupling proteins interact with cognate and heterologous VirB10-like proteins while exhibiting specificity for cognate relaxosomes*. Proceedings of National Academy of Sciences of the United States of America. **100**: 10465-10470.
- Lopilato, J. i Wright, A.** (1990). *Mechanisms of activation of the cryptic bgl operon of Escherichia coli K-12*. A Drlica, K. i Riley, M. (eds.). The Bacterial Chromosome. American Society for Microbiology Press, Washington DC, pàgs. 435-444.
- Lu, J., Manchack, J., Klimke, W., Davidson, C., Firth, N., Skurray, R. i Frost, L.S.** (2002). *Analysis and characterization of the IncFV plasmid pED208 transfer region*. Plasmid. **48**: 24-37.
- Luo, Y., Gao, Q. i Deonier, R.C.** (1994). *Mutational and physical analysis of F plasmid traY protein binding to oriT*. Molecular Microbiology. **11**: 459-469.
- Luo, Z.Q. i Isberg, R.R.** (2004). *Multiple substrates of the Legionella pneumophila Dot/Icm system identified by interbacterial protein transfer*. Proceedings of National Academy of Sciences of the United States of America. **101**: 841-846.
- Lupas, A.** (1996). *Coiled coils: new structures and new functions*. Trends in Biochemistry Science. **21**: 375-382.
- Lutch, J. M., Dersch, P., Kempf, B. i Bremer, E.** (1994). *Interactions of the nucleoid-associated DNA binding protein H-NS with the regulatory region of*

- the osmotically controlled proU operon of Escherichia coli*. The Journal of Biological Chemistry. **269**:6578-6586.
- Ma, Z., Gong, S., Richard, H., Tucker, D.L., Conway, T., Foster, J.W.** (2003). *GadE (YhiE) activates glutamate decarboxylase-dependent acid resistance in Escherichia coli K-12*. Molecular Microbiology. **49**:1309-1320.
- Machón, C., Rivas, S., Albert, A., Goni, F.M. i de la Cruz, F.** (2002). *TrwD, the hexameric traffic ATPase encoded by plasmid R388: induces membrane destabilization and hemifusion of lipid vesicles*. Journal of Bacteriology. **184**: 1661-1668.
- Macrina, F.L. i Archer, G.L.** (1993). *Conjugation and broad host range plasmids in Streptococci and Staphylococci*. A Clewell, D.B. (ed.). Bacterial Conjugation. Plenum Pres, New York, pàgs. 313-329.
- Madhusudan, S., Paukner, A., Klingen, Y. i Schnetz, K.** (2005). *Independent regulation of H-NS-mediated silencing of the bgl operon at two levels: upstream by BglJ and LeuO and downstream by DnaKJ*. Microbiology. **151**: 3349-3359.
- Madrid, C., Nieto, J.M. i Juárez, A.** (2002a). *Role of the Hha/YmoA family of proteins in the termoregulation of the expression of virulence factors*. International Journal of Medical Microbiology. **291**: 425-432.
- Madrid, C., Nieto, J.M., Paytubi, S., Falconi, M., Gualerzi, C.O. i Juárez, A.** (2002b). *Temperature- and H-NS-dependent regulation of a plasmid-encoded virulence operon expressing Escherichia coli hemolysin*. Journal of Bacteriology. **184**: 5058-5066.
- Magasanik, B. i Neidhardt, F.C.** (1987). *Regulation of carbon and nitrogen utilization*. A Neidhardt, F.C., Ingraham, J.L., Low, K.B., Magasanik, B., Schaechter, M. i Umberger, H.E. (eds). *Escherichia coli and Salmonella typhimurium: Cellular and Molecular Biology*. American Society for Microbiology Press, Washington, DC, pàgs. 1318–1325.
- Mahadevan, S., Reynolds, A. E. i Wright, A.** (1987). *Positive and negative regulation of the bgl operon in Escherichia coli*. Journal of Bacteriology. **169**: 2570-2578.
- Mahadevan, S. i Wright, A.** (1987). *A bacterial gene involved in transcription antitermination: regulation at rho-independent terminator in the bgl operon of E. coli*. Cell. **50**: 485-494.

- Maher, D. i Taylor, D.E.** (1993). *Host range and transfer efficiency of incompatibility group HI plasmid*. Canadian Journal of Microbiology. **39**: 581-587.
- Maher, D., Sherburne, R. i Taylor, D.E.** (1993). *H-pilus assembly kinetics determined by electron microscopy*. Journal of Bacteriology. **175**: 2175-2183.
- Majdalani, N. i Ippen-Ihler, K.** (1996). *Membrane insertion of the F-pilin subunit is Sec independent but requires leader peptidase B and the proton motive force*. Journal of Bacteriology. **178**: 3742-3747.
- Majdalani, N., Moore, D., Maneewannakul, S. i Ippen-Ihler, K.** (1996). *Role of the propilin leader peptide in the maturation of F pilin*. Journal of Bacteriology. **178**: 3748-3754.
- Malek, J.A., Wierzbowski, J.M., Tao, W., Bosak, S.A., Saranga, D.J., Doucette-Stamm, L., Smith, D.R., McEwan, P.J. i McKernan, K.J.** (2004). *Protein interaction mapping on a functional shotgun sequence of Rickettsia sibirica*. Nucleic Acids Research. **32**: 1059-1064.
- Maneewannakul, S., Kathir, P. i Ippen-Ihler, K.** (1992). *Characterization of the F plasmid mating aggregation gene traN and of a new F transfer region locus trbE*. Journal of Molecular Biology. **225**: 299-311.
- Manning, P.A., Morelli, G. i Achtman, M.** (1981). *traG protein of the F sex factor of Escherichia coli K-12 and its role in conjugation*. Proceedings of National Academy of Sciences of the United States of America. **78**: 7487-7491.
- Marmur, J.** (1961). *A procedure for the isolation of deoxyribonucleic acid from micro-organisms*. Journal of Molecular Biology. **3**: 208-218.
- Marshal, D. G., Sheenan, B. J. i Dorman, C. J.** (1999). *A role for the leucine-responsive regulator protein and integration host factor in the regulation of the Salmonella plasmid virulence (spv) locus in Salmonella typhimurium*. Molecular Microbiology. **34**: 134-145.
- Martínez-Antonio, A. i Collado-Vides, J.** (2003). *Identifying global regulators in transcriptional regulatory networks in bacteria*. Current Opinion in Microbiology. **6**: 482-489.
- Marykwas, D.L., Schmidt, S.A. i Berg, H.C.** (1996). *Interacting components of the flagellar motor of Escherichia coli revealed by the two-hybrid system in yeast*. Journal of Molecular Biology. **256**: 564-576.

- Masson, L. i Ray, D. S.** (1986). *Mechanism of autonomous control of the Escherichia coli F plasmid: different complexes of the initiator/repressor protein are bound to its operator and to an F plasmid replication origin.* Nucleic Acids Research. **14**: 5693-5711.
- Matson, S.W. i Kaiser-Rogers, K.A.** (1990). *DNA helicases.* Annual Review of Biochemistry. **59**: 289-329.
- Matson, S.W. i Morton, B.S.** (1991). *Escherichia coli DNA helicase I catalyzes a site- and strand-specific nicking reaction at the F plasmid oriT.* The Journal of Biological Chemistry. **266**: 16232-16237.
- Maurelli, A.T. i Sansonetti, P.J.** (1988). *Identification of a chromosomal gene controlling temperature-regulated expression of Shigella virulence.* Proceedings of the National Academy of Sciences of the United States of America. **85**: 2820-2824.
- Mazel, D. i Davies, J.** (1999). *Antibiotic resistance in microbes.* Cellular and Molecular Life Sciences. **56**: 742-754.
- Mazodier, P. i Davies, J.** (1991). *Gene transfer between distantly related bacteria.* Annual Review of Genetics. **25**: 147-171.
- McClelland, M., Sanderson, K.E., Spieth, J., Clifton, S.W., Latreille, P., Courtney, L., Porwollik, S., Ali, J., Dante, M., Du, F., Hou, S., Layman, D., Leonard, S., Nguyen, C., Scott, K., Holmes, A., Grewal, N., Mulvaney, E., Ryan, E., Sun, H., Florea, L., Miller, W., Stoneking, T., Nhan, M., Waterston, R. i Wilson, R.K.** (2001). *Complete genome sequence of Salmonella enterica serovar Typhimurium LT2.* Nature. **413**: 852-856.
- McEachern, M. J., Filutowicz, M., Yang, S., Greener, A., Mukhopadhyay, P. i Helsinki, D. R.** (1986). *Elements involved in copy number regulation of antibiotic resistance plasmid R6K.* In Banbury Report 24: Antibiotic Resistance Genes: Ecology, Transfer and Expression. Cold Spring Harbor Laboratory, Cold Spring Harbor, New York, pàgs. 195-204.
- McLeod, S.M. i Johnson, R.C.** (2001). *Control of transcription by nucleoid proteins.* Current Opinion in Microbiology. **4**: 152-159.
- Menestrina, G., Moser, C., Pellet, S. i Welch, R.** (1994). *Pore-formation by Escherichia coli haemolysin (HlyA) and other members of the RTX toxins family.* Toxicology. **87**: 249-267.

- Merlin, C.J., Mahillon, J., Nesvera i Toussaint, A.** (2000). *Gene recruiters and transporters: the modular structure of bacterial mobile elements*. A Thomas, C.M. (ed.). The horizontal gene pool. Bacterial plasmids and gene spread. Harwood Academic Publishers, Amsterdam, The Netherlands, pàgs. 363-409.
- Merryweather, A., Rees, C.E., Smith, N.M. i Wilkins, B.M.** (1986). *Role of sog polypeptides specified by plasmid ColIb-P9 and their transfer between conjugating bacteria*. EMBO Journal. **5**: 3007-3012.
- Mikulskis, A.V. i Cornelis, G.** (1994). *A new class of proteins regulating gene expression in enterobacteria*. Molecular Microbiology. **11**: 77-86.
- Miller, J.H.** (1992). *A Short Course in Bacterial Genetics. A Laboratory Manual and Handbook for Escherichia coli and Related Bacteria*. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y.
- Miller, V. i Mekalanos, J.** (1988). *A novel suicide vector and its use in construction of insertion mutations: osmoregulation of outer membrane proteins and virulence determinants in Vibrio cholerae requires toxR*. Journal Bacteriology. **170**: 2575-2583.
- Missiakas, D, Betton, J. M. i Raina, S.** (1996). *New components of protein folding in extracytoplasmic compartments of Escherichia coli SurA, FkpA and Skp/OmpH*. Molecular Microbiology. **21**: 871-884.
- Missiakas, D. i Raina, S.** (1997). *Signal transduction pathways in response to protein missfolding in the extracytoplasmic compartments of E. coli: role of two new phosphoprotein phosphatases PrpA and PrpB*. EMBO Journal. **16**: 1670-1685.
- Model, P., Jovanovic, G. i Dworkin, J.** (1997). *The Escherichia coli phage shock protein (psp) operon*. Molecular Microbiology. **24**: 255-261.
- Molin, S. i Nordstorm, K.** (1980). *Control of replication of plasmid R1. Functions involved in replication, copy number control, incompatibility and switch-off of replication*. Journal of Bacteriology. **141**: 111-120.
- Moller-Jensen, J., Jensen, R. B., Lowe, J. i Gerdes, K.** (2002). *Prokaryotic DNA segregation by actin-like filament*. EMBO Journal. **21**: 3119-3127.
- Moncalian, G., Cabezon, E., Alkorta, I., Valle, M., Moro, F., Valpuesta, J.M., Goni, F.M. i de la Cruz, F.** (1999). *Characterization of ATP and DNA binding activities of TrwB, the coupling protein essential in plasmid R388 conjugation*. The Journal of Biological Chemistry. **274**: 36117-36124.

- Moore, D., Hamilton, C.M., Maneewannakul, J., Mintz, Y., Frost, L.S. i Ippen-Ihler, K.** (1993). *The Escherichia coli K-12 F plasmid gene traX is required for acetylation of F pilin.* Journal of Bacteriology. **175**: 1383.
- Moore, D., Maneewannakul, S., Maneewannakul, J., Wu, K., Ippen-Ihler, K. i Bradley, D.E.** (1990). *Characterization of the F-plasmid conjugative transfer gene traU.* Journal of Bacteriology. **172**: 4263-4270.
- Moore, D., Sowa, B.A. i Ippen-Ihler, K.** (1981). *The effect of tra mutations on the synthesis of the F-pilin membrane polypeptide.* Molecular of General Genetics. **184**: 260-264.
- Moore, R.J. i Krischnapillai, V.** (1982). *Tn7 and Tn501 insertions into Pseudomonas aeruginosa plasmid r91-5: mapping of two transfer regions.* Journal of Bacteriology. **149**: 276-283.
- Motallebi-Veshareh, M., Balzer, D., Lanka, E., Jagura-Burdzy, G. i Thomas, C.M.** (1992). *Conjugative transfer functions of broad-host-range plasmid RK2 are coregulated with vegetative replication .* Molecular Microbiology. **6**: 907-920.
- Mouriño, M., Balsalobre, C., Madrid, C., Nieto, J.M., Prenafreta, A., Muñoa, F.J. i Juárez, A.** (1998). *Osmolarity modulates the expression of the Hha protein from Escherichia coli.* FEMS Microbiology Letters. **160**: 225-229.
- Mouriño, M., Madrid, C., Balsalobre, C., Prenafreta, A., Muñoa, F.J., Blanco, J., Blanco, M., Blanco, J.E. i Juárez, A.** (1996). *The Hha protein as a modulator of expression of virulence factors in Escherichia coli.* Infection and Immunity. **64**: 2881-2884.
- Mouriño, M., Muñoa, F.J., Balsalobre, C., Díaz, P., Madrid, C. i Juárez, A.** (1994). *Environmental regulation of α -hemolysin expression in Escherichia coli.* Microbial Pathogenesis **16**: 249-259.
- Muffler, A., Fischer, D., Altuvia, S., Storz, G. i Hengge-Aronis, R.** (1996). *The RNA-binding protein HF-I, known as a host factor for phage Q β RNA replication, is essential for rpoS translation in Escherichia coli.* Genes and Development. **10**: 1143-1151.
- Mukerji, M. i Mahadevan, S.** (1997). *Characterization of the negative elements involved in silencing the bgl operon of Escherichia coli: possible roles of DNA gyrase, H-NS and CRP-cAMP in regulation.* Molecular Microbiology. **24**: 617-627.

- Murotsu, T., Matsubara, K., Sugisaki, H. i Takanami, M.** (1981). *Nine unique repeating sequences on a region essential for replication and incompatibility of the mini-F plasmid.* *Gene.* **15:** 257-271.
- Nelson, W.C., Howard, M.T., Sherman, J.A. i Matson, S.W.** (1995). *The traY gene product and integration host factor stimulate Escherichia coli DNA helicase I-catalyzed nicking at the F plasmid oriT.* *Journal of Biological Chemistry.* **270:** 28374-28380.
- Nelson, W.C., Morton, B.S., Lahue, E.E. i Matson, S.W.** (1993). *Characterization of Escherichia coli F factor traY gene product and its binding sites.* *Journal of Bacteriology.* **175:** 2221-2228.
- Newnham, P.J. i Taylor, D.E.** (1994). *Molecular analysis of RepHIIA, a minimal replicon of the IncHII plasmid R27.* *Molecular Microbiology.* **11:** 757-768.
- Nieto, J.M., Bailey, M.J.A., Hughes, C. i Koronakis, V.** (1996). *Suppression of transcription polarity in the Escherichia coli haemolysin operon by a short upstream element shared by polysaccharide and DNA transfer determinants.* *Molecular Microbiology.* **19:** 705-713.
- Nieto, J.M., Carmona, M., Bolland, S., Jubete, Y., de la Cruz, F. i Juárez, A.** (1991). *The hha gene modulates haemolysin expression in Escherichia coli.* *Molecular Microbiology.* **5:** 1285-1293.
- Nieto, J.M. i Juárez, A.** (1996). *A new member of the Hha/YmoA class of bacterial regulators in plasmid R100 of Escherichia coli?* *Molecular Microbiology.* **19:** 407.
- Nieto, J.M. i Juárez, A.** (1999). *The putative orf4 of broad-host-range conjugative plasmid R446 could be related to the H-NS family of bacterial nucleoid-associated proteins.* *Plasmid.* **41:** 125-127.
- Nieto, J.M., Madrid, C., Miquelay, E., Parra, J.L., Rodriguez, S. i Juarez, A.** (2002). *Evidence for direct protein-protein interaction between members of the enterobacterial Hha/YmoA and H-NS families of proteins.* *Journal of Bacteriology.* **184:** 629-635.
- Nieto, J.M., Madrid, C., Prenafreta, A., Miquelay, E., Balsalobre, C., Carrascal, M. i Juárez, A.** (2000). *Expression of the hemolysin operon in Escherichia coli is modulated by a nucleoid-protein complex that includes the proteins Hha and H-NS.* *Molecular and General Genetics.* **263:** 349-358.

- Nieto, J.M., Prenafeta, A., Miquelay, E., Torrades, S. i Juarez, A.** (1998). *Sequence, identification and effect on conjugation of the rmoA gene of plasmid R100-1*. FEMS Microbiology Letters. **169**: 59-66.
- Nikaido, H.** (1996). *Outer membrane*. A Neidhardt, F.C., Curtis III, R., Ingraham, J.L., Lin, E.C.C., Low, K.B., Magasanik, B., Reznikoff, W.S., Riley, M., Schaechter, M., Umberger, H.E. (eds.). *Escherichia coli and Salmonella: Cellular and Molecular Biology*. American society for Microbiology Press, Washington DC, pàgs., 29-47.
- Niki, H. i Hiraga, S.** (1997). *Subcellular distribution of actively partitioning F plasmid during the cell division cycle in E. coli*. Cell. **90**: 951-957.
- Ninfa, A.J.** (1996). *Regulation of gene transcription by extracellular stimuli*. A Neidhardt, F.C., Curtis III, R., Ingraham, J.L., Lin, E.C.C., Low, K.B., Magasanik, B., Reznikoff, W.S., Riley, M., Schaechter, M., Umberger, H.E. (eds.). *Escherichia coli and Salmonella: Cellular and Molecular Biology*. American society for Microbiology Press, Washington DC, pàgs. 1246-1262.
- Nobelmann, B. i Lengeler, J.W.** (1996). *Molecular analysis of the gat genes of Escherichia coli and their roles in galactitol transport and metabolism*. Journal of Bacteriology. **178**: 6790-6795.
- Noegel, A., Rdest, U. i Goebel, W.** (1981). *Determinations of the functions of haemolytic plasmid pHly152 of Escherichia coli*. Journal of Bacteriology. **145**: 233-247.
- Nordstorm, K.** (1990). *Control of plasmid replication – how do DNA iterons set the replication frequency?* Cell. **63**: 1121-1124.
- Nordstorm, K., i Austin, S.** (1989). *Mechanisms that contribute to the stable segregation of plasmids*. Annual Review of Genetics. **23**: 37-69.
- Nordstorm, K., Molin, S. i Light, J.** (1984). *Control of replication of bacterial plasmids: genetics, molecular biology and physiology of the plasmid R1 system*. Plasmid. **12**: 71-90.
- Norton, V.G., Imai, B.S., Yau, P. i Bradbury, E.M.** (1989). *Histone acetylation reduces nucleosome core particle linking number change*. Cell **57**: 449-457.
- Nouwen, N., Stahlberg, H., Pugsley, A.P. i Engel, A.** (2000). *Domain structure of secretin PulD revealed by limited proteolysis and electron microscopy*. EMBO Journal. **19**: 2229-2236.

- Novick, R.P.** (1987). *Plasmid incompatibility*. Microbiological Reviews. **51**: 381-395.
- Novick, R.P.** (2003). *Mobile genetic elements and bacterial toxinoses: the superantigen-encoding pathogenicity islands of Staphylococcus aureus*. Plasmid. **49**: 93-105.
- Novick, R.P., Adler, G.K., Projan, S.J., Carleton, S., Highlander, S., Gruss, A., Khan, S.A. i Iordanescu, S.** (1984). *Control of pT181 replication. The pT181 copy control function acts by inhibiting the synthesis of replication protein*. EMBO Journal. **3**: 2399-2405.
- Novotny, C., Carnahan, J. i Brinton, C.C. Jr.** (1969). *Mechanical removal of F pili, type I pili, and flagella from Hfr and RTF donor cells and the kinetics of their reappearance*. Journal of Bacteriology. **98**: 1294-1306.
- Novotny, C.P. i Fives-Taylor, P.** (1974). *Retraction of F pili*. Journal of Bacteriology. **117**: 1306-1311.
- Novotny, C. i Fives-Taylor, P.** (1978). *Effects of high temperature on Escherichia coli F pili*. Journal of Bacteriology. **133**: 459-464.
- Novotny, C.P. i Lavin, K.** (1971). *Some effects of temperature on the growth of F pili*. Journal of Bacteriology. **107**: 671-682.
- Nozue, H., Tsuchiya, K. i Kamio, Y.** (1988). *Nucleotide sequence and copy control function of the extension of the incI region (incI-b) of RtsI*. Plasmid. **17**: 46-56.
- Nye, M.B. i Taylor, R.K.** (2003). *Vibrio cholerae H-NS domain structure and function with respect to transcriptional repression of ToxR regulon genes reveals differences among H-NS family members*. Molecular Microbiology. **50**: 427-444.
- Nye, M.B., Pfau, J.D., Skorupski, K. i Taylor, R.K.** (2000). *Vibrio cholerae H-NS silences virulence gene expression at multiple steps in the ToxR regulatory cascade*. Journal of Bacteriology. **182**: 4295-4303.
- O'Hanley, P., Marcus, R., Baek, K.Y., Denich, K. i Ji, G.E.** (1993). *Genetic conservation of hly determinants and serological conservation of HlyA: Basis for developing a broadly cross-reactive subunit Escherichia coli alpha-haemolysin vaccine*. Infect and Immunity. **61**: 1091-1097.

- Oberto, J. i Rouvière-Yaniv, J.** (1996). *Serratia marcescens* contains a heterodimeric HU protein like *Escherichia coli* and *Salmonella typhimurium*. *Journal of Bacteriology*. **178**: 293-297.
- Odenbreit, S., Puls, J., Sedlmaier, B., Gerland, E., Fischer, W. i Haas, R.** (2000). *Translocation of Helicobacter pylori CagA into gastric epithelial cells by type IV secretion*. *Science*. **287**: 1497-1500.
- Ohta, T., Ueguchi, C. i Mizuno, T.** (1999). *rpoS* function is essential for *bgl* silencing caused for C-terminally truncated H-NS in *Escherichia coli*. *Journal of Bacteriology*. **181**: 6278-6283.
- Ono, S., Goldberg, M.D., Olsson, T., Esposito, D., Hinton, J.D.C. i Ladbury, J.E.** (2005). *H-NS is a part of a thermally controlled mechanism for bacterial gene regulation*. *Biochemical Journal*. **391**: 203-213.
- Oshima, T., Wada, C., Kawagoe, Y., Ara, T., Maeda, M., Masuda, Y., Hiraga, S. i Mori, H.** (2002). *Genome-wide analysis of deoxyadenosine methyltransferase-mediated control of gene expression in Escherichia coli*. *Molecular Microbiology*. **45**: 673-695.
- Owen-Hughes, T.A., Pavitt, G.D., Santos, D.S., Sidebotham, J.M., Hulton, C.S.J., Hinton, J.C.D. i Higgins, C.F.** (1992). *The chromatin-associated protein H-NS interacts with curved DNA to influence DNA topology and gene expression*. *Cell*. **71**: 255-265.
- Packman, L.C.** (1993). *Protein chemical methods for molecular biologists*. *Methods in Molecular and Cell Biology*. **4**: 189-198.
- Pal, S.K. i Chattoraj, D.K.** (1988). *PI plasmid replication: initiator sequestration is inadequate to explain control by initiator-binding sites*. *Journal of Bacteriology*. **170**: 3554-3560.
- Pallen, M.J. i Wren, B.W.** (1997). *The HtrA family of serine proteases*. *Molecular Microbiology*. **26**(2): 209-221.
- Panicker, M.M. i Minkley, E.G. Jr.** (1992). *Purification and properties of the F sex factor TraD protein, an inner membrane conjugal transfer protein*. *The Journal of Biological Chemistry*. **267**: 12761-12766.
- Pansegrau, W., Balzer, D., Kruff, V., Lurz, R. i Lanka, E.** (1990). *In vitro assembly of relaxosomes at the transfer origin of plasmid RP4*. *Proceedings of National Academy of Sciences of the United States of America*. **87**: 6555-6559.

- Pansegrau, W. i Lanka, E.** (1996a). *Enzymology of DNA transfer by conjugative mechanisms*. Progress in Nucleic Acid Research and Molecular Biology. **54**: 197-251.
- Pansegrau, W. i Lanka, E.** (1996b). *Mechanisms of initiation and termination reactions in conjugative DNA processing. Independence of tight substrate binding and catalytic activity of relaxase (TraI) of IncP alpha plasmid RP4*. The Journal of Biological Chemistry. **271**: 13068-13076.
- Pansegrau, W., Lanka, E., Barth, P.T., Figurski, D.H., Guiney, D.G., Haas, D., Helinski, D.R., Schwab, H., Stanisich, V.A. i Thomas, C.M.** (1994). *Complete nucleotide sequence of Birmingham IncP alpha plasmids. Compilation and comparative analysis*. Journal of Molecular Biology. **239**: 623-663.
- Paranchych, W. i Frost, L.S.** (1988). *The physiology and biochemistry of pili*. Advances in Microbial Physiology. **29**: 53-114.
- Parkhill, J., Dougan, G., James, K.D., Thomson, N.R., Pickard, D., Wain, J., Churcher, C., Mungall, K.L., Bentley, S.D., Holden, M.T.G., Sebahia, M., Baker, S., Basham, D., Brooks, K., Chillingworth, T., Connerton, P., Cronin, A., Davis, P., Davies, R.M., Dowd, L., White, N., Farrar, J., Feltwell, T., Hamlin, N., Haque, A., Hien, T.T., Holroyd, S., Jagels, K., Krogh, A., Larsen, T.S., Leather, S., Moule, S., O'Gaora, P., Parry, C., Quail, M., Rutherford, K., Simmonds, M., Skelton, J., Stevens, K., Whitehead, S. i Barrell, B.G.** (2001). *Complete genome sequence of a multiple drug resistant Salmonella enterica serovar Typhi CT18*. Nature **413**: 848-852.
- Paytubi, S.** (2004). *Regulació de l'expressió gènica a enterobactèries: caracterització d'YdgT, una nova proteïna de la família Hha/YmoA, que interacciona amb altres proteïnes associades al nucleòide*. Tesi Doctoral. Facultat de Biologia, Universitat de Barcelona.
- Paytubi, S., Madrid C., Forns, N., Nieto, J.M., Balsalobre, C., Uhlin, B.E., Juarez, A.** (2004). *YdgT, the Hha paralogue in Escherichia coli, forms heteromeric complexes with H-NS and StpA*. Molecular Microbiology. **54(1)**: 251-63.

- Penfold, S.S., Simon, J. i Frost, L.S.** (1996). *Regulation of the expression of the *tram* gene of *F* sex factor of *Escherichia coli**. *Molecular Microbiology*. **20**: 549-558.
- Pérez-Rueda, E. i Collado-Vides, J.** (2000). *The repertoire of DNA-binding transcriptional regulators in *Escherichia coli* K-12*. *Nucleic Acids Research*. **28**: 1838-1847.
- Perri, S. Helsinki, D. R. i Toukdarian, A.** (1991). *Interactions of plasmid encoded replication initiation proteins with the origin of DNA replication in the broad host range plasmid RK2*. *The Journal of Biological Chemistry*. **226**: 12536-12543.
- Persson, C. i Nordstorm, K.** (1986). *Control of replication of the broad host range plasmid RSF1010: the incompatibility determinant consists of directly repeated DNA sequences*. *Molecular of General Genetics*. **203**: 189-192.
- Phadtare, S., Alsina, J. i Inouye, M.** (1999). *Cold-shock response and cold-shock proteins*. *Current Opinion in Microbiology*. **2** (2): 175-180.
- Phadtare, S. i Inouye, M.** (2001). *Role of CspC and CspE in regulation of expression of RpoS and UspA, the stress response proteins in *Escherichia coli**. *Journal of Bacteriology*. **183** (4): 1205-1214.
- Pickney, M., Diaz, R., Lanka, E. i Thomas, C.M.** (1988). *Replication of mini RK2 plasmid in extracts of *Escherichia coli* requires plasmid-encoded protein TrfA and host encoded proteins DnaA, B, G, DNA gyrase and DNA polymerase III*. *Journal of Molecular Biology*. **203**: 927-938.
- Planet, P.J., Kachlany, S.C., DeSalle, R. i Figurski, D.H.** (2001). *Phylogeny of genes for secretion NTPases: identification of the widespread *tracA* subfamily and development of a diagnostic key for gene classification*. *Proceedings of National Academy of Sciences of the United States of America*. **98**: 2503-2508.
- Polisky, B.** (1988). *ColEI replication control circuitry: sense from antisense*. *Cell*. **55**: 929-932.
- Ponting, C.P.** (1997). *Evidence for PDZ domains in bacteria, yeast and plants*. *Protein Science*. **6**: 464-468.
- Porter, M.E. i Dorman, C.J.** (1997). *Differential regulation of the plasmid-encoded genes in the *Shigella flexneri* virulence regulon*. *Molecular and General Genetics*. **256**: 93-103.

- Prasad, I. i Schaefer, S.** (1974). *Regulation of the β -glucoside system in Escherichia coli K12*. Journal of Bacteriology. **120**: 638-650.
- Prentki, P. i Krisch, H.M.** (1984). *In vitro insertional mutagenesis with a selectable DNA fragment*. Gene. **29**: 303-313.
- Preston, G.M., Bertrand, N. i Rainey, P.B.** (2001). *Type III secretion in plant growth-promoting Pseudomonas fluorescens SBW25*. Molecular Microbiology. **41**: 999-1014.
- Preston, K.E., Radomski, C.C. i Venezia, R.A.** (2000). *Nucleotide sequence of a 7-kb fragment of pACM1 encoding an IncM DNA primase and other putative proteins associated with conjugation*. Plasmid. **44**: 12-23.
- Projan, S. i Novick, R.P.** (1984). *Reciprocal intrapool variation in plasmid copy numbers: a characteristic of segregational incompatibility*. Plasmid. **12**: 52-60.
- Pukall, R.H., Tschape, H. i Smalla, K.** (1996). *Monitoring the spread of broad host and narrow host range plasmids in soil microcosm*. FEMS Microbiology Ecology. **20**: 53-66.
- Rabel, C., Grahn, A.M., Lurz, R. i Lanka, E.** (2003). *The VirB4 family of proposed traffic nucleoside triphosphatases: common motifs in plasmid RP4 TrbE are essential for conjugation and phage adsorption*. Journal of Bacteriology. **185**: 1045-1058.
- Radnedge, L., Youngren, B., Davis, M. i Austin, S.** (1998). *Probing the structure of complex macromolecular interactions by homolog specificity scanning: the P1 and P7 plasmid partition systems*. EMBO Journal. **17**: 6076-6085.
- Raina, S., Missiakas, D. i Georgopoulos, C.** (1995). *The rpoE gene encoding the sigma E (sigma 24) heat shock sigma factor of Escherichia coli*. The EMBO Journal. **14**: 1043-1055.
- Raivio. T.L. i Silhavy, T.J.** (1999). *The σ^E and Cpx regulatory pathways: overlapping but distinct envelope stress responses*. Current Opinion in Microbiology. **2**: 159-165.
- Raivio. T.L. i Silhavy, T.J.** (2001). *Periplasmic stress and ECF sigma factors*. Annual Review of Microbiology. **55**: 591-624.
- Rees, C.E. i Wilkins, B.M.** (1989). *Transfer of tra proteins into the recipient cell during bacterial conjugation mediated by plasmid Collb-P9*. Journal of Bacteriology. **171**: 3152-3157.

- Rees, C.E. i Wilkins, B.M.** (1990). *Protein transfer into the recipient cell during bacterial conjugation: studies with F and RP4*. *Molecular Microbiology*. **4**: 1199-1205.
- Reusch, R.N., Shabalin, O., Crumbaugh, A., Wagner, R., Schroder, O. i Wurm, R.** (2002). *Posttranslational modification of E. coli histone-like protein H-NS and bovine histones by short-chain poly-(R)-3-hydroxybutyrate (cPBH)*. *FEBS Letters*. **527**: 319-322.
- Reygers, U., Wessel, R., Muller, H. i Hoffmann-Berling, H.** (1991). *Endonuclease activity of Escherichia coli DNA helicase I directed against the transfer origin of the F factor*. *EMBO Journal*. **10**: 2689-2694.
- Reynolds, A. E., Felton, J. i Wright, A.** (1981). *Insertion of DNA activates de cryptic bgl operon of E. coli K12*. *Nature*. **293**: 625-629.
- Reynolds, A.E., Mahadevan, S., LeGrice, S. F. J. i Wright, A.** (1986). *Enhancement of bacterial gene expression by insertion elements or by mutation in CAP-cAMP binding site*. *Journal of Molecular Biology*. **191** 85-95.
- Riede, I. i Eschbach, M.L.** (1986). *Evidence that TraT interacts with OmpA of Escherichia coli*. *FEBS Letters*. **205**: 241-245.
- Riker, A.J.** (1926). *Studies on the influence of some environmental factors on the development of crown gall*. *Journal of Agricultural Research*. **32**: 83-96.
- Rimsky, S.** (2004). *Structure of the histone-like protein H-NS and its role in regulation and genome superstructure*. *Current Opinion in Microbiology*. **7**: 109-114.
- Rimsky, S., Zuber, F., Buckle, M. i Buch. H.** (2001). *A molecular mechanism for the repression of transcription by he H-NS protein*. *Molecular Microbiology*. **42**: 1311-1323.
- Robertson, C.A. i Nash, H.A.** (1988). *Bending of the bacteriophage attachment site by Escherichia coli integration host factor*. *Journal of Biological Chemistry*. **263**: 3554-3557.
- Rodionov, O., Lobočka, M. i Yarmolinsky, M.** (1999). *Silencing of genes flanking the P1 plasmid centromere*. *Science*. **283**:546-549.
- Rodriguez-Lemoine, V.** (1992). *The incompatibility complex of H plasmids*. *Revista Latinoamericana de Microbiología*. **34**: 115-127.

- Rodriguez-Lemoine, V., Jacob, A.E., Hedges, R.W. i Datta, N.** (1975). *Thermosensitive production of their transfer systems by group S plasmids.* Journal of General Microbiology. **86**: 111-114.
- Rojo, F.** (1999). *Repression of transcription initiation in bacteria.* Journal of Bacteriology. **181**: 2987-2991.
- Rooker, M.M., Sherburne, C., Lawley, T.D. i Taylor, D.E.** (1999). *Characterization of the Tra2 region of the IncHII plasmid R27.* Plasmid. **41**: 226-239.
- Roussel, A.F. i Chabbert, Y.A.** (1978). *Taxonomy and epidemiology of gram-negative bacterial plasmids studied by DNA-DNA filter hybridization in formamide.* Journal of General Microbiology. **104**: 269-276.
- Rownd, R.** (1969). *Replication of a bacterial episome under relaxed control.* Journal of Molecular Biology. **44**: 387-402.
- Rownd, R.H., Womble, D.D., Dong, X., Luckow, V.A. i Wu, R.P.** (1985). *Incompatibility and IncFII plasmid replication control.* A Helsinki, D. R., Cohen, S. N., Clewell, D. B., Jackson, D. A. i Hollaender, A. (eds.). Plasmids in Bacteria. Plenum Publishing, New York, pàgs. 335-354.
- Sagulenko, V., Sagulenko, E., Jakubowski, S., Spudich, E. i Christie, P.J.** (2001). *VirB7 lipoprotein is exocellular and associates with the Agrobacterium tumefaciens T pilus.* Journal of Bacteriology. **183**: 3642-3651.
- Salmond, G.P.** (1994). *Secretion of extracellular virulence factors by plant pathogenic bacteria.* Annual Review of Phytopathology. **32**: 181-200.
- Salyers, A.A., Shoemaker, N.B., Stevens, A.M. i Li, L.Y.** (1995). *Conjugative transposons: an unusual and diverse set of integrated gene transfer elements.* Microbiological Reviews. **59**: 579-590.
- Sambrook, J., Fritsch, E.F. i Maniatis, T.** (1989). *Molecular Cloning: A Laboratory Manual.* 2nd ed. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y.
- Samuels, A.L., Lanka, E. i Davies, J.E.** (2000). *Conjugative junctions in RP4-mediated mating of Escherichia coli.* Journal of Bacteriology. **182**: 2709-2715.
- Sastre, J.I., Cabezón, E. i de la Cruz, F.** (1998). *The carboxyl terminus of protein TraD adds specificity and efficiency to F-plasmid conjugative transfer.* Journal of Bacteriology. **180**: 6039-6042.

- Savvides, S.N., Yeo, H.J., Beck, M.R., Blaesing, F., Lurz, R., Lanka, E., Buhrdorf, R., Fischer, W., Haas, R. i Waksman, G.** (2003). *VirB11 ATPases are dynamic hexameric assemblies: new insights into bacterial type IV secretion*. EMBO Journal. **22**: 1969-1980.
- Schaechter, M.** (2001). *Escherichia coli and Salmonella 2000: the view from here*. Microbiology and Molecular Biology Reviews. **65**: 119-130.
- Schaeffler, S. i Maas, W.K.** (1967). *Inducible system for the utilization of -glucosides in Escherichia coli. II. Description of mutant types and genetic analysis*. Journal of Bacteriology. **93**: 264-272.
- Schägger, H. i von Jagow, G.** (1987). *Tricine-sodium dodecyl sulfate-polyacrilamide gel electrophoresis for the separation of proteins in the range from 1 to 100 kDa*. Analytical Biochemistry. **166**: 368-379.
- Schechter, L.M., Jain, S., Akbar, S. i Lee, C.A.** (2003). *The small nucleoid-binding proteins H-NS, HU, and Fis affect hilA expression in Salmonella enterica serovar Typhimurium*. Infection and Immunity. **71**: 5432-5435.
- Scheffele, P., Pansegrau, W. i Lanka, E.** (1995). *Initiation of Agrobacterium tumefaciens T-DNA processing. Purified proteins VirD1 and VirD2 catalyze site- and strand-specific cleavage of superhelical T-border DNA in vitro*. The Journal of Biological Chemistry. **270**: 1269-1276.
- Schell, J., Van, M.M., De, B.M., De, B.M., Depicker, A., De, W.M., Engler, G., Genetello, C., Hernalsteens, J.P., Holsters, M., Seurinck, J., Silva, B., Van, V.F. i Villarroel, R.** (1979). *Interactions and DNA transfer between Agrobacterium tumefaciens, the Ti-plasmid and the plant host*. Proceedings of Royal Society of London. Series B, containing papers of a Biological character. Royal Society (London). **204**: 251-266.
- Schmidt-Eisenlohr, H., Domke, N. i Baron, C.** (1999a). *TraC of IncN plasmid pKM101 associates with membranes and extracellular high-molecular-weight structures in Escherichia coli*. Journal of Bacteriology. **181**: 5563-5571.
- Schmidt-Eisenlohr, H., Domke, N., Angerer, C., Wanner, G., Zambryski, P.C. i Baron, C.** (1999b). *Vir proteins stabilize VirB5 and mediate its association with the T pilus of Agrobacterium tumefaciens*. Journal of Bacteriology. **181**: 7485-7492.
- Schneider, D.A., Ross, W. i Gourse, R.L.** (2003). *Control of rRNA expression in Escherichia coli*. Current Opinion in Microbiology. **6**: 151-156.

- Schneider, R., Travers, A., Kutateladze, T. i Muskhelishvili, G.** (1999). *A DNA architectural protein couples cellular physiology and DNA topology in Escherichia coli*. *Molecular Microbiology* **34**: 953-964.
- Schnetz, K.** (1995). *Silencing of Escherichia coli bgl promoter by flanking sequence elements*. *The EMBO Journal*. **14**: 2545-2550.
- Schnetz, K. i Rak, B.** (1988). *Regulation of the bgl operon of Escherichia coli by transcriptional antitermination*. *The EMBO Journal*. **7**: 3271-3277.
- Schnetz, K. i Rak, B.** (1990). *-Glucoside permease represses the bgl operon of Escherichia coli by phosphorylation of the antiterminator protein and also interacts with enzyme III^{glc}, the key element in catabolite control*. *Proceedings of the National Academy of Sciences of the United States of America*. **87**: 5074-5078.
- Schnetz, K. i Rak, B.** (1992). *IS5: a mobile enhancer of transcription in Escherichia coli*. *Proceedings of the National Academy of Sciences of the United States of America*. **89**: 1244-1248.
- Schnetz, K., Toloczyki, C. i Rak, B.** (1987). *Beta-glucoside (bgl) operon of Escherichia coli K12: nucleotide sequence, genetic organization and possible evolutionary relationship to regulatory component of two Bacillus subtilis genes*. *Journal of Bacteriology*. **169**: 2579-2590.
- Schnetz, K. i Wang, J.C.** (1996). *Silencing of Escherichia coli bgl promoter: effects of template supercoiling and cell extracts on promoter activity in vitro*. *Nucleic Acids Research*. **24**: 2422-2429.
- Schröder, G., Krause, S., Zechner, E.L., Traxler, B., Yeo, H.J., Lurz, R., Waksman, G. i Lanka, E.** (2002). *TraG-like proteins of DNA transfer systems and of the Helicobacter pylori type IV secretion system: inner membrane gate for exported substrates?* *Journal of Bacteriology*. **184**: 2767-2779.
- Schröder, G. i Lanka, E.** (2005). *The mating pair formation system of conjugative plasmids- A versatile secretion machinery for transfer of proteins and DNA*. *Plasmid*. **54**: 1-25.
- Schröder, O. i Wagner, R.** (2002). *The bacterial regulatory protein H-NS- A versatile modulator of nucleic acid structures*. *Biological Chemistry*. **383**: 945-960.

- Scott, J.R.** (1984). *Regulation of plasmid replication*. Microbiological Reviews. **48**: 1-23.
- Scott, J.R.** (1992). *Sex and the single circle: conjugative transposition*. Journal of Bacteriology. **174**: 6005-6010.
- Scott, J.R. i Churchward, G.G.** (1995). *Conjugative transposition*. Annual Review of Microbiology. **49**: 367-397.
- Sebert, M.E. Palmer, L.M., Rosenberg, M. i Weiser, J.N.** (2002). *Microarray-based identification of htrA, a Streptococcus pneumoniae gene that is regulated by the CiaRH two-component system and contributes to nasopharyngeal colonization*. Infection and Immunity. **70**: 4059-4067.
- Segal, E.D., Cha, J., Lo, J., Falkow, S. i Tompkins, L.S.** (1999). *Altered states: involvement of phosphorylated CagA in the induction of host cellular growth changes by Helicobacter pylori*. Proceedings of National Academy of Sciences of the United States of America. **96**: 14559-14564.
- Seol, J.H., Woo, S.K., Jung, E.M., Yoo, S.J., Lee, C.S., Kim, K.J., Tanaka, K., Ichihara, A., Ha, D.B. i Chung, C.H.** (1991). *Protease Do is essential for survival of Escherichia coli at high temperatures: its identity with the htrA gene product*. Biochemical and Biophysical Research Communications. **176**: 730-736.
- Šeputien , V., Sužied lis, K., Normark, S., Melefors, Ö. i Sužied lien , E.** (2004). *Transcriptional analysis of the acid-inducible asr gene in enterobacteria*. Research in Microbiology. **155**: 535-542.
- Shamaei-Tousi, A., Cahill, R. i Frankel, G.** (2004). *Interaction between protein subunits of the type IV secretion system of Bartonella henselae*. Journal of Bacteriology. **186**: 4796-4801.
- Shen-Orr, S.S., Milo, R., Mangan, S. i Alon, U.** (2002). *Network motifs in the transcriptional regulation network of Escherichia coli*. Nature Genetics. **31**: 64-68.
- Sherburne, C.K., Lawley, T.D., Gilmour, M.W., Blattner, F.R., Burland, V., Grotbeck, E., Rose, D.J. i Taylor, D.E.** (2000). *The complete DNA sequence and analysis of R27: a large IncHI plasmid from Salmonella typhi that is temperature sensitive for transfer*. Nucleic Acids Research. **28**: 2177-2186.

- Shi, X. i Bennett, G.N.** (1994). *Plasmids bearing hfq and the hns-like gene stpA complement hns mutants in modulating arginine decarboxylase gene expression in Escherichia coli.* Journal of Bacteriology. **176**: 6769-6775.
- Shi, X., Waasdorp, B.C. i Bennett, G.N.** (1993). *Modulation of acid-induced amino acid decarboxylase gene expression by H-NS in Escherichia coli.* Journal of Bacteriology. **175**: 1182-1186.
- Shindo, H., Iwaki, T., Ieda, R., Kurumizaka, H., Ueguchi, C., Mizuno, T., Morikawa, S., Nakamura, H. i Kuboniwa, H.** (1995). *Solution structure of the DNA binding domain of a nucleoid-associated protein, H-NS, from Escherichia coli.* FEBS Letters. **360**: 125-131.
- Shiple, P.L., Gyles, C.L. i Falkow, S.** (1978). *Characterization of plasmids that encode for the K88 colonization antigen.* Infection and Immunity. **20**: 559-566.
- Shirasu, K. i Kado, C.I.** (1993). *Membrane location of the Ti plasmid VirB proteins involved in the biosynthesis of a pilin-like conjugative structure on Agrobacterium tumefaciens.* FEMS Microbiology Letters. **111**: 287-294.
- Silverman, P.M. i Sholl.** (1996). *Effect of traY amber mutations on F plasmid traY promoter in vivo.* Journal of Bacteriology. **178**: 5787-5789.
- Silverman, P.M., Tran, L., Harris, R., Gaudin, H.M.** (1993). *Accumulation of the F plasmid TraJ protein in cpx mutant of Escherichia coli.* Journal of Bacteriology. **175**: 921-925.
- Silverman, P.M., Wickersham, E. i Harris, R.** (1991). *Regulation of the F plasmid traY promoter in Escherichia coli by host and plasmid factors.* Journal of Molecular Biology. **218**: 119-128.
- Singh, J., Mukerji, M. i Mahadevan, S.** (1995). *Transcriptional activation of the bgl operon of E. coli: negative regulation by DNA structural elements near the promoter.* Molecular Microbiology. **17**: 1085-1092.
- Skurray, R.A., Hancock, R.E. i Reeves, P.** (1974). *Con--mutants: class of mutants in Escherichia coli K-12 lacking a major cell wall protein and defective in conjugation and adsorption of a bacteriophage.* Journal of Bacteriology. **119**: 726-735.
- Sledjeski, D. i Gottesman, S.** (1995). *A small RNA acts as antisilencer of the H-NS-silenced rcsA gene of Escherichia coli.* Proceedings of the National Academy of Sciences of the United States of America. **92**: 2003-2007.

- Smith, H.W.** (1974). *Thermosensitive transfer factors in chloramphenicol-resistant strains of Salmonella typhi*. *Lancet*. **2**: 281-282.
- Smith, H.W., Parsell, Z. i Green, P.** (1978). *Thermosensitive antibiotic resistance plasmids in enterobacteria*. *Journal of General Microbiology*. **109**: 37-47.
- Smyth, C.P., Lundbäck, T., Renzoni, D., Siligardi, G., Bevil, R., Layton, M., Sidebotham, J.M., Hinton, J.C.D., Driscoll, P.C., Higgins, C.F. i Ladbury, J.E.** (2000). *Oligomerization of the chromatin-structuring protein H-NS*. *Molecular Microbiology*. **36**: 962-972.
- Smyth, G.K.** (2004). *Linear models and empirical Bayes methods for assessing differential expression in microarray experiments*. *Statistical Applications in Genetics and Molecular Biology*. **3**, No. 1, Article 3.
- Smyth, G.K.** (2005). *Limma: linear models for microarray data*. A Gentleman, R., Carey, V., Dudoit, S., Irizarry, R. i Huber W. (eds.). *Bioinformatics and Computational Biology Solutions using R and Bioconductor*. Springer, New York, Chapter 23.
- Sondén, B. i Uhlin, B.E.** (1996). *Coordinated and differential expression of histone-like proteins in Escherichia coli: regulation and function of the H-NS analog StpA*. *EMBO Journal*. **15**: 4970-4980.
- Sonnenfield, J.M., Burns, C.M., Higgins, C.F. i Hinton, J.C.** (2001). *The nucleoid-associated protein StpA binds curved DNA, has a greater DNA-binding affinity than H-NS and is present in significant levels in hns mutants*. *Biochimie*. **83**: 243-249.
- Spassky, A., Rimsky, S., Garreau, H. i Buc, H.** (1984). *H1a, an E. coli DNA-binding protein which accumulates in stationary phase, strongly compacts DNA in vitro*. *Nucleic Acids Research*. **12**: 5321-5340.
- Speer, B.S., Shoemaker, N.B. i Salyers, A.A.** (1992). *Bacterial resistance to tetracycline: mechanisms, transfer, and clinical significance*. *Clinical Microbiology Reviews*. **5**: 387-399.
- Spiess, C., Beil, A. i Ehrmann, M.** (1999). *A temperature-dependent switch from chaperone to protease in a widely conserved heat shock protein*. *Cell*. **97**: 339-347.
- Spurio, R., Falconi, M., Brandi, A., Pon, C.L. i Gualerzi, C.O.** (1997). *The oligomeric structure of nucleoid protein H-NS is necessary for recognition of*

- intrinsically curved DNA and for DNA bending*. EMBO Journal. **16**: 1795-1805.
- Stalker, D.M., Thomas, C.M. i Helsinki, D.R.** (1981). *Nucleotide sequence of the origin of replication of the broad host range plasmid RK2*. Molecular of General Genetics. **181**: 8-12.
- Star i , M., Žgur-Bertok, D., Jordi, B.J.A.M., Wösten, M.M.S.M., Gaastra, W. i van Putten, J.P.M.** (2003). *The cyclic AMP-CRP complex promotes conjugative transfer of Escherichia coli plasmid pRK100 by enhancing traJ promoter activity*. Journal of Bacteriology. **185**: 1616-1623.
- Star i -Erjavec, M., van Putten, J.P.M., Gaastra, W., Jordi, B.J.A.M., Grabnar, M. i Žgur-Bertok, D.** (2003). *H-NS and Lrp serve as a positive modulators of traJ expression from Escherichia coli plasmid pRK100*. Molecular Genetics and Genomics. **270**: 94-102.
- Steck, T.R., Franco, R.J., Wang, J. i Drlica, K.** (1993). *Topoisomerase mutations affect the relative abundance of many Escherichia coli proteins*. Molecular Microbiology. **10**: 473-481.
- Stein, M., Rappuoli, R. i Covacci, A.** (2000). *Tyrosine phosphorylation of the Helicobacter pylori CagA antigen after cag-driven host cell translocation*. Proceedings of National Academy of Sciences of the United States of America. **97**: 1263-1268.
- Stevenson, G., Andrianopoulos, K., Hobbs, M. i Reeves, P.R.** (1996). *Organization of Escherichia coli K-12 gene cluster responsible for production of the extracellular polysaccharide colanic acid*. Journal of Bacteriology. **178**: 4885-4893.
- Stewart, P.E., Byram, R., Grimm, D., Tilly, K. i Rosa, P.A.** (2005). *The plasmids of Borrelia burgdorferi: essential genetic elements of a pathogen*. Plasmid. **53**: 1-13.
- Stojiljkovic, I., Baumler, A.J. i Heffron, F.** (1995). *Ethanolamine utilization in Salmonella typhimurium: nucleotide sequence, protein expression, and mutational analysis of the cchA cchB eutE eutJ eutG eutH gene cluster*. Journal of Bacteriology. **177**(5): 1357-1366.
- Strathdee, C.A. i Lo, R.Y.C.** (1987). *Extensive homology between the leucotoxin of Pasteurella hemolytica A1 and the α -haemolysin of Escherichia coli*. Infection and Immunity. **155**: 3233-3236.

- Strauch, E., Goelz, G., Knabner, D., Konietzny, A., Lanka, E. i Appel, B.** (2003). *A cryptic plasmid of Yersinia enterocolitica encodes a conjugative transfer system related to the regions of CloDF13 Mob and IncX Pil.* Microbiology. **149**: 2829-2845.
- Strohmaier, H., Noiges, R., Kotschan, S., Sawers, G., Högenauer, G., Zechner, E.L. i Koraimann, G.** (1998). *Signal transduction and bacterial conjugation: characterization of the role of ArcA in regulating conjugative transfer of the resistance plasmid R1.* Journal of Molecular Biology. **277**: 309-316.
- Strohmeier Gort, A., Ferber, D.M. i Imlay, J.A.** (1999). *The regulation and role of the periplasmic copper, zinc superoxide dismutase of Escherichia coli.* Molecular Microbiology. **32**: 179-191.
- Studier, F.W. i Moffatt, B.A.** (1986). *Use of bacteriophage T7 RNA polymerase to direct selective high-level expression of cloned genes.* Journal of Molecular Biology **189**: 113-130.
- Studier, F.W., Rosenberg, A.H., Dunn, J.J. i Dubendorff, J.W.** (1990). *Use of T7 RNA polymerase to direct expression of cloned genes.* Methods in Enzymology **185**: 60-89.
- Szipirer, C.Y., Faelen, M. i Couturier, M.** (2000). *Interaction between the RP4 coupling protein TraG and the pBHRI mobilization protein Mob.* Molecular Microbiology. **37**: 1283-1292.
- Taki, K., Abo, T. i Ohtsubo, E.** (1998). *Regulatory mechanisms in expression of the traY-I operon of sex factor plasmid R100: involvement of traJ and traY gene products.* Genes to Cells. **3**: 331-345.
- Tamm, J. i Poliski, B.** (1983). *Structural analysis of RNA molecules involved in plasmid copy number control.* Nucleic Acids Research. **11**: 6381-6397.
- Taylor, D.E. i Brose, E.C.** (1985). *Characterization of incompatibility group HII plasmids from Salmonella typhi by restriction endonuclease digestion and hybridization of DNA probes for Tn3: Tn9: and Tn10.* Canadian Journal of Microbiology. **31**: 721-729.
- Taylor, D.E. i Brose, E.C.** (1988). *Modified Birboin-Doly method for rapid detection of plasmid copy number.* Nucleic Acids Research. **16**: 9056.
- Taylor, D.E., Brose, E.C., Kwan, S. i Yan, W.** (1985). *Mapping of transfer regions within incompatibility group HI plasmid R27.* Journal of Bacteriology. **162**: 1221-1226.

- Taylor, D.E. i Grant, R.B.** (1997). *Incompatibility and bacteriophage inhibition properties of N-1, a plasmid belonging to the H2 incompatibility group*. Molecular and General Genetics. **153**: 5-10.
- Taylor, D.E. i Levine, J.G.** (1980). *Studies of temperature-sensitive transfer and maintenance of H incompatibility group plasmids*. Journal of General Microbiology. **116**: 475-484.
- Taylor, D.E., Shermier, M. i Grant, R.B.** (1978). *Incidence of the H2 group of plasmids in chloramphenicol-sensitive salmonella isolated in 1974 from clinical sources in Ontario*. Canadian Journal of Microbiology. **24**: 600-607.
- Tempe, J., Petit, A., Holsters, M., vanMontagu, M. i Schell, J.** (1977). *Thermosensitive step associated with transfer of the Ti plasmid during conjugation: possible relation to transformation in crown gall*. Proceedings of National Academy of Sciences of the United States of America. **74**: 2848-2849.
- Tendeng, C., Badaut, C., Krin, E., Gounon, P., Ngo, S., Danchin, A., Rimsky, S. i Bertin, P.** (2000). *Isolation and characterization of vicH, encoding a new regulator in Vibrio cholerae*. Journal of Bacteriology. **182**: 2026-2032.
- Thatte, V. i Iyer, V.N.** (1983). *Cloning of a plasmid region specifying the N transfer system of bacterial conjugation in Escherichia coli*. Gene. **21**: 227-236.
- Thieffry, D., Huerta, A.M., Pérez-Rueda, E. i Collados-Vides, J.** (1998). *From specific gene regulation to genomic networks: a global analysis of transcriptional regulation in Escherichia coli*. Bioassays. **20**: 433-440.
- Thorstenson, Y.R., Kuldau, G.A. i Zambryski, P.C.** (1993). *Subcellular localization of seven VirB proteins of Agrobacterium tumefaciens: implications for the formation of a T-DNA transport structure*. Journal of Bacteriology. **175**: 5233-5241.
- Thorstenson, Y.R. i Zambryski, P.C.** (1994). *The essential virulence protein VirB8 localizes to the inner membrane of Agrobacterium tumefaciens*. Journal of Bacteriology. **176**: 1711-1717.
- Tietze, E. i Tschäpe, H.** (1994). *Temperature-dependent expression of conjugation pili by IncM plasmid-harboring bacteria: identification of plasmid-encoded regulatory functions*. Journal of Basic Microbiology **34**: 105-116.
- Tinland, B., Schoumacher, F., Gloeckler, V., Bravo-Angel, A.M. i Hohn, B.** (1995). *The Agrobacterium tumefaciens virulence D2 protein is responsible*

- for precise integration of T-DNA into the plant genome*. EMBO Journal. **14**: 3585-3595.
- Tokino, T., Murotsu, T. i Matsubara, K.** (1986). *Purification and properties of the mini-F plasmid-encoded E protein needed for autonomous replication control of the plasmid*. Proceedings of the National Academy of Sciences of the United States of America. **83**: 4109-4113.
- Tomizawa, J. i Itoh, T.** (1981). *Plasmid ColEI incompatibility determined by interaction of RNA I with primer transcript*. Proceedings of the National Academy of Sciences of the United States of America. **78**: 6096-6100.
- Torreblanca, J., Marqués, S. i Casadesús, J.** (1999). *Synthesis of FinP RNA by plasmids F and pSLT is regulated by DNA adenine methylation*. Genetics. **151**: 31-45.
- Towbin, H., Staehelin, T., Gordon, J.** (1979). *Electrophoretic transfer of proteins from polyacrilamide gels to nitrocellulose sheets: Procedure and some applications*. Proceedings of the National Academy of Sciences of the United States of America. **76**: 4350-4354.
- Trachman, J.D. i Maas, W.K.** (1998). *Temperature regulation of heat-labile enterotoxin (LT) synthesis in Escherichia coli is mediated by an interaction of H-NS protein with the LTA-subunit DNA*. Journal of Bacteriology. **180**: 3715-3718.
- Traxler, B.A. i Minkley, E.G. Jr.** (1988). *Evidence that DNA helicase I and oriT site-specific nicking are both functions of the F TraI protein*. Journal of Molecular Biology. **204**: 205-209.
- Trieu-Cuot, P., Carlier, C., Martin, P. i Courvalin, P.** (1987). *Plasmid transfer by conjugation from Escherichia coli to Gram-positive bacteria*. FEMS Microbiology. **48**: 289-294.
- Tsai, M.M., Fu, Y.H. i Deonier, R.C.** (1990). *Intrinsic bends and integration host factor binding at F plasmid oriT*. Journal of Bacteriology. **172**: 4603-4609.
- Tsui, H.-C.T., Leung, H.-C.E. i Winkler, M.E.** (1994). *Characterization of broadly pleiotropic phenotypes caused by hfq insertion mutation in Escherichia coli K-12*. Molecular Microbiology. **13**: 35-49.
- Tsutsui, H., Fugiyama, A., Murotsu, T. i Matsubara, K.** (1983). *Role of nine repeating sequences of the mini-F genome for expression of F-specific*

- incompatibility phenotype and copy number control*. Journal of Bacteriology. **155**: 337-344.
- Tupper, A.E., Owen-Hughes, T.A., Ussery, D.W., Santos, D.S., Ferguson, D.J.P., Sidebotham, J.M., Hinton, J.C.D. i Higgins, C.F.** (1994). *The chromatin-associated protein H-NS alters DNA topology in vitro*. EMBO Journal. **13**: 258-268.
- Ueguchi, C., Kakeda, M. i Mizuno, T.** (1993). *Autoregulatory expression of the Escherichia coli hns gene encoding a nucleoid protein: H-NS functions as a repressor of its own transcription*. Molecular and General Genetics. **236**: 171-178.
- Ueguchi, C., Ohta, T., Seto, C., Suzuki, T. i Mizuno, T.** (1998). *The leuO gene-product has a latent ability to relieve the bgl silencing in Escherichia coli*. Journal of Bacteriology. **180**: 190-193.
- Ueguchi, C., Suzuki, T., Yoshida, T., Tanaka, K.I. i Mizuno, T.** (1996). *Systematic mutational analysis revealing the functional domain organization of Escherichia coli nucleoid protein H-NS*. Journal of Molecular Biology. **263**: 149-162.
- Valderas, M.W., Alcantara, R.B., Baumgartner, J.E., Bellaire, B.H., Robertson, G.T., Ng, W., Richardson, J.M., Winkler, M.E. i Roop II, R.M.** (2005). *Role of HdeA in acid resistance and virulence in Brucella abortus 2308*. Veterinary Microbiology. **107**: 307-312.
- van Biesen, T. i Frost, L.S.** (1994). *The FinO protein of IncF plasmids binds FinP antisense RNA and its target, traJ mRNA, and promotes duplex formation*. Molecular Microbiology. **14**: 427-436.
- van Elsas, J.D., Fry, J., Hirsch, P. i Molin, S.** (2000). *Ecology of plasmid transfer and spread*. A Thomas, A.T. (ed.). The horizontal gene pool. Bacterial plasmids and gene spread. Harwood Academic Publishers, Amsterdam, The Netherlands, pàgs. 175-206.
- Varshavsky, A.J., Nedospasov, S.A., Bakayev, V.V., Bakayeva, T.G. i Georgiev, G.P.** (1977). *Histone-like proteins in the purified Escherichia coli deoxyribonucleo-protein*. Nucleic Acids Research. **4**: 2725-2745.
- Venkatesan, M.M., Goldberg, M.B., Rose, D.J., Grotbeck, E.J., Burland, V. i Blattner, F.R.** (2001). *Complete DNA sequence and analysis of the large virulence plasmid of Shigella flexneri*. Infection and Immunity **69**: 3271-3285.

- Vergunst, A.C., Schrammeijer, B., den Dulk-Ras, A., de Vlaam, C.M., Regensburg-Tuink, T.J. i Hooykaas, P.J.** (2000). *VirB/D4-dependent protein translocation from Agrobacterium into plant cells*. *Science*. **290**: 979-982.
- Vergunst, A.C., van Lier, M.C., den Dulk-Ras, A., Stuve, T.A., Ouwehand, A. i Hooykaas, P.J.** (2005). *Positive charge is an important feature of the C-terminal transport signal of the VirB/D4-translocated proteins of Agrobacterium*. *Proceedings of National Academy of Sciences of the United States of America*. **102**: 832-837.
- Vogel, M., Hess, J., Then, I, Juárez, A. i Goebel, W.** (1988). *Characterization of a sequence (hlyR) which enhances synthesis and secretion of haemolysin in Escherichia coli*. *Molecular and General Genetics*. **212**: 76-84.
- Wade, N.** (1980). *Court says lab-made life can be patented*. *Science*. **208**, 1445.
- Wain, J. i Kidgell, C.** (2004). *The emergence of multidrug resistance to antimicrobial agents for the treatment of typhoid fever*. *Transactions of the Royal Society of Tropical Medicine and Hygiene*. **98**: 423-430.
- Wandersman, C. i Delepelaire, P.** (1990). *TolC, an Escherichia coli outer membrane protein required for haemolysin secretion*. *Proceedings of the National Academy of Sciences of the United States of America*. **87**: 4776-4780.
- Wang, N., Yamanaka, K. i Inouye, M.** (1999). *CspI, the ninth member of the CspA family of Escherichia coli, is induced upon cold shock*. *Journal of Bacteriology*. **181**:1603-1609.
- Ward, D.V., Draper, O., Zupan, J.R. i Zambryski, P.C.** (2002). *Peptide linkage mapping of the Agrobacterium tumefaciens vir-encoded type IV secretion system reveals protein subassemblies*. *Proceedings of National Academy of Sciences of the United States of America*. **99**: 11493-11500.
- Watanabe, E., Wachi, M., Yamasaki, M. i Nagai, K.** (1992). *ATPase activity of SopA, a protein essential for active partitioning of F plasmid*. *Molecular of General Genetics*. **234**: 346-352.
- Waterman, S.R. i Small, P.L.C.** (1996). *Identification of σ^S -dependent genes associated with the stationary-phase acid-resistance phenotype of Shigella flexneri*. *Molecular Microbiology*. **21**(5): 925-940.

- Waters, V.L.** (1999). *Conjugative transfer in the dissemination on beta-lactam and aminoglycoside resistance*. *Frontiers in Bioscience: a Journal and Virtual Library*. **4**: 416-439.
- Waters, V.L.** (2001). *Conjugation between bacterial and mammalian cells*. *Natural Genetics*. **29**: 376-376.
- Waters, V.L., Strack, B., Pansegrau, W., Lanka, E. i Guiney, D.G.** (1992). *Mutational analysis of essential IncP alpha plasmid transfer traF and traG and involvement of traF in phage sensitivity*. *Journal of Bacteriology*. **174**: 6666-6673.
- Wegrzyn, G.** (2005). *What does "plasmid biology" currently mean? Summary of the Plasmid Biology 2004 Meeting*. *Plasmid*. **53**: 14-22.
- Weiner, L., Brissette, J.L., Ramani, N. i Model, P.** (1995). *Analysis of the proteins and cis-acting elements regulating the stress-induced phage-shock protein operon*. *Nucleic Acid Research*. **23**: 2030-2036.
- Weiss, A.A., Johnson, F.D. i Burns, D.L.** (1993). *Molecular characterization of an operon required for pertussis toxin secretion*. *Proceedings of National Academy of Sciences of the United States of America*. **90**: 2970-2974.
- Welch, R.A. i Pellett, S.** (1988). *Transcriptional organization of the Escherichia coli haemolysin genes*. *Journal of Bacteriology*. **170**: 1622-1630.
- Welch, R.A., Dellinger, E.P., Minshew, B. i Falkow, S.** (1981). *Haemolysin contributes to virulence of extra-intestinal E. coli infections*. *Nature*. **294**: 665-667.
- Westermarck, M., Oscarsson, J., Mizunoe, Y., Urbonaviciene, J. i Uhlin, B.E.** (2000). *Silencing and activation of ClyA cytotoxin expression in Escherichia coli*. *Journal of Bacteriology*. **182**: 6347-6357.
- Whelan, K.F., Maher, D., Colleran, E. i Taylor, D.E.** (1994). *Genetic and nucleotide sequence analysis of the gene htdA, which regulates conjugal transfer of IncHI plasmids*. *Journal of Bacteriology*. **176**: 2242-2251.
- Whitchurch, C.B., Hobbs, M., Livingston, S.P., Krishnapillai, V. i Mattick, J.S.** (1991). *Characterization of a Pseudomonas aeruginosa twitching motility gene and evidence for a specialized protein export system widespread in eubacteria*. *Gene*. **101**: 33-44.

- White, N.** (1999). *Salmonella typhi and paratyphi*. A Yu, L.C., Merigan, C. and Barriere, S. (eds.). Antimicrobial therapy and vaccines. Williams and Wilkins, Baltimore, Md, pàgs. 361-375.
- Whiteley, M. i Taylor, D.E.** (1983). *Identification of DNA homologies among H incompatibility group plasmids by restriction enzyme digestion and Southern transfer hybridization*. Antimicrobial Agents and Chemotherapy. **24**: 194-200.
- Wilkins, B. i Frost, L.S.** (2001). *Mechanisms of gene exchange between bacteria*. A Sussaman, M. (ed.). Molecular Medical Microbiology. Academic Press, London, pàgs. 355-400.
- Wilkins, B. i Lanka, E.** (1993). *DNA processing and replication during plasmid transfer between Gram-negative bacteria*. A Clewell, D.B. (ed.). Bacterial Conjugation. Plenum Press, New York, pàgs. 105-136.
- Wilkins, B.M. i Thomas, A.T.** (2000). *DNA-independent transport of plasmid primase protein between bacteria by the II conjugation system*. Molecular Microbiology. **38**: 650-657.
- Will, R.W.. i Frost, L.S.** (2006). *Charcterization of the opposing roles of H-NS and TraJ in transcriptional regulation of the F-plasmid tra operon*. Journal of Bacteriology. **188**: 507-514.
- Will, R.W., Lu, J. i Frost, L.S.** (2004). *The role of H-NS in silencing F transfer gene expression during entry in stationary phase*. Molecular Microbiology. **54**: 769-782.
- Willetts, N.** (1981). *Sites and systems for conjugal DNA transfer in bacteria*. A Levy, S.B., Clowes, R.C. and Koenig, E.L. (eds.). Molecular Biology, Pathogenicity and Ecology of Bacterial Plasmids. Plenum Press, New York, pàgs. 207-215.
- Willetts, N. i Skurray, R.** (1980). *The conjugation system of F-like plasmids*. Annual Review of Genetics. **14**: 41-76.
- Willetts, N. i Skurray, R.** (1987). *Structure and function of the F factor and mechanism of conjugation*. A Neidhardt, F.C., Ingraham, J.L., Low, K.B., Magasanik, B., Schaechter, M. i Umberger, H.E. (eds). *Escherichia coli* and *Salmonella typhimuriun*: Cellular and Molecular Biology. Washington DC: American Society of Microbiology, pàgs. 1110-1133.
- Willetts, N. i Wilkins, B.** (1984). *Processing of plasmid DNA during bacterial conjugation*. Microbiological Reviews. **48**: 24-41.

- Williams, R.M. i Rimsky, S.** (1997). *Molecular aspects of the E. coli nucleoid protein H-NS: a central controller of gene regulatory networks*. FEMS Microbiology Letters. **156**: 175-185.
- Williams, R.M., Rimsky, S. i Buc, H.** (1996). *Probing the structure, function, and interactions of the Escherichia coli H-NS and StpA proteins by using dominant negative derivatives*. Journal of Bacteriology. **178**: 4335-4343.
- Wilson, R.L., Libby, S.J., Freet, A.M., Boddicker, J.D., Fahlen, T.F. i Jones, B.D.** (2001). *Fis, a DNA nucleoid-associated protein, is involved in Salmonella typhimurium SPI-1 invasion gene expression*. Molecular Microbiology. **39**: 79-88.
- Womble, D. i Rownd, R.** (1988). *Genetic and physical map of plasmid NR1: comparison with other IncFII antibiotic resistance plasmids*. Microbiological Reviews. **52**: 433-451.
- Wonderling, L.D., Wilkinson, B.J. i Bayles, D.O.** (2004). *The htrA (degP) gene of Listeria monocytogenes 10403S is essential for optimal growth under stress conditions*. Applied and Environmental Microbiology. **70**: 1935-1943.
- Wyborn, N.R., Stapleton, M.R., Norte, V.A., Roberts, R.E., Grafton, J. i Green, J.** (2004). *Regulation of Escherichia coli hemolysin E expression by H-NS and Salmonella SlyA*. Journal of Bacteriology. **186**: 1620-1628.
- Xu, J. i Johnson, R.C.** (1995). *Identification of genes negatively regulated by Fis: Fis and RpoS comodulate growth-phase dependent gene expression in Escherichia coli*. Journal of Bacteriology. **177**: 938-947.
- Yamada, H., Muramatsu, S. i Sasakawa, C.** (1990). *An Escherichia coli protein that preferentially binds to sharply curved DNA*. Journal of Biochemistry. **108**: 420-425.
- Yamaguchi, K. i Yamaguchi, M.** (1984). *The replication origin of pSC101: the nucleotide sequence and replication functions of the ori region*. Gene. **29**: 211-219.
- Yamashino, T., Kakeda, M., Ueguchi, C. i Mizuno, T.** (1994). *An analogue of DnaJ molecular chaperone whose expression is controlled by σ^s during the stationary phase and phosphate starvation in Escherichia coli*. Molecular Microbiology. **13**: 475-483.

- Yamashino, T., Ueguchi, C. i Mizuno, T.** (1995). *Quantitative control of the stationary phase-specific sigma factor, σ^S , in Escherichia coli: involvement of the nucleoid protein H-NS.* The EMBO Journal. **14**: 594-602.
- Yang, F., Gustafson, K.R., Boyd, M.R. i Wlodawer, A.** (1998). *Crystal structure of Escherichia coli HdeA.* Nature Structural Biology. **5**: 763-764.
- Yang, W., Ni, L. i Somerville, R.L.** (1993). *A stationary-phase protein of Escherichia coli that affects the mode of association between the trp repressor protein and operator-bearing DNA.* Proceedings of the National Academy of Sciences of the United States of America. **90**: 5796-8-5800.
- Yanisch-Perron, C., Vieira, J. i Messing, J.** (1985). *Improved M13 phage cloning vectors and host strains: nucleotide sequences of the M13mp18 and pUC19 vectors.* Gene. **33**: 103-119.
- Yates, P., Lane, D. i Biek, D.P.** (1999). *The F plasmid centromere, sopC, is required for full repression of the sopAB operon.* Journal of Molecular Biology. **290**: 627-638.
- Yee, A., Chang, X., Pineda-Lucena, A., Wu, B., Semesi, A., Le, B., Ramelot, T., Lee, G.M., Bhattacharyya, S., Gutierrez, P., Denisov, A., Lee, C.H., Cort, J.R., Kozlov, G., Liao, J., Finak, G., Chen, L., Wishart, D., Lee, W., McIntosh, L.P., Gehring, K., Kennedy, M.A., Edwards, A.M. i Arroxwmith, C.H.** (2002). *An NMR approach to structural proteomics.* Proceedings of the National Academy of Sciences of the United States of America. **99**: 1825-30.
- Yeo, H.J., Yuan, Q., Beck, M.R., Baron, C. i Waksman, G.** (2003). *Structural and functional characterization of the VirB5 protein from the type IV secretion system encoded by the conjugative plasmid pKM101.* Proceedings of the National Academy of Sciences of United States of America. **100**: 15947-15952.
- Yim, H.H. i Villarejo, M.** (1992). *osmY, a new hyperosmotically inducible gene, encodes periplasmic protein in Escherichia coli.* Journal of Bacteriology. **174**(11): 3637-3644.
- Yoshida, T., Ueguchi, C. i Mizuno, T.** (1993). *Physical map location of a set of Escherichia coli genes (hde) whose expression is affected by the nucleoid protein H-NS.* Journal of Bacteriology. **175**: 7747-7748.

- Yother, J., Chamness, T.W. i Goguen, J.** (1986). *Temperature-controlled plasmid regulon associated with low calcium response in Yersinia pestis*. Journal of Bacteriology. **165**: 704-711.
- Yu, R.R. i DiRita, V.J.** (2002). *Regulation of gene expression in Vibrio cholerae by ToxT involves both antirepression and RNA polymerase stimulation*. Molecular Microbiology. **43**: 119-134.
- Zechner, E.L., de la Cruz, F.F., Eisenbrandt, R., Grahn, A.M., Koraimann, G., Lanka, E., Muth, G., Pansegrau, W., Thomas, B.M., Wilkins, B. i Zatyka, M.** (2000). *Conjugative-DNA transfer processes*. A Thomas, A.T. (ed.). The horizontal gene pool. Bacterial plasmids and gene spread. Harwood Academic Publisher, Amsterdam, The Netherlands, pàgs. 87-174.
- Zhang, A. i Belfort, M.** (1992). *Nucleotide sequence of a newly-identified Escherichia coli gene, stpA, encoding an H-NS-like protein*. Nucleic Acids Research. **20**: 67.
- Zhang, A., Derbyshare, V., Galloway Salvo, J.L. i Belfort, M.** (1995). *Escherichia coli protein StpA stimulates self-splicing by promoting RNA assembly in vitro*. RNA. **1**: 783-793.
- Zhang, A., Rimsky, S., Reaban, M.E., Buc, H. i Belfort, M.** (1996). *Escherichia coli protein analogs StpA and H-NS: regulatory loops, similar and disparate effects on nucleic acid dynamics*. The EMBO Journal. **15**: 1340-1349.
- Zhao, S., Sandt, C.H., Feulner, G., Vlazny, D.A., Gray, J.A. i Hill, C.W.** (1993). *Rhs elements of Escherichia coli K-12: complex composites of shared and unique components that have different evolutionary histories*. Journal of Bacteriology. **175**: 2799-808.
- Zhu, J., Oger, P.M., Schrammeijer, B., Hooykaas, P.J., Farrand, S.K. i Winans, S.C.** (2000). *The bases of crown gall tumorigenesis*. Journal of Bacteriology. **182**: 3885-3895.
- Ziegelin, G., Furste, J.P. i Lanka, E.** (1989). *TraJ protein of plasmid RP4 binds to a 19-base pair invert sequence repetition within the transfer origin*. The Journal of Biological Chemistry. **264**: 11989-11994.
- Zumbrun, J. i Trueb, B.** (1996). *Primary structure of putative serine protease specific for IGF-binding proteins*. FEBS Letters. **398**: 187-192.

Zupan, J., Muth, T. R., Draper, O. i Zambryski, P. (2000). *The transfer of DNA from Agrobacterium tumefaciens into plants: A feast of fundamental insights.* Plant Journal. **23**: 11-28.