



Departament de Personalitat, Avaluació i Tractaments Psicològics
Universitat de Barcelona

Tesi Doctoral

**Estudi de l'eficàcia d'un programa d'entrenament
cognitiu de les funcions executives amb persones que
pateixen esquizofrènia**

Doctoranda: Gemma Espel Trias
Director: Dr. Adolfo Jarne Esparcia

Programa de Doctorat:
Psicologia Clínica i de la Salut

Barcelona, 2007

REFERÈNCIES BIBLIOGRÀFIQUES

Adams, H.E., Brantley, P.J., Malatesta i V., Turkat, I.D. (1981). Modification of cognitive processes: A case study of schizophrenia. *Journal of Consulting and Clinical Psychology*, 49, 460-464.

Addington, J. i Addington, D. (1999). Neurocognitive and social Functioning in Schizophrenia. *Schizophrenia Bulletin*, 25 (1), 173-182.

Alanen, Y.O. (1994). An attempt to integrate the individual-psychological and interactional concepts of the origins of schizophrenia. *British Journal of Psychiatry*, 164 (23), 55-61.

Alexander, M.P., Benson, F., i Stuss, D. (1989). Frontal lobes and language. *Brain and Language*, 37, 656-691.

Anderson, C.; Reiss i Hogarty G. (1988). *Esquizofrenia y Familia (Guía práctica de psicoeducación)*. Buenos Aires: Amorrortu (publicación original, 1986).

Asarnow, R.F. i Nuechterlein, K.H. (1992). *Manual and computer program for the UCLA Forced-Choice Span of Apprehension Test: Version 4*. Unpublished manual and program.

Aston-Jones, G.S., Desimone, R., Driver, J., Luck, S.J., i Posner, M.I. (1999). Attention. En M.J. Zigmond, F.E. Bloom, S.C. Landis, J.L. Roberts, L.R. Squire (Eds.), *Fundamental Neuroscience* (p.p. 1385-410). San Diego: Academic Press.

Axelrod, B.N., Henry, R.R., i Woodward, J.L. (1992). Analysis of an abbreviated form of the Wisconsin Card Sorting Test. *Clinical Neuropsychology*, 6, 16-26.

Baddeley, A. i Wilkins, A.J. (1984). Taking memory out of the laboratory. En J.E. Harris i P.E. Morris, (Comps.), *Everyday memory actions and absent-mindedness*. Londres: Academic.

Baddeley, A. (1999). *Memoria Humana. Teoría y práctica*. Madrid: McGraw-Hill.

Bark, N., Revheim, N., Huq, F., Khalderov, V., Ganz, Z.W., i Medalia, A. (2003). The impact of cognition remediation on psychiatric symptoms of schizophrenia. *Schizophrenia Research*, 63, 229-235.

Bellack, A.S. (1992). Cognitive rehabilitation for schizophrenia: Is it posible? Is it necessary?. *Schizophrenia Bulletin*, 18 (1).

Bellack, A.S., Savers, M., Mueser, K.T., i Bennett, M. (1994). Evaluation of social problem solving in schizophrenia. *Journal of Abnormal Psychology*, 103, 371-378.

Berg, E.A. (1948). A simple objective technique for measuring flexibility in thinking. *J Gen Psychology*, 39, 15-22.

Bergman, A., O'Brien, J., Osgood, G., i Cornblatt, B. (1995). Distractibility in schizophrenia. *Psychiatry Research*, 57, 131-40.

Berrios, G.E. i Gili, M. (1995). Abulia and impulsiveness revisited: a conceptual history. *Acta Psychiatrica Scandinavica*, 92, 161-167.

Bersani, G., Clemente, R., Gherardelli, S., i Pancheri, P. (2004). Deficit of executive functions in schizophrenia: relationship to neurological soft signs and psychopathology. *Psychopathology*, May-Jun 37 (3):118-23.

Bleuler, E. (1960). *Demencia precoz o el grupo de las esquizofrenias*. Buenos Aires: Hormé.

Bobes, J., González, M.P., i Bousoño, M. (1995). *Calidad de vida en las esquizofrenias*. Barcelona: JR Prous Editores.

Bowen, L., Wallace, C.J., Glynn, S.M., Nuechterlein, K.H., Lutzker, J.R., i Kuehnel, T.G. (1994). Schizophrenic individuals' cognitive functioning and performance in interpersonal interactions and skills training procedures. *Journal of Psychiatric Research*, 28 (3), 289-301.

Braff, D.L. (1985). Attention, habituation, and information processing in psychiatric disorders. En R. Michels, J.O. Cavernar, H.K. Brodie (Comps.), *Psychiatry*. Vol. 3, (p.p. 1-10) Filadelfia (Pa): J.B. Lippincott.

Braff, D.L. (1992). Reply to cognitive therapy and schizophrenia. *Schizophrenia Bulletin*, 18, 37-38.

Brébion, G., Smith, M.j., Amador, X., Malaspina, D., i Gorman, J.M. (1997). Clinical correlates of memory in schizophrenia: differential links between depression, positive and negative symptoms, and two types of memory impairment. *American Journal of Psychiatry*, 154, 1538-1542.

Brenner, H.D. (1986). Zur Bedeutung von Basisstörungen für Behandlung und Rehabilitation. En Böker, W. i Brenner, H.D. (Eds.), *Bewältigung der Schizophrenie*. Bern: Huber.

Brenner, H.D. (1987). Treatment of basic cognitive dysfunctions and their pervasive effect on overt behavior in schizophrenia. *International Congress on Schizophrenia Research*. Bellevue-Biltmore. Clearwater, Florida 28.3 – 1.4.

Brenner, H.D., Hodel, B., Roder, V., i Corrigan, P. (1992). Treatment of cognitive dysfunctions and behavioral deficits in schizophrenia. *Schizophrenia Bulletin*, 18, 21-26.

Buchanan, R.V., Holstein, C. i Breier, A. (1994). The comparative efficacy and long-term effect of clozapine treatment on neuropsychological test performance. *Biological Psychiatry*, 36 (11), 717-725.

Burgess, P.W., Alderman, N., Evans, J., Emslie, H., i Wilson, B.A. (1998). The ecological validity of tests of executive function. *Journal of the International Neuropsychological Society*, 4, 547-58.

Burgess, P.W. i Robertson, I.H. (2002). Principles of rehabilitation of frontal lobe function. En D.T. Stuss, i T.R. Knight, (Eds.) *Principles of frontal lobe function*. Oxford: Oxford University Press.

Buzan, T. (1996). *El libro de los Mapas Mentales. Cómo utilizar al máximo las capacidades de la mente*. Barcelona: Urano.

Cahn, D.A., Salmon, D.P., Butters, N., Wiederholt, W.C., Corey-Bloom, J., i Edelstein, S.L. (1995). Detection of dementia of the Alzheimer type in a population-based sample: Neuropsychological test performance. *Journal of the International Neuropsychological Society*, 1, 252-60.

Callaway, R. i Naghdi, S. (1982). An information processing model for schizophrenia. *Archives of General Psychiatry*, 39, 339-47.

Cameron, N. (1951). Perceptual organization and behavior pathology. En Blacke, R.R. i Ramsey, G.V. (Eds.), *Perception: An approach to personality*. New York: Ronald Press.

Cerviño, M.J. i Blanco, M. (1997). Rehabilitación de déficits cognitivos. En Rodríguez, A. (Coordinador), *Rehabilitación Psicosocial de personas con Trastornos Mentales Crónicos* (pp. 172-189). Madrid: Ediciones Pirámide.

Christiansen, C. (1991). Occupational performance assessment. En Christiansen, C. i Baum, C. (Eds.), *Occupational Therapy: Overcoming Human Performance Deficits* (p.p. 374-424). Thorotare, N.J.: Slack.

Ciampi, L. (1994). Affect Logic: An integrative model of the psyche and its relations to schizophrenia. *British Journal of Psychiatry*, 164 (23), 51-55.

Cirici, R. (2000). *Evaluación de la eficacia de un programa de entrenamiento en habilidades sociales para personas que padecen esquizofrenia*. (Tesis Doctoral. Departament de Psiquiatria i Psicobiologia Clínica. Facultat de Psicologia. Universitat de Barcelona).

Cornblatt, B.A. i Keilp, J.G. (1994). Impaired attention genticand the pathophysiology of schizophrenia. *Schizophrenia Bulletin*, 20 (1), 31-46.

Corrigan, P.W., Liberman, R.P., i Engel, J.D. (1990). From noncompliance to collaboration in the treatment of schizophrenia. *Hospital and Community Psychiatry*, 41 (11), 1203-1211.

Corrigan, P.W., Green, M.F., i Toomey, R. (1994). Cognitive correlates to social cue perception in schizophrenia. *Psychiatry Research*, 53, 141-151.

Corrigan, P.W. i Toomey, R. (1995). Interpersonal Problem Solving and Information Processing in Schizophrenia. *Schizophrenia Bulletin*, 21 (3), 395-403.

Cowan, N. (1988). Evolving conceptions of memory storage, selective attention, and their mutual constraints within the human information-processing system. *Psychological Bulletin*, 104, 163-91.

Culbertson, W.C. i Zillmer, E.A. (2001). *Tower of London*. Drexel University. TOL dx. North Tonawanda, NY: Multi-Health Systems.

Cutting, J. i Murphy, D. (1990). Preference for denotative as opposed to connotative meaning in schizophrenics. *Brain and Language*, 39, 459-468.

Damasio, A.R. (1985). The Frontal Lobes. En K. Heilman i E. Valenstein (Eds.), *Clinical Neuropsychology* (p.p. 339-375). New York: Oxford University Press.

Delahunty, A. i Morice, R. (1996). Frontal/executive training programs for cognitive deficits. *Paper presented at The Australian Society for the Study of Brain Impairment, 18th Conference*.

Dörner, D. (1984). Denken, Problemlösen und Intelligenz. *Psychologische Rundschau*, 35 (1), 10-20.

D'Zurilla, T.J. i Goldfried, M.R. (1971). Problem solving and behavior modification. *Journal of Abnormal Psychology*, 78, 107-126.

Eslinger, P.J. i Damasio, A.R. (1985). Severe disturbance of higher cognition after bilateral frontal ablation: patient EVR. *Neurology*, 35, 1731-1714.

Esteba-Castillo, S. (1998). *Evocación Categorical: prueba de sceening para demencias tipo Alzheimer*. (Tesina de Máster. Bellaterra. Universidad Autónoma de Barcelona).

Evans, J.J. (2001). Rehabilitation of the dysexecutive syndrome. En R.L.L. Wood, i T. McMillan (Eds.), *Neurobehavioural disability and social handicap following traumatic brain injury* (p.p. 209-227). London: Psychology Press.

Evans, J.D., Bond, G.R., Meyer, P.S., Kim, H.W., Lyzaker, P.H., Gibson, P.J., Tunis, S. (2004). Cognitive and clinical predictors of success in vocational rehabilitation in schizophrenia. *Schizophrenia Research*, Oct 1, 70 (2-3), 331-342.

Fallon, I.R.H., Boyd, J.L., i McGill, C.W. (1984). *Family care of schizophrenia*. Nueva York: Guilford Press.

Fernández-Ballesteros, R. (1992). Valoración de Programas. En R. Fernández-Ballesteros, (Dir.). *Introducción a la evaluación psicológica II*. Madrid: Pirámide.

Ferrier, J. (1795). *Medical histories and reflection*. Londres: Cadell i Davies.

Frith, C.D. i Done, D.J. (1983). Stereotyped responding by schizophrenic patients on a two-choice guessing task. *Psychological Medicine*, 13, 779-786.

Frith, C.D. (1995). *La Esquizofrenia. Un enfoque neuropsicológico cognitivo*. Barcelona: Ariel.

Gjerde, P.F. (1983). Attentional capacity disfunction and arousal in schizophrenia. *Psychological Bulletin*, 93, 53-72.

Goldberg, T.E. i Gold, J.M. (1995). Neurocognitive deficits in schizophrenia. En: Weinberger, S.R. (Ed.), *Schizophrenia* (p.p. 146-162) (1a ed.) Cambridge: Blackwell Science, Inc,

Golden, C.J. (1978). *Diagnosis and Rehabilitation in Clinical Neuropsychology*. Springfield, Illinois: Charles C. Thomas.

Golden, C.J. (1978). *Stroop Color and Word Test. A manual for clinical and experimental uses*. Wood Dale, Illinois: Stoelting Co.

Golden, C.J. (1994). *Manual STROOP. Test de Colores y Palabras*. Madrid:TEA Ediciones.

Goldman, R.S., Axelrod, B.N., Tandon, R., Ribiero, S.C., Craig, K., i Berent, S. (1993). Neuropsychological prediction of treatment efficacy and one-year outcome in schizophrenia. *Psychopatology*, 126, 122-126.

Goldstein, G. (1990). Neuropsychological heterogeneity in schizophrenia: a consideration of abstraction and problem/solving abilities. *Archives of Clinical Neuropsychology*, 5, 251-264.

Gottschalk, L.A. i Selin, C. (1991). Comparative neurobiological and neuropsychological deficits in adolescent and adult schizophrenic and nonschizophrenic patients. *Psychotherapy and Psychosomatics*, 55 (1), 32-41.

Grant, D.A. i Berg, E.A. (1948). A behavioral analysis of degree of reinforcement and ease of shifting to new responses in a weigh-type card-sorting problems. *Journal of Experimental Psychology*, 39, 404-411.

Gray, J.A., Feldon, J., Rawlins, J.N.P., Hemsley, D.R., i Smith, A.D. (1991). The neuropsychology of schizophrenia. *Behavioral and Brain Sciences*, 14, 1-84.

Gray, J.A. (1995). A model of the limbic system and basal ganglia: applications to anxiety and schizophrenia. En M.S. Gazzaniga, (Ed.), *The cognitive neurosciences* (p.p. 1165-1176). Cambridge: The MIT Press.

Green, M.F. (1996). What are the functional consequences of neurocognitive deficits in schizophrenia?. *American Journal of Psychiatry*, 153 (3), 321-330.

Gumley, A., O'Grady, L., McNay, L., Reilly, J., Power, K., i Norrie, J. (2003). Early intervention for relapse in schizophrenia: results of a 12 month randomised controlled trial of cognitive behavioural therapy. *Psychological Medicine*, 33, 419-431.

Halligan, P.W. i David, A.S. (2001). Cognitive neuropsychiatry: towards a scientific psychopathology. *Nature Reviews Neuroscience*, 2, 209-215.

Hansen, D.J., Lawrence, J.P.S. i Christoff, K.A. (1985). Affects of interpersonal problem-solving training with chronic aftercare patients on problem-solving

component skills and effectiveness of solutions. *Journal of Consulting and Clinical Psychology*, 53 (2), 167-174.

Hart, S., i Semple, J.M. (1990). *Neuropsychology and the dementias*. Londres: Taylor and Francis.

Harvey, P. i McGurk, S. (2000). The cost of schizophrenia. Focus on cognitive and occupational dysfunction. *TEN*, 2, 42-48.

Heaton, R.K. (1981). *Wisconsin Card Sorting Test. Manual*. Odessa, Fl: Psychological Assessment Resources.

Heaton, R.K., Chelune, G.J., Talley, J.L., Kay, G.G., i Curtiss, G. (1997). *Manual del test de clasificación de tarjetas de Wisconsin (WCST)*. Madrid: TEA Ediciones.

Heilman, K. i Valenstein, E. (1993). *Clinical Neuropsychology*. New York: Oxford University Press.

Heinrichs, D. (1984). Recent development in psychosocial treatment of chronic psychotic illness. En J.A. Talbott (Ed.), *The Chronic Mental Patient. Five Years Later*, (p.p. 123-136). Orlando: Grune & Stratton, Inc.

Heinrichs, D.W., Hanlon, T.E., i Carpenter, W.T. (1984). The Quality of Life Scale: An Instrument for Rating the Schizophrenic Deficit Syndrome. *Schizophrenia Bulletin*, 10 (3), 388-399.

Hemsley, D.R. (1994). A cognitive model for schizophrenia and its possible neural basis. *Acta Psychiatrica Scandinavica*, 90 (384), 480-486.

Hodel, B., Brenner, H.D. i Merlo, M. (1990). Cognitive and social training for chronic schizophrenic patients. A comparison between two types of therapeutic interventions. En C. Stefanis, A. Rabavilas, i R. Soldatos (Eds.), *Psychiatry: A world Perspective*, 3. Amsterdam, New York, Oxford: Excerpta Medica.

Hodges, J.R. (1996). *Valoración cognitiva*. Barcelona: J.R. Prous S.A.

Hogarty, G.E. i Flesher, S. (1992). Cognitive remediation in schizophrenia: Proceed...with caution. *Schizophrenia Bulletin*, 18, 51-57.

Holm-Hadulla, R.M. (1982). Der "Konkretismus" als Ausdruck schizophrener Denkens, Sprechens und Verhaltens. *Nervenarzt*, 53, 534-529.

Hussy, W. (1985). Komplexes Problemlöseneine Sackgasse? *Zeitschrift für Experimentelle und Angewandte Psychologie*, 32 (1), 55-74.

Jaeger, J., Berns, S., Tigner, A. i Douglas, E. (1992). Remediation of neuropsychological deficits in psychiatric populations: rationale and methodological considerations. *Psychopharmacological Bulletin*, 28, 367-390.

Jackson, H., McGorry, P., Henry, L., Edwards, J., Hulbert, C., Harrigan, S., Dudgeon, P., Francey, S., Maude, D., Cocks, J., i Power, P. (2001). Cognitively oriented psychotherapy for early psychosis (COPE): a 1-year follow-up. *British Journal of Clinical Psychology*, 40, 57-70.

John, R.S., Mednick, S.A., i Schulsinger, F. (1982). Teacher reports and borderline schizophrenia. A Bayesian decision analysis. *Journal of Abnormal Psychology*, 91, 339-414.

Junqué, C. i Barroso, J. (1995). *Neuropsicología*. Madrid: Editorial Síntesis. S.A.

Kahneman, D. (1973). *Attention and Effort*. New Jersey: Prentice-Hall.

Kay S.R., Fiszbein, A., i Opler, L.A. (1987). The Positive and Negative Syndrome Scale (PANSS) for schizophrenia. *Schizophrenia Bulletin*, 13, 261-276.

Kielhofer, G. (1992). *A model on human occupation, theory and Application*. Baltimore: Williams & Wilkins.

König, F., Otto, J., Holling, H., i Liepmann, D. (1980). Das Konzept der Problemlösefähigkeit in der Psychotherapie. Theoretische Grundlagen und empirische Analyse eines Fragebogens zum Problemlösen. En Schultz, W. i Hant-Zinger, M. (Eds.), *Klinische Psychologie und Psychotherapie, 2: Indikation, Diagnostik, Psychotherapieforschung*. Tübingen/Köln: digvt/GWG.

Kohs, S.C. (1923). *Intelligence measurement: a psychological and statistical study based upon the blok-design-tests*. New York: Macmillan.

Kraemer, S., Sulz, K.H.B., Schmid, R., i Lässle, R. (1987): Kognitive Therapie bei standardversorgten schizophrenen Patienten. *Nervenarzt*, 58, 84-90.

Kraemer, S., Zinner, H.J., Riehl, T., Gehringer, M., i Moller, H.J. (1990). Kognitive Therapie und Verhaltenstraining zur Förderung sozialer Kompetenz für chronisch schizophrene Patienten. En G.E. Kühne, H.D. Brenner, i G. Huber (Eds.), *Kognitive Therapie bei Schizophrenen*. Jena: Gustav Fischer.

Kraepelin, E. (1913/1919). *Dementia praecox and paraphrenia* (traduït per Barclay, R.M.). Edimburg: Livingstone.

Kurtz, M.M., Moberg, P.J., Gur, R.C. i Gur, R.E. (2001). Approaches to Cognitive Remediation of neuropsychological Deficits in schizophrenia: A review and Meta-Analysis. *Neuropsychology Review*, 11 (4), 197-210.

Laberge, D. Networks of attention. (2000). En M.S. Gazzaniga, (Ed.), *The new cognitive neurosciences*, (2a. ed., p.p. 623-631). Cambridge: The MIT Press.

Lang, P. i Buss, A. (1965). Psychological deficit in schizophrenia: affect, reinforcement and concept attainment. *Journal of Abnormal Psychology*, 70, 77-106.

Lanser, M.G., Berger, H.J., Ellenbroek, B.A., Cools, A.R., i Zitman, F.G. (2002). Perseveration in schizophrenia: failure to generate a plan and relationship with the psychomotor poverty subsyndrome. *Psychiatry Research*, Sep 15; 122 (1), 13-26.

Leff, J. (1994). Stress reduction in the social environment of schizophrenics patients. *Acta Psychiatrica Scandinavica*, 90 (384), 133-139.

Lezak, M.D. (1982). The problem of assessing executive functions. *International Journal of Psychology*, 17, 281-297.

Lezak, M.D. (1983). *Executive Functions in Neuropsychological Assessment*. 2nd ed. New York: Oxford University Press.

Lezak, M.D. (1987). Relationship between personality disorders, social disturbances and physical disability following traumatic brain injury. *The Journal of Head Trauma Rehabilitation*, 2, 57-69.

Lezak, M.D. (1993). Newer contributions to the neuropsychological assessment of the executive functions. *The Journal of Head Trauma Rehabilitation*, 8, 24-31.

Lewis, D.A. i Lewitt, P. (2002). Schizophrenia as a disorder of neurodevelopment. *Annual Review of Neuroscience*, 25, 409-432.

Li, C.S. (2004). Do schizophrenia patients make more perseverative than non perseverative errors on the Wisconsin Card Sorting Test? A meta-analytic study. *Psychiatry Research*, Dec 15;129 (2), 179-190.

Lieberman, R.P. (1982). Assessment of social skills. *Schizophrenia Bulletin*, 8 (1), 62-84.

Lieberman, R.P., Jacobs, H.E., Boone, B.W., i Donahoe, C.P. (1986). Skills training for the community adaptation of schizophrenics. *Schizophrenia Bulletin*, 4, 94-97.

Lieberman, R.P. (1988). *Psychiatric Rehabilitation of Chronic Mental Patients*. Washington: American Psychiatric Press.

Lieberman, R.P. i Green M.F. (1992). Whether cognitive-behavioral therapy for schizophrenia? *Schizophrenia Bulletin*, 18, 27-35.

Lieberman, R.P. (1993). *Rehabilitaci3n integral del enfermo mental cr3nico*. Barcelona: Editorial Martinez Roca.

Liddle, P.F. i Morris, D.L. (1991). Schizophrenic syndromes and frontal lobe performance. *British Journal of Psychiatry*, 158, 340-345.

Luria, A.R. (1973). *The working brain*. New York: Basic Books.

Luria, A.R. (1979). *El cerebro humano y los procesos psíquicos*. Barcelona: Fontanella.

Lyon, N., Mejsholm, B., i Lyon, M. (1986). Stereotyped responding by schizophrenic outpatients: cross-cultural confirmation of perseverative switching on a two-choice guessing task. *Journal of Psychiatric Research*, 20, 137-150.

Magaro, P.A. (1980). *Cognition in schizophrenia and paranoia. The integration of cognitive processes*. Hillsdale: N.J. Erlbaum.

Magaro, P.A. i Chamrad, D. (1983). Information processing and lateralization in schizophrenia. *Biological Psychiatry*, 18, 29-44.

Magaro, P.A. (1991). *Cognitive bases of Mental Disorders*. USA: SAGE Publications.

Manual diagnóstico y estadístico de los trastornos mentales. DSM-IV-TR. (2002). Ed. Masson.

Mateer, C.A. (1999). The rehabilitation of executive disorders. En D.T. Stuss, G. Winocur i I.H. Robertson (Eds.), *Cognitive neurorehabilitation* (p.p. 314-332). Cambridge: Cambridge University Press.

McGhie, A. i Chapman, J. (1961). Disorders of attention and perception in early schizophrenia. *British Journal of Medical Psychology*, 34, 103-116.

McGurk, S.R., Coleman, T., Harvey, P.D., Reichenberg, A., White, L., Friedman, J., Parrella, M., i Davis, K.L. (2004). Working memory performance in poor outcome schizophrenia: relationship to age and executive functioning. *Journal of Clinical and Experimental Neuropsychology*. Apr. 26 (2), 153-160.

Medalia, A., Aluma, M., Tryon, W., i Merriam, A.E. (1998). Effectiveness of attention training in schizophrenia. *Schizophrenia Bulletin*, 24, 147-152.

Medalia, A., Revheim, N., i Casey, M. (2002). Remediation of problem-solving skills in schizophrenia: evidence of a persistent effect. *Schizophrenia Research*, Oct 1; 57 (2-3), 165-171.

Miller, E. (1984). Verbal fluency as a function of a measure of verbal intelligence and in relation to different types of cerebral pathology. *British Journal of Clinical Psychology*, 116, 695-704.

Morice, R. i Delahunty, A. (1996). Treatment Strategies for the Remediation of Neurocognitive Dysfunction in Schizophrenia. En C. Pantelis, H.E. Nelson i Barnes, (Comps.). *Schizophrenia. A Neuropsychological Perspective* (p.p. 447-460) Chichester: John Wiley & Sons.

Morrison, A.P., Bentall, R.P., French, P., Walford, L., Kilcommons, A., Knight, A., Kreutz, M. i Lewis, S. (2002). Randomised controlled trial of early detection and cognitive therapy for preventing transition to psychosis in high-risk individuals. Study design and interim analysis of transition rate and psychological risk factors. *British Journal of Psychiatry, Suppl*, 43, 578-584.

Mosey, A. (1970). *Three Frames of Reference for Mental Health*, Thorofare, Nj: Slack.

Muller, U., Ullsperger, M., Hammerstein, E., Sachweh, S., i Becker, T. (2004). Directed forgetting in schizophrenia prefrontal memory and inhibition deficits. *European Archives of Psychiatry and Clinical Neuroscience*. Nov 22, (Epub ahead of print).

Muñoz, J.M. i Tirapu, J. (2001). *Rehabilitación neuropsicológica*. Madrid: Editorial Síntesis S.A.

Muñoz, J.M. i Tirapu, J. (2004). *Rehabilitación de las funciones ejecutivas*. *Review neurological*, 38 (7), 656-663.

Norman, D.A. i Shallice, T. (1986). Attention to action willed and automatic control of behavior. En R.J. Davidson, G.E. Schwartz, D. Shapiro, (Eds.), *Consciousness and self-regulation* (p.p. 1-18). Vol 4. New York: Plenum Press.

Nuechterlein, K.H. i Dawson, M.E. (1984). Information processing and attentional functioning in the developmental course of schizophrenics disorders. *Schizophrenia Bulletin*, 10 (2), 160-202.

Obiols, J.E. (2001). *Neurodesarrollo y esquizofrenia. Aproximaciones actuales*. Barcelona: Ars Medica.

Partington, J. i Leiter, R. (1949). Partington's Pathways test. *Psychological Service Center Bulletin*, 1, 11-20.

Penadés, R. (2002). *La Rehabilitació neuropsicològica del pacient esquizofrènic*. (Tesi Doctoral. Departament de Psiquiatria i Psicobiologia Clínica de la Facultat de Psicologia. Universitat de Barcelona).

Peña-Casanova, J. (1990). *Test Barcelona. Programa Integrado de Exploración Neuropsicológica. Test Barcelona (Manual)*. Barcelona: Masson.

Peña-Casanova, J., Gramunt, N., i Gich, J. (2005). *Test neuropsicológicos. Fundamentos para una neuropsicología clínica basada en evidencias*. Barcelona: Masson.

Peralta, V. i Cuesta M.J. (1994). Validación de la Escala de los Síndromes Positivo y Negativo (PANSS) en una muestra de esquizofrénicos españoles. *Actas Luso Españolas de Neurología, Psiquiatría y Ciencias Afines*, 22, 171-177.

Peralta, V. i Cuesta, M.J. (1994). Psychometric properties of the positive and negative syndrome scale (PANSS). *Psychiatry Research*, 53, 31-40.

Perret, E. (1974). The left frontal lobe of man and the suppression of habitual responses in verbal categorial behaviour. *Neuropsychologia*, 12, 323-330.

Perris, C. i McGorry, P. (1998). *Psicoterapia Cognitiva para los trastornos psicóticos y de personalidad*. Bilbao: Desclée de Brower

- Piro, J. (1967). *Il linguaggio schizofrenico*. Milano: Feltrinelli.
- Pishkin, V. i Williams, W.V. (1984). Redundancy and complexity of information in cognitive performances of schizophrenic and normal individuals. *Journal of Clinical Psychology*, 40 (3), 648-654.
- Porteus, S.D. (1915). Mental tests for feebleminded: A new series. *Journal of Psycho-Asthenic*, 19.
- Porteus, S.D. (1915). Motor-Intellectual tests for mental defectives. *Experimental Pedagogy*, 2.
- Porteus, S.D. (1941). *The Practice of Clinical Psychology*. Aimer Book Co.
- Porteus, S.D. (1999). *Manual del Test de Laberintos de Porteus*. Madrid: TEA Ediciones.
- Posner, M.I. i DiGirolamo, G.J. (2000). *Attention in cognitive neurosciences*. 2 ed. Cambridge: The MIT Press, 623-31.
- Ramier, A.M., i Hécaen, H. (1970). Role Respectif des atteintes frontales et de la latéralisation lésionnelle dans les deficits de la fluence verbal. *Review Neurology*, 123: 17-22.
- Ramier, A.M., i Hécaen, H. (1977). Les déficits au test de "fluence verbale" chez les sujets gauchers avec lesions hemispheriques unilaterales. *Review Neurology*, 133, 571-4.
- Ran, M.S. i Chen, E.Y.H. (2004). Cognitive enhancement therapy for schizophrenia. *Lancet*, 364, 2163-2165.
- Reed, K.L. i Sanderson, N. (1992). *Concepts of Occupational Therapy*, Baltimore: Williams & Wilkins.
- Rebolledo, S.M. i Lobato, MJ.R. (1998). *Psicoeducación de personas vulnerables a la esquizofrenia*. Fundació nou camí: Sant Boi de Llobregat.
- Robertson, I.H. (1996). *Goal management training: a clinical manual*. Cambridge UK: PsyConsult.
- Roder, V., Brenner, H., Hodel, B., i Kienzle, N. (1996). *Terapia integrada de la esquizofrenia*. Barcelona: Ariel Psiquiatria.
- Rodnick, E. i Shakow, D. (1940). Set in the schizophrenic as measured by a composite reaction time index. *American Journal of Psychiatry*, 97, 214-225.
- Rodríguez A., Rodríguez, A., Jarne, A., Soler, R., Miarons, R., i Grau, A. (1992). Validez de Constructo de la Escala de Calidad de Vida en la Esquizofrenia (QLS). *Sexto Congreso Europeo*. Barcelona: Association of European Psychiatrists.

Ruiz Vargas, J.M. (1987). *Esquizofrenia: un enfoque cognitivo*. Madrid: Alianza Psicología.

Sáiz Ruiz, J. (1999). *Esquizofrenia. Enfermedad del cerebro y reto social*. Madrid: Masson.

Saper, C.B., Iversen, S., i Frackowiack, R. (2001). Integración de la función sensitiva y motora: áreas de asociación de la corteza cerebral y capacidades cognitivas del cerebro. En E.R. Kandel, J.H. Schwartz i T.M. Jessell (Eds.), *Principios de neurociencia* (p.p. 349-380). Madrid: McGraw-Hill/Interamericana.

Sawicka, M. (2001). The ability of modifying cognitive deficits in the area of social functioning in chronic schizophrenic patients. *Psychiatr Pol*, 35 (6), 991-1004.

Schneider, W. i Shiffrin, R.M. (1977). Controlled and automatic human information processing: I. Detection, search and attention. *Psychological Review*, 84, 1-66.

Semkovska, M., Bedard, M.A., Godbout, L., Limoge, F., i Stip, E. (2004). Assessment of executive dysfunction during activities of daily living in schizophrenia. *Schizophrenia Research*, Aug 1, 69 (2-3), 289-300.

Shakow, D. (1963). Psychological deficit in schizophrenia. *Behavioral Science*, 8, 275-305.

Shakow, D. (1971). Some observations on the psychology (and some fewer on the biology) of schizophrenia. *Journal of Nervous and Mental Disease*. 153, 300-316.

Shallice, T. (1982). Specific impairments of planning. *Philosophical Transactions of the Royal Society of London*, B 298, 199-209.

Shallice, T. (1988). *From neuropsychology to mental structure*. Cambridge: Cambridge University Press.

Shepherd, G. (1990). Planificación de la Rehabilitación del individuo. En F.N. Watts i D.H. Bennett (Comps.). *Rehabilitación Psiquiátrica: Teoría y práctica*, (p.p. 353-372). México: Limusa.

Sholberg, M.M., Mateer, C.A. i Stuss, D.T. (1993). Contemporary approaches to the management of executive control dysfunction. *The Journal of Head Trauma Rehabilitation*, 8, 45-58.

Shute, G.E. i Huertas, V. (1990). Developmental variability in frontal lobe function. *Developmental Neuropsychology*, 6, 1-11.

Siegel, J.M. i Spivack, G. (1976). A new therapy program for chronic patients. *Behavior therapy*, 7, 129-130.

Silverstein, S. (2000). Psychiatric rehabilitation of schizophrenia: unresolved issues, current trends, and future directions. *App Prev Psychiatry*, 9, 227-248.

Snow, W.G., Tierney, M.C., Zoritto, M.L., Fisher, R.H. i Reid, D.W. (1988). One-year test-retest reliability of selected neuropsychological tests in older adults. *Journal of Clinical and Experimental Neuropsychology*, 10, 60.

Soler, P.I. i Gascón, J. (2005). *Recomendaciones terapéuticas en terapia cognitivo conductual*. Coordinadores: Josep Maria Farré i Miquel Àngel Fullana. Barcelona: Ars Medica.

Souza, R., Ignacio, F.A., Cunha, F.C., Oliveira, D.L. i Moll, J. (2001). Contributions to the neuropsychology of executive behavior: performance of normal individuals on the tower of London and Wisconsin Tests. *Arq. Neuropsiquiatria*, 59, 526-531.

Spaulding, W.D., Fleming, S.K., Reed, D., Sullivan, M., Storzback, D., i Lam, M. (1999). Cognitive functioning in schizophrenia: implications for psychiatric rehabilitation. *Schizophrenia Bulletin*, 25 (2), 275-289.

Spitzer, M.A. (1997). A cognitive neuroscience view of schizophrenic thought disorder. *Schizophrenia Bulletin*, 23, 29-50.

Spivack, G. i Shure, M.B. (1975). ICPS and beyond: Centripetal and centrifugal forces. *American Journal of Community Psychology*, 13 (3), 226-243.

Stroop, J.R. (1935). Studies of interference in serial verbal reaction. *Journal of Experimental Psychology*, 18, 643-662.

Stuss, D. i Benson, D.F. (1986). *The frontal lobes*. New York: Raven Press.

Tabarés-Seisdedos, R. i Martínez-Arán, A. (2005). *Trastornos Cognitivos en las Psicosis*. Madrid: Grupo Aula Médica, S.L.

Tarrier, N. (1995). Tratamiento y modificación de los síntomas psicóticos positivos residuales. En Birchwood i Tarrier (Eds.), *El tratamiento psicológico de la esquizofrenia* (p.p. 143-173). Barcelona: Ariel Psiquiatria.

Tirapu, J, Muñoz J. M. i Pelegrín, C. (2002). Funciones ejecutivas: necesidad de una integración conceptual. *Review Neurological*, 34, 673-685.

Tompkins, L.M., Goldman, R.S., i Axelrod, B.N. (1995). Modifiability of neuropsychological dysfunction in schizophrenia. *Biological Psychiatry*, 38, 105-111.

Trombly, C.S. i Scott, B. (1987). *Occupational Therapy for Physical Dysfunction* (3a ed.), Baltimore: Williams & Wilkins.

Van der Gaag, M., Kern, R.S., Van den Bosch, R.J., i Liberman, R.P. (2002). A controlled trial of cognitive remediation in schizophrenia. *Schizophrenia Bulletin*, 28, 167-76.

Vargas, M.L. (2004). Posibilidades de rehabilitación neurocognitiva en la esquizofrenia. II Congreso Internacional de Neuropsicología en Internet. *Review Neurological*, 38 (5), 473-482.

Vázquez, C. i Ochoa, E.F. (1989). Cognición y esquizofrenia: percepción y atención. *Monografías de Psiquiatría*, 1, 26-31.

Vázquez, C., Florit, A., i López, B. (1996). Rehabilitación cognitiva: principios generales y técnicas de evaluación e intervención. En J.A. Aldaz i C. Vázquez (Comps.), *Esquizofrenia: fundamentos psicológicos y psiquiátricos de la rehabilitación* (pp. 265-283). Madrid: Siglo Veintiuno de España editores, S.A.

Vogel, B. (1987). *Empirischer Vergleich und Evaluation der Auswirkungen zweier Therapiestufen eines Therapieprogrammes zum Training kognitiver und sozialer Fertigkeiten in der Rehabilitation chronisch schizophrener Patienten*. (Tesi no publicada realitzada en la Universitat de Constanza).

Von Cramon, D. i Von Cramon, G. (1991). Problem solving deficit in brain injured patients: A therapeutic approach. *Neuropsychological Rehabilitation*, 1, 45-64.

Von Cramon, D. i Von Cramon, G. (1992). Reflections on the treatment of brain injured patients suffering from problem-solving disorders. *Neuropsychological Rehabilitation*, 2, 207-230.

Wechsler, D.A. (1955). *Wechsler Adult Intelligence Scale. Manual*. Nueva York: Psychological Corporation.

Wechsler, D.A. (1977). *Escala de Inteligencia de Wechsler para adultos (WAIS)*. Madrid: TEA Ediciones S.A.

Weinberger, D.R. i Marengo, S. (2003). Schizophrenia as a neurodevelopmental disorder. En S.R. Hirsch i D. Weinberger (Eds.), *Schizophrenia* (p.p. 326-348). Massachusetts: Blackwell Scienc Ltd.

Wilson, B.A., Alderman, N., Burgess, P.W., Emslie, H., i Evans, J.J. (1996). *Behavioural Assessment of the Dysexecutive Syndrome*. Thames Valley Test Company: Bury St. Edmunds.

Wykes, T., Reeder, C., Corner J., Williams, C., i Everitt, B. (1999). The effects of neurocognitive remediation on executive processing in patients with schizophrenia. *Schizophrenia Bulletin*, 25, 292-307.

Wood, P.K. (1983). Inquiring systems and problem structure: Implications for cognitive development. *Human Development*, 26, 249-265.

Zabala, A., Bombín, I., Robles, O., Parellada, M.J., Ruiz-Sancho, A., Moreno, D., Burdalo, M.T. i Arango, C. (2005). Alteraciones cognitivas en la esquizofrenia de inicio temprano. *Medicina Clínica*, 6 (5), 3-10.

Zandío-Zorrilla, García de Jalón, E., Campos-Burgui, M.S., Langerica-Eseverri, M., Peralta-Martín, V., i Cuesta-Zorita, M.J. (2005). Tratamiento del déficit cognitivo en la esquizofrenia. *Medicina Clínica*, 6 (5), 27-37.

Zhil, J., Grön, G. i Brunbauer, A. (1998). Cognitive deficits in schizophrenia and affective disorders: Evidence for a final common pathway disorder. *Acta Psychiatrica Scandinavica*, 97, 351-357.

Zimmerman, I.L, Woo-Sam, J.M. i Glasser, A.J. (1976). *Interpretación clínica de la escala de inteligencia de Wechsler para adultos*. Madrid: TEA Ediciones.

Zubin, J. i Spring, B.J. (1977). Vulnerability- A new view of schizophrenia. *Journal of Abnormal Psychology*, 86, 103-126.

