

## 6. BIBLIOGRAFIA

- Agustí, J.**, 1981. Roedores Miomorfos del Neógeno de Cataluña. Tesi de la Universitat de Barcelona, 228 p.
- Agustí, J., Cabrera, L.** 1980. Nuevos datos sobre la Biozonación del Burdigaliense continental del Vallés-Penedés. *Acta Geol. Hisp.*, 15, 81-84.
- Agustí, J., Cabrera, L. i Moyà-Solà, S.**, 1985. Sinopsis estratigráfica del Neógeno de la fosa del Vallés-Penedés. *Paleontologia i evolució*, 18, 57-81.
- Almera, J.**, 1880. De Montjuich al Papiol a través de las épocas geológiques. *Mem. R. Acad. CC. y AA.* Barcelona, 5-53.
- Almera, J.**, 1894. Descripción de los terrenos pliocénicos de la cuenca del Bajo Llobregat y llano de Barcelona. *Mapa Geol. Prov.* Barcelona. 351p.
- Almera, J.**, 1899. Compte rendu de l'excursion du 28 septembre a Sans et a Montjuich. *Bull. Soc. Géol. France*, 26, 680-689.
- Almera, J.**, 1902. Excursión geológica dirigida a estudiar las relaciones del grupo de Montgat con el de Vallcarca. *Mem de la R. Acad. De Cienc. y Art. de Barcelona*, 3<sup>a</sup> época, IV, 25, 337-344.
- Alonso, F., Peón, A., Villanueva, O., Rosell, J., Trilla, J. i Obrador, A.**, 1977. Mapa y memoria explicativa de la Hoja nº 421 (Barcelona) del Mapa geológico Nacional a escala 1:50.000, IGME.
- Alonso-Azcárate, J., Arche, A., Barrenechea, J.F., López-Gómez, J., Luque, F.J. i Rodas, M.**, 1997. Palaeogeographical significance of clay mineral assemblages in the Permian and Triassic sediments of the SE Iberian Ranges, eastern Spain. *Palaeogeo. Palaeoclimatol. Palaeoecol.*, 136, 309-330.
- Alonso-Zarza, A.**, 1999. Initial stages of laminar calcrete formation by roots: examples from the Neogene of central Spain. *Sed. Geol.*, 126, 177-191.

- Alonso-Zarza, A.,** *in press.* Palaeoenvironmental significance of palustrine carbonates and calcretes in the geological record. *Earth-Science Reviews*
- Alonso-Zarza, A. i Calvo, J.P.,** 2000. Palustrine sedimentation in an episodically subsiding basin: the Miocene of the northern Teruel Graben (Spain). *Palaeogeogr. Palaeoclimatol. Palaeoecol.*, 160, 1-21.
- Álvarez, A.,** 1987. Las canteras de Montjuic (Barcelona) (I). *Rev. Miner. Cat.*, 3 (9), 238-242.
- Álvarez, A.,** 1988. Las canteras de Montjuic (Barcelona) (II). *Rev. Miner. Cat.*, 4 (1), 22-25.
- Álvaro-de-Buergo, E. i Meléndez-Hévia, F.,** 1994. Características generales de las subcuenca del margen peninsular mediterráneo ("Rift" del Surco de Valencia). *Acta Geol. Hisp.*, 29, 67-79.
- Amieux, P.,** 1982. La cathodoluminescence: méthode d'étude sédimentologique des carbonates. *Bull. Centres Rech. Explor.-Prod. Elf-Aquitaine*, 6 (2), 437-483.
- Amigó, J.,** 1986. Estructura del massís del Gaià. Relacions estructurals amb les fosses del Penedès i del Camp de Tarragona. *Tesi de Doctorat* (Universitat de Barcelona). 253 pp.
- Anadón, P.,** 1986. Las facies lacustres del oligoceno de campins (Vallès Oriental, provincia de Barcelona). *Cuad. Geol. Ibérica*, 10, 271-294.
- Anadón, P. i Cabrera, L.,** 1986. Características de los depósitos lacustres y facies asociadas del Burdigaliense (Mioceno inferior) de la cuenca del Vallès-Penedès. *Actas del XI Congreso Nacional de Sedimentología*. Salamanca, 1, 261-276. Ediciones Universidad de Salamanca.
- Anadón, P. i Utrilla, R.,** 1993. Sedimentology and isotope geochemistry of lacustrine carbonates of the Oligocene Campins Basin, north-east Spain. *Sedimentology*, 40, 699-720.
- Anadón, P i Villalta, J.F.,** 1975. Caracterización de los terrenos de edad estampiense en Campins (Vallès Oriental). *Acta Geol. Hisp.*, X (1), 6-9.
- Anadón, P., Cabrera, L., Guimerà, J. i Santanach, P.,** 1985. Paleogene strike-slip deformation and sedimentation along the southeastern margin of the Ebro basin. En: *Strike-slip Deformation, Basin Formation and Sedimentation* (K.T. Biddle i N. Christie-Blick ed.), Spec. Publ. Soc. Econ. Miner., 37, 303-318.
- Andrews, J.E., Riding, R. i Dennis, P.F.,** 1993. Stable isotopic compositions of Recent freshwater cyanobacterial carbonates from the British Isles: local and regional environmental controls. *Sedimentology*, 40, 303-314.
- Andrews, J.E., Pedley, H.M. i Dennis, P.F.,** 1994. Stable isotope record of paleoclimatic change in a British Holocene tufa. *The Holocene* 4, 349-355.
- Anglada, R. i Martín, E.,** 1971. Sur l'âge d'une transgression marine dans le bassin du Vallès-Penedès (Espagne). *C. R. Som. Soc. Geol. France*, 26 Avril, 189-191.
- Arbey, F.,** 1980. Les formes de la silice et l'identification des évaporites dans les formations silicifiées. *Bull. Cent. Rech. Explor. Elf-Aquitaine*, 4, 309-365.
- Arbiol, S.,** 1993. Revisión de la fauna de micromamíferos del yacimiento oligocénico de Can Quaranta (Campins, Vallès Oriental). *Paleont. Evol.*, 26-27, 107-120
- Arribas, J. i Arribas, M.E.,** 1991. Petrographic evidence of different provenance in two alluvial fan systems (Palaeogene of the northern Tajo Basin, Spain). En *Developments in Sedimentary Provenance Studies* (A.C. Morton, S.P. Todd i P.D.W. Haughton eds.). *Geol. Soc. Special Pub.*, 57, 263-271.
- Arthur, M.A., Anderson, T.F., Kaplan, I.R., Veizer, J. i Land, L.S.,** 1983. Stable isotopes in sedimentary geology. *SEPM Short Course n°10*. SEPM, Tulsa, 432 p.
- Banda, E. i Santanach, P.,** 1992a. The Valencia trough (western Mediterranean): an overview. *Tectonophysics*, 208, 183-202.
- Banda, E. i Santanach, P., (eds.)** 1992b. Geology and geophysics of the Valencia trough (western Mediterranean). *Tectonophysics*, 203, 1-361.
- Banner, J.L. i Hanson, G.N.,** 1990. Calculation of simultaneous isotopic and trace element variations during water-rock interaction with applications to carbonate diagenesis. *Geochim. Cosmochim. Acta*, 54, 3123-3137.

- Barberà, X., Cabrera, L., Marzo, M., Pares, J.M. i Agustí, J.**, 2001. A complete terrestrial Oligocene magnetobiostratigraphy from the Ebro Basin, Spain. *Earth Planet. Sci. Letters*, 187, 1-16.
- Barnaby, R.J. i Rimstidt, J.D.**, 1989. Redox conditions of calcite cementation interpreted from Mn and Fe contents of authigenic calcites. *Geol. Soc. Am. Bull.*, 101, 795-804.
- Bartrina, M.T., Cabrera, L., Jurado, M.J., Guimerà, J. i Roca, E.**, 1992. Evolution of the central Catalan margin of the Valencia trough (western Mediterranean). *Tectonophysics*, 203, 219-247.
- Basu, A.**, 1976. Petrology of holocene fluvial sand derived from plutonic source rocks; implications to paleoclimatic interpretation. *Jour. Sed. Petrol.*, 46 (3), 694-709.
- Bataller, J.R.**, 1918. Mamífers fosils de Catalunya. Treballs de la Institució catalana d'Història Natural, IV, Barcelona.
- Bataller, J.R.**, 1931. Un fòsil curiós de Montjuic. *Butll. Inst. Catal. Hist. Nat., Sec. Geol.*, 31, 48.
- Bataller, J.R.**, 1938. Els ratadors fòssils de Catalunya. Barcelona, 64 p.
- Bataller, J.R.**, 1951. Las fanerógamas fósiles de España. *An. Esc. Pér. Agríc.*, 10, 137-138.
- Bellanca, A., Calvo, J.P., Censi, P., Neri, R. i Pozo, M.**, 1992. Recogniton of lake-level changes in Miocene lacustrine units, Madrid Basin, Spain. Evidence from facies analysis, isotope geochemistry and clay mineralogy. *Sed. Geol.*, 76, 135-153.
- Benison, K.C. i Goldstein, R.H.**, 2002. Recornizing acid lakes and groundwaters in the rock record. *Sed. Geol.*, 151, 177-185.
- Berggren, W.A., Dennis, K.V., Swisher III, C.C. i Aubry, M.P.**, 1995. A revised cenozoic geochronology and chronostratigraphy. En *Times Scales and Global Strat. Corr. SEPM Spec. Pub*, 54, 129-212.
- Berner, R.A.**, 1981. A new geochemical classification of sedimentary environments. *J. Sedim. Petrol.*, 51 (2), 359-365.
- Bethke, G.**, 1992. The Geochemist's Workbench. A user's guide to Rxn, Act 2, Tact, React and Gtplot, University of Illinois, 174 p.
- Bigham, J.M. i Nordstrom, D.K.**, 2000. Iron and Aluminum Hydroxysulfates from Acid Sulfate Waters. En C.N. Alpers, J.L. Jambor i D.K. Nordstrom (eds.) *Sulfate Minerals. Crystallography, Geochemistry and Environmental Significance. Reviews in Mineralogy & Geochemistry*, 40, Mineralogical Society of America, Washington, DC, 351-403.
- Bjørlykke, K. i Egeberg, P.K.**, 1993. Quartz cementation in sedimentary basins. *Amer. Assoc. Petrol. Geol. Bull.*, 77 (9), 1538-1548.
- Blanc-Valleron, M.M. i Thiry, M.**, 1997. Clay Minerals, Paleoweathering, Paleolandscapes and Climatic Sequences: The Paleogene Continental Deposits in France. En *Soils and Sediments, Mineralogy and Geochemistry* (H. Paquet i N. Clauer, eds.), Springer-Verlag, Berlin Heidelberg, 223-247.
- Blow, W.H.**, 1969. Late Middle Eocene to Recent planktonic foraminiferal biostratigraphy. En P. Brönnimann i H.H. Renz (eds.). *Proceedings of the First International Conference on Planktonic Microfossils* (Geneva 1967), 199-421, Leiden E. J. Brill.
- Bolli, H.M. i Saunders J.B.**, 1985. Oligocene to Holocene low latitude planktic foraminifera. En H. M. Bolli, J.B. Saunders, i K. Perch-Nielsen (eds.). *Plankton stratigraphy*, 155-262, Cambridge Earth Science Series.
- Brancaccio, L., D'Argenio, B., Ferreri, V., Stanzione, D., Turi, B. i Preite Martínez, M.**, 1986. Cartteri tessiturali e geochimici dei travertini di Rocchetta a Volturno (Molise). *Boll. Soc. Geol. It.*, 105, 265-277.
- Brannon, J.C., Cole, S.C., Podosek, F.A., Ragan, V.M., Coveney Jr, R.M., Wallace, M.W. i Bradley, A.J.**, (1996). Th-Pb and U-Pb dating of ore-stage calcite and Paleozoic fluid flow. *Science*, 271, 491-493.
- Brown J.B.**, 1971. Jarosite-goethite stabilities at 25°C, 1 atm. *Mineral Deposita*, 6, 245-252.
- Brunet, M. i Vianey-Liaud, M.**, 1987. Mammalian Reference Levels MP 21-30. *Münchner Geowiss. Abh. (A)* 10, 30-42.

- Budd, D.A., Hammes, U. i Ward, W.B.**, 2000. Cathodoluminescence in calcite cements: New insights on Pb and Zn sensitizing, Mn activation and Fe quenching at low trace-element concentrations. *Jour. Sed. Research*, 70 (1), 217-226.
- Bustillo, M.A.**, 1976. Texturas de la rocas silíceas inorgánicas en ambiente continental y significado genético. *Estudios geol.*, 32, 371-383.
- Bustillo, M.A., Delgado, A., Rey, J. i Ruiz-Ortiz, P.A.**, 1998. Meteoric water participation in the genesis of Jurassic cherts in the Subbetic of southern Spain - a significant indicator of penecontemporaneous emergence. *Sedim. geol.*, 119, 85-102.
- Buurman, P.**, 1980. Palaeosols in the Reading Beds (Paleocene) of Alum Bay, Isle of Wight, U.K. *Sedimentology*, 27, 593-606.
- Cabrera, L.**, 1973. Thelogoastraea multisepta (SISMONDA) Primer coralario colonial del mioceno marino de Montjuich (Barcelona). *Acta Geol. Hisp.*, 8, 148-150.
- Cabrera, L.**, 1979. Estudio estratigráfico y sedimentológico de los depósitos continentales basales del Mioceno de la depresión del Vallès-Penedès. *Tesi de Llicenciatura, Dpt. d'Estratigrafia i Geologia Històrica, Universitat de Barcelona*, 361 p.
- Cabrera, L.**, 1981. Influencia de la tectónica en la sedimentación continental de la cuenca del Vallès-Penedès (provincia de Barcelona, España) durante el Mioceno inferior. *Acta Geol. Hisp.*, 16, 165-171.
- Cabrera, L., Calvet, F., Guimerà, J. i Permanyer, A.**, 1991. El registro sedimentario miocénico en los semigrabens del Vallès-Penedès y de el Camp: organización secuencial y relaciones tectónica sedimentación. I Congreso del Grupo Español del Terciario. Libro-Guía Excursión nº4, 132 p.
- Calvet F. i Julià R.**, 1983. Pisoids in the caliche profiles of Tarragona (NE Spain). En: T.M. Peryt (Ed.), *Coated Grains*. Springer, Berlin, pp. 73-79.
- Calvet, F., Canals, A., Cardellach, E., Carmona, J.M., Gómez-Gras, D., Parcerisa, D., Bitzer, K., Roca, E. i Travé, A.**, 2000. Fluid migration and interaction in extensional basins: application to the Triassic and Neogene rift in the central part of the Catalan Coastal Ranges, NE Spain. Field Guide. *Geofluids III '2000*, 58 p.
- Calvet, F., Parcerisa, D. i Gómez-Gras, D.**, 2002. La terra d'escudelles a la muntanya de Montjuïc. *Actes de la VI Trobada d'Història de la Ciència i de la Tècnica*. Vic. (coord. Batlló, J., Bernat, P. i Puig, R.). Societat Catalana d'Història de la Ciencia i de la Técnica (Filial de l'Institut d'Estudis Catalans); 238-249.
- Calvo, J.P., Blanc-Valleron, M.M., Rodríguez-Arandía, J.P., Rouchy, J.M. i Sanz, M.E.**, 1999. Authigenic clay minerals in continental evaporitic environments. *Spec. Publs int. Ass. Sediment.*, 27, 129-151.
- Canals, M. i Meunier, J.D.**, 1995. A model for porosity reduction in quartzite reservoirs by quartz cementation. *Geochim. Cosmochim. Acta*, 59 (4), 699-702.
- Carez, L.** 1881. Étude des terrains crétacés et tertiaires du Nord de l'Espagne. Paris, ed. Librairie F. Savy, 327p.
- Carpenter, S.J. i Lohman, K.C.**, 1992. Sr/Mg ratios of modern marine calcite: Empirical indicators of ocean chemistry and precipitation rate. *Geochim. Cosmochim. Acta*, 56, 1837-1849.
- Carpenter, S.J., Lohman, K.C., Holden, P., Walter, L.M., Huston, T.J. i Halliday, A.N.**, 1991.  $\delta^{18}\text{O}$  values,  $^{87}\text{Sr}/^{86}\text{Sr}$  and Sr/Mg ratios of Late Devonian abiotic marine calcite: Implications for the composition of ancient seawater. *Geochim. Cosmochim. Acta*, 55, 1991-2010.
- Casanova, J. i Nury, D.**, 1989. Biosédimentologie des stromatolites fluvio-lacustres du fossé oligocène de Marseille. *Bull. Soc. Géol. France*, V (6), 1173-1184.
- Cerling, T.E.**, 1984. The stable isotopic composition of modern soil carbonate and its relationship to climate. *Earth planet. Sci. Lett.*, 71, 229-240.
- Cerling, T.E.**, 1999. Stable carbon isotope in paleosol carbonates. *Spec. Publs int. Ass. Sediment.*, 27, 43-60.
- Chanley, H.**, 1989. Clay sedimentology. Springer-Verlag, Berlin Heidelberg, 623p.
- Choquette, P.W. i Pray, L.C.**, 1970. Geological nomenclature and classification of porosity in sedimentary carbonates. *Amer. Assoc. Petrol. Geol. Bull.*, 54, 207-250.

- Chow, N., Morad, S. i Al-Aasm, I.S.**, 1996. Origin of authigenic carbonates in Eocene to Quaternary sediments from the Arctic Ocean and Norwegian-Greenland Sea. En Proceedings of the Ocean Drilling Program, Scientific Results (J. Thiede, A.M. Myhre, J.V. Firth, G.L. Johnson i W.F. Ruddiman eds.), 151, 415-434.
- Claypool, G.E., Holser, W.T., Kaplan, I.R., Sakai, H. i Zak, I.**, 1980. The ages curves of sulphur and oxygen isotopes in marine sulphate and their interpretation. Chem. Geol. (Isotope geoscience section), 28, 199-260.
- Colom, G. i Bauzá, J.**, 1945. Notas sobre los foraminíferos de las margas Miocénicas de Montjuich. Bol. R. Soc. Esp. Hist. Nat., 43, 483-500.
- Craig, H.** 1957. Isotopic standards for carbon and oxygen and correction factors for mass-spectrometric analysis of carbon dioxide. Geochim. Cosmochim. Acta, 3, 53-92.
- Craig, H.** 1965. The measurement of oxygen isotope paleotemperatures. En E. Tongiorgi (ed.) Stable isotope studies in oceanographic studies and paleotemperatures. Pisa, Lab. Géol. Nucl.-C.N.R., 3-24.
- Craig, H. i Gordon, I.I.**, 1965. Deuterium and oxygen-18 variations in the ocean and marine atmosphere. En Stable Isotopes in Oceanographic Studies and Paleotemperatures (E. Tongiorgi ed.). Consiglio Nazionale delle Richerche, Laboratorio di Geologia Nucleare, Pisa, Italia, 9-130.
- Critelli, S. i Le Pera, E.**, 1994. Detrital modes and provenance of miocene sandstones and modern sands of the southern apennines thrust-top basins (Italy). Jour. Sed. Research, A64 (4), 824-835.
- Critelli, S. i Nilsen, T.H.**, 2000. Provenance and stratigraphy of the Eocene Tejon Formation, Western Tehachapi Mountains, San Emigdio Mountains, and Southern San Joaquin Basin, California. Sed. Geol., 136, 7-27.
- Crusafont, M. i Truyols, J.**, 1954. Sinopsis estratigráfico-paleontológica del Vallés-Penedès. Arrahona, 4, 1-4.
- Crusafont, M., Villalta, J.F. i Truyols, J.**, 1952. Reconnaissance du Burdigalien continental au Vallès-Penedès (Espagne). C. R. somm. S. G. France, 2, 21-22.
- Crusafont, M., Villalta, J.F. i Truyols, J.**, 1955. El Burdigaliense continental de la cuenca del Vallès-Penedès. Mem. y Com. del Inst. Geol. Dip. Prov. Barcelona, 12, 272 p.
- Cruz-San Julián, J., Araguas, L., Rozanski, K., Benavente, J., Cardenal, J., Hidalgo, M.C., García-López, S., Martínez-Garrido, J.C., Moral, F. i Olias, M.**, 1992. Sources of precipitation over South-Eastern Spain and groundwater recharge. An isotopic study. Tellus, 44 (B), 226-236.
- Curtis, C.D. i Coleman M.L.**, 1986. Controls on the precipitation of early diagenetic calcite, dolomite and siderite concretions in complex depositional sequences. En Roles of organic matter in sediment diagenesis (D.L. Gautier ed.), Society of Economic Paleontologists and Mineralogists Special Publication, 38, 23-33.
- De Ros, L.F., Morad, S. and Paim, P.S.G.**, 1994. The role of detrital composition and climate on the diagenetic evolution of continental molasses: evidence from the Cambro-Ordovician Guaritas Sequence, southern Brazil. Sedim. Geol., 92, 197-228.
- De Ros, L.F., Morad, S. i Al-Aasm, I.S.**, 1997. Diagenesis of siliciclastic and volcanoclastic sediments in the Cretaceous and Miocene sequences of the NW African margin (DSDP Leg 47A, Site 397). Sed. Geol., 112, 137-156.
- Delmas, A. B. Garcia-Hernandez, J. F. i Pedro, G.**, 1982. Discussion sur les conditions et les mécanismes de formation du quartz à 25°C en milieu ouvert. Analyse réactionnelle par voie cinétique. Sci. Géol., Bull., 35 (1-2), 81-91.
- Depape G. i Solé Sabarís, L.**, 1934. Constitució geològica del turó de Montgat. But. Inst. Cat. D'Hist. Nat., XXXIV, 138-148.
- Dickinson, W.R.**, 1970. Interpreting detrital modes of grauwacke and arkose. Jour. Sed. Petrol., 40, 695-707.
- Dickinson, W.R.**, 1985. Interpreting provenance relations from detrital modes of sandstones. En Provenance of Arenites (G.G. Zuffa ed.). NATO, Advanced Study Institute Series, 148, Dordrecht, Reidel, 333-361.
- Dickinson, W.R.**, 1988. Provenance and sediment dispersal in relation to palaeotectonics and palaeogeography of sedimentary basins. En New perspectives in Basin Analysis (K.L. Kleinspehn ed.). Springer, Berlin, 3-25.
- Dickinson, W.R. i Suczek, C.A.**, 1979. Plate tectonics and sandstone composition. AAPG Bull., 63, 2164-2172.

- Dickinson, W.R. i Valloni, R.**, 1980. Plate settings and provenance of sands in modern ocean basins. *Geology* 8, 82-86.
- Dickinson, W.R., Beard, L.S., Brakenridge, G.R., Erjavec, J.L., Ferguson, R.C., Inman, K.F., Kneppe, R.A., Linaberg, F.A. i Ryberg, P.T.**, 1983. Provenance of North American Phanerozoic sandstones in relation to tectonic setting. *Geol. Soc. Am. Bull.*, 94, 222-235.
- Dott, R.H.Jr.**, 1964. Wacke Graywacke and matrix-What approach to immature sandstone classification?. *Jour. Sed. Petrol.*, 34, 625-632.
- Dromgoole, E.L. i Walter, L.M.**, 1990. Iron and manganese incorporation into calcite: effects of growth kinetics, temperature, and solution chemistry. *Chem. Geol.*, 81, 311-336.
- Duran, H., Gil Ibarguchi, J.I., Julivert, M. i Ubach, J.** 1984. Early Paleozoic acid volcanism in the Catalonian Coastal Ranges (Northwestern Mediterranean). En F.P. Sassi i M. Julivert (eds.). Project IGCP nº5, Newsletter 6, 33-43.
- Enrique, P.** 1990. The Hercynian intrusive rocks of the Catalonian Coastal Ranges (NE Spain). *Acta Geol. Hisp.*, 25, 39-64.
- Esteban, M., Klappa, C.F.**, 1983. Subaerial exposure environments. In: P.A. Scholle, D.G. Bebout and C.H. Moore (Eds), *Carbonate Depositional Environments*. AAPG Memoir 33, 1-96.
- Fairchild, I.J.**, 1983. Chemical controls of cathodoluminescence of natural dolomites and calcites: new data and review. *Sedimentology*, 30, 579-583.
- Faura y Sans, M.**, 1908. Adicions á la fauna miocénica de Montjuic. *Butll. Inst. Catal. Hist. Nat., Sec. Geol.*, 5, 55-60.
- Faura y Sans, M.**, 1917. Montjuich Notas geológicas. *Publ. Soc. Atrac. For.*, Barcelona, 5-55.
- Faure, G.** 1986. Principles of isotope geology. John Wiley & Sons Inc. (second ed.), New York, 589 p.
- Ferguson, J., Burne, R.V. i Chambers, L.A.**, 1983. Iron mineralisation of peritidal carbonate sediments by continental groundwaters, Fisherman bay, south Australia. *Sedim. geol.*, 34, 41-57.
- Fernández, A., González Martín, J.A., García de la Cura, M.A. i Ordóñez, S.**, 1996. Edificios tobáceos actuales en el cauce del río Júcar (provincia de Albacete). *Geogaceta*, 20 (2), 281-284.
- Ferrer, C.**, 1997. La meteorització laterítica del trànsit Paleozoic-Mesozoic: caracterització petrològica i significat geològic. Treball de Recerca. Universitat Autònoma de Barcelona. 169 p.
- Ferrés-Hernández, M., Enrique-Gisbert, P., Delaloye, M. i Singer, B.S.**, 1997. Magmatic and thermal history of the Central Catalan Coastal Batholith (NE Spain): new constraints from  $40\text{Ar}/39\text{Ar}$  incremental heating studies. 9th European Union of Geosciences, Strasbourg, Abstracts, 503.
- Folk, R.L.**, 1965. Petrology of sedimentary rocks. Hemphill's Bookstore. Austin. 170p.
- Folk, R.L. i Pittman, J.S.**, 1971. Length-slow chalcedony: A new testament for vanished evaporites. *Jour. Sed. Petrol.*, 41 (4), 1045-1058.
- Fontboté, J.M.**, 1953. Sobre la edad de las capas rojas de Castellbisbal. *Mem. y Com. del Inst. Geol. Dip. Prov. Barcelona*, 10, 41-42.
- Fontboté, J.M.**, 1954. Las relaciones tectónicas de la depresión del Vallès-Penedès con la Cordillera Prelitoral Catalana y con la Depresión del Ebro. En Tomo homenaje Prof. E. Hernández Pacheco. R. Soc. Esp. His. Nat., 281-310, Madrid.
- Friedman, I. i O'Neil, J.R.**, 1977. Compilation of Stable Isotope Fractionation Factors of Geochemical Interest. US Geol. Surv. Professional Paper, 440-KK.
- Garcés, M., Agustí, J., Cabrera, L. i Parés, J.M.**, 1996. Magnetostratigraphy of the Vallesian (late Miocene) in the Vallès-Penedès Basin (northeast Spain). *Earth Planet. Sci. Letters*, 142, 381-396.
- Garcia, A.J.V., Morad, S., De Ros, L.F. i Al-Aasm, I.S.**, 1998. Palaeogeographical, palaeoclimatic and burial history controls on the diagenetic evolution of reservoir sandstones: evidence from Lower Cretaceous Serraria sandstones in the Sergipe-Alagoas Basin, NE Brazil. En *Carbonate Cementation in Sandstones* (S. Morad ed.). Blackwell Science. Spec. Publs int. Ass. Sediment., 26, 107-140.

- Garven, G.**, 1995. Continental-scale groundwater flow and geologic processes. *Annu. Rev. Earth Planet. Sci.* 23, 89-117.
- Gasse, F., Bergonzini, F., Chalié, F., Gibert, E., Massault, M. i Mélières, F.**, 1998. Palaeolakes and palaeoclimates in the circum Western Indian Ocean since 25 Ka BP. En *Hydrology and Isotope Geochemistry* (C. Causse i F. Gasse eds.). Orstom, Paris, 147-175.
- Gazzi, P.**, 1966. Le arenarie del flysh sopracretaceo dell'Apenino modenese; correlazioni con il flysh Monghidoro. *Miner. Petro. Acta*, 12, 69-97.
- Gierlowski-Kordesh, E., Gómez-Fernández, J.C. i Meléndez, N.**, 1991. Carbonate and coal deposition in an alluvial-lacustrine setting: Lower Cretaceous (Weald) in the Iberian Range (east-central Spain). En *Lacustrine Facies Analysis* (P. Anadón, L. Cabrera i K. Kelts eds.). Spec. Publ. Int. Assoc. Sedimentol. 13, 109-125.
- Gil Ibarguchi, J.I. i Julivert, M.**, 1988. Petrología de la aureola metamórfica de la granodiorita de Barcelona en la Sierra de Collserola (Tibidabo). *Estudios Geol.*, 44, 353-374.
- Goldberg, R.**, 1978. Early diagenetic, nonhydrothermal Na-alunite in Jurassic flint clays, Makhtesh Ramon, Israel. *G.S.A. Bull.*, 89, 687-698.
- Goldberg, R.**, 1980. Early diagenetic, Na-alunites in Miocene algal mat intertidal facies, Ras Sudar, Sinai. *Sedimentology*, 27, 189-198.
- Goldich, S.S.**, 1938. A study in rock-weathering. *Jour. Geol.*, 46, 17-23.
- Goldschmidt, V.M.**, 1937. The principles of distribution of chemical elements in minerals and rocks. *J. Chem. Soc.* 1937, 655 p.
- Gómez-Gras, D.** 1993. El Permotriás de la Cordillera Costero Catalana: Facies y Petrología Sedimentaria. Parte I. *Bol. Geol. Min.*, 104-2, 115-161.
- Gómez-Gras, D. i Ferrer, C.**, 1999. Caracterización petrológica de perfiles de meteorización antiguos desarrollados en granitos tardihercínicos de la Cordillera Costero Catalana. *Rev. Soc. Geol. España*, 12 (2), 281-299.
- Gómez-Gras, D., Calvet, F. i Parcerisa, D.**, 1998. Extensive early diagenetic silica cementation in the upper Miocene deltaic sandstones on the margin of the Barcelona half-graben, Spain. En J.C. Cañaverales, M.A. García del Cura i J. Soria (eds.). XV International Sedimentological Congress, Libro de comunicaciones (Sedimentology at the dawn of the third millennium. 390-391, Alicante, Publicaciones de la Universidad de Alicante.
- Gómez-Gras, D., Lacasa, G., Núñez, J.A. i Sanfeliu, T.**, 2000. Paleoperfiles de alteración en sustrato granítico en el borde de la Cuenca Surporenaica Oriental. *Geotema* 1 (2), 103-105.
- Gómez-Gras D., Parcerisa D., Bitzer, K. i Calvet F.**, 2000. Hydrogeochemistry of Miocene sandstones at Montjuïc, Barcelona (Spain). *Jour. Geochem. Exploration*, 69-70, 177-182.
- Gómez-Gras D., Parcerisa D., Calvet F., Porta J., Solé de Porta N. i Civís J.**, 2001. Stratigraphy and petrology of the Miocene Montjuïc delta (Barcelona, Spain). *Acta Geol. Hisp.*, 36 (1-2), 115-136.
- Goodman, B.A.**, 1982. Mössbauer Spectrometry. En *Advanced Techniques for Clay Minerals Analysis* (Fripiat, J.J. ed.), Elsevier, Amsterdam-Oxford-New York, 113-137.
- Grant, J.A.**, 1986. The Isocon Diagram-A simple solution to Gresen's Equation for Metasomatic Alteration. *Economic Geology*, 81 (8), 1976-1982.
- Grover, G.Jr. i Read, J.F.**, 1983. Paleoaquifer and Deep Burial Related Cements Defined by Regional Cathodoluminescent Patterns, Middle Ordovician Carbonates, Virginia. *AAPG Bull.*, 67 (8), 1275-1303.
- Guimerà, J.**, 1984. Palaeogene evolution of deformation in the northeastern Iberian Peninsula. *Geol. Mag.*, 121, 413-420.
- Hageman, R., Nief, G. i Roth, E.**, 1970. Absolute isotopic scale for deuterium analysis of natural waters. Absolute D/H ratio for SMOW. *Tellus*, 22, 712-715.

- Haq, B.U., Hardenbol, J. i Vail, P.R.**, 1988. Mesozoic and Cenozoic chronostratigraphy and cycles of sea-level change. En C. K. Wilgus et al. (eds.). Sea-level change: an integrated approach: Society of Economic Paleontologists and Mineralogists Special Publication, 42, 71-108.
- Harrison, R.S.**, 1977. Caliche profiles: indicators of near-surface subaerial diagenesis, Barbados, West Indies. Bull. Can. Petrol. Geol., 25 (1), 123-173.
- Haszeldine, R.S., Samson, I.M. i Cornford, C.**, 1984. Quartz diagenesis and convective fluid movement: Beatrice oilfield, UK North Sea. Clay Miner., 19, 391-402.
- Hem, J.**, 1970. Study and Interpretation of the Chemical Characteristics of Natural Water. Second Edition. Geological Survey Water-Supply Paper 1473. U. S. Government Printing Office, Washington. 363 p.
- Hemming, N.G., Meyers, W.J. i Grams, J.C.**, 1989. Cathodoluminescence in diagenetic calcites: the roles of Fe and Mn as deduced from electron probe and spectrophotometric measurements. Jour. Sedim. Petrol., 59 (3), 404-411.
- Hendry, J.P. i Tewin, N.H.**, 1995. Authigenic quartz microfabrics in cretaceous turbidites: Evidence for silica transformation processes in sandstones. Jour. Sed Res., A65 (2), 380-392.
- Hoefs, J.**, 1997. Stable isotope geochemistry. Springer-Verlag Berlin Heidelberg, 201 p.
- Housecknecht, D.W.**, 1987. Assessing the relative importance of compaction processes and cementation to reduction of porosity in sandstones. Am. Assoc. Pet. Geol. Bull., 71, 633-642.
- Howson, M.R., Pethybridge, A.D. i House, W.A.**, 1987. Synthesis and distribution coefficient of low-magnesium calcites. Chem. Geol., 64, 79-87.
- Iler, R.K.**, 1979. The chemistry of silica: solubility, polymerization, colloid and surface properties and biochemistry. Wiley, New York. 866p.
- Ingersoll, R.V.**, 1983. Petrofacies and provenance of Late Mesozoic Forearc basin, Northern and Central California. AAPG Bull., 67, 1125-1142.
- Ingersoll, R.V., Bullard, T.F., Ford, R.L., Grimm, J.P., Pickle, J.D. i Sores, S.W.**, 1984. The effects of grain size on detrital modes: a test of the Gazzi-Dickinson point-counting method. Jour. Sed. Petrol., 54, 103-116.
- Inglés, M. i Anadón, P.**, 1991. Relationship of Clay Minerals to Depositional Environment in the Non-marine Eocene Pontils Groups, SE Ebro Basin (Spain). Jour. Sedim. Petrol., 61 (6), 926-939.
- Irwin, H.**, 1980. Early diagenetic carbonate precipitation and pore fluid migration in the Kimmeridge Clay of Dorset, England. Sedimentology, 27, 577-591.
- Ishikawa, M. i Ichikuni, M.**, 1984. Uptake of sodium and potassium by calcite. Chem. Geol., 42, 137-146.
- James, N.P.**, 1972. Holocene and Pleistocene calcareous crust (caliche) profiles: criteria for subaerial exposure. Jour. of Sed. Petrol., 42, 817-836.
- James, N.P. i Choquette, P.W.**, 1984. Diagenesis 9. Limestones – the meteoric diagenetic environment. Geoscience Canada, 11, 161-194.
- Janaway, T.M. i Parnell, J.**, 1989. Carbonate production within the Orcadian Basin, Northern Scotland: a petrographic and geochemical study. Palaeogeogr. Palaeoclimatol. Palaeoeco., 70, 89-105.
- Jeans, C.V.**, 1978. The origin of the Triassic clay assemblages of Europe with special reference to the Keuper marl and Rhaetic of parts of England. Phil. Trans. Roy. Soc., 289 (A), 549-623
- Jones, B.**, 1991. Genesis of terrestrial oncoids, Cayman Islands, Critish West Indies. Can. J. Earth Sci., 28, 382-397.
- Juez-Larré, J. i Andriessen P.A.M.**, 2002. Post Late Paleozoic tectonism in the southern Catalan Coastal Ranges (NE Spain), assessed by apatite fission track analysis. Tectonophysics, 349, 113–129.
- Julià, R. i Santanach, P.F.**, 1980. Evolución tectónica de las fosas neógenas del litoral catalán. En Santanach, P.F., et al. (eds.). Neotectónica de las regiones mediterráneas de España (Cataluña y Cordilleras Béticas). Bol. Geol. y Min., 91 (2), 417-440.

- Julivert, M. i Durán, H.**, 1990. Paleozoic stratigraphy of the Central and Northern part of the Catalonian Coastal Ranges (NE Spain). *Acta Geol. Hisp.*, 25, 3-12.
- Kastner, M. i Siever, R.**, 1979. Low temperature feldspars in sedimentary rocks. *Amer. Jour. Sci.*, 279, 435-479.
- Katz, A.**, 1973. The interaction of magnesium with calcite during crystal growth at 25-90°C and one atmosphere. *Geochim. Cosmochim. Acta*, 37, 1563-1586.
- Katz, A., Sass, E., Starinsky, A. i Holland, H.D.**, 1972. Strontium behavior in the aragonite-calcite transformation: an experimental study at 40-98°C. *Geochim. Cosmochim. Acta*, 36, 481-496.
- Keith W.J., Calk L. i Ashley R.P.**, 1979. Crystals of coexisting alunite and jarosite, Goldfield, Nevada. U.S. Geol. Surv. Prof. Paper, 1124 A-F, C1-C5.
- Khalaf, F.I.**, 1988. Petrography and diagenesis of silcrete from kuwait, Arabian Gulf. *Jour. Sed. Petrol.*, 58 (6), 1014-1022.
- Kinsman, D.J.J.**, 1969. Interpretation of Sr<sup>+2</sup> concentration in carbonate minerals and rocks. *Jour. Sedim. Petrol.*, 39, 486-508.
- Koban, C.G. i Schweigert, G.**, 1993. Microbial Origin of Travertine Fabrics – Two Examples from Southern Germany (Pleistocene Stuttgart Travertines and Miocene Riedöschingen Travertine). *Facies*, 29, 251-264.
- Krynine, P.D.**, 1949. The origin of red beds. *N. Y. Acad. Sci. Trans.*, 11 (serie 2), 60-68.
- Krynine, P.D.**, 1950. Petrology, stratigraphy and origin of the Triassic sedimentary rocks of Connecticut. Conn. State Geol. Natur. Hist. Surv. Bull., 73, 239 p.
- La Marmora, A.**, 1834. Note géologique sur la montagne de Mont-Jouy, près de Barcelona. *Bull. Soc. Géol. France*, 4, 351.
- Labaume, P., Sheppard, S.M.F. i Moretti, I.**, 2001. Fluid flow in cataclastic thrust fault zones in sandstones, Sub-Andean Zone, southern Bolivia. *Tectonophysics*, 340, 141-172.
- Linge, H., Lauritzen, S.-E., Lundberg, J. i Berstad, I.M.**, 2001. Stable isotop stratigraphy of Holocene speleothems: examples from a cave system in Rana, northern Norway. *Palaeogeo. Palaeoclimatol. Palaeoecol.*, 167, 209-224.
- Llopis, N.**, 1942a. Tectomorfología del macizo del Tibidabo y valle inferior del Llobregat. *Estudios Geogr.*, 3, 321-383.
- Llopis, N.**, 1942b. Los terrenos cuaternarios del llano de Barcelona. *Publ. Inst. Geol.-Top. Dip. Prov. Barcelona*, 6, 1-52.
- Llopis, N.**, 1947. Contribución al conocimiento de la morfoestructura de los Catalàndes. *Inst. Lucas Mallada (CSIC)*, 372 p.
- López-Blanco, M., Marzo, M., Burbank, D.W., Vergés, J., Roca, E., Anadón, P. i Piña, J.**, 2000. Tectonic and climatic controls on the development of foreland fan deltas: Montserrat and St. Llorenç del Munt systems (Middle Eocene, Ebro basin, NE Spain). *Sedim. Geol.*, 138, 17-39.
- Machel, H.G.**, 1985. Cathodoluminescence in Calcite and Dolomite and Its Chemical Interpretation. *Geoscience Canada*, 12 (4), 139-147.
- Machette, M.N.**, 1985. Calcic soils of the south-western United States. *Geol. Soc. Am. Spec. Pap.*, 203, 1-21.
- Magné, J.**, 1978. Etudes microstratigraphiques sur le néogène de la Méditerranée Nord-Occidentale. Les bassins néogènes catalans. *Tesis doctoral. Université Paul Sabatier, Toulouse*, 260 p.
- Malone, M.J. i Baker, P.A.**, 1999. Temperature dependence of the strontium distribution coefficient in calcite: an experimental study from 40° to 200°C and application to natural diagenetic calcites. *J. Sedim. Research*, 69 (1), 216-223.
- Marfil, R. i De la Peña, J.A.**, 1992. Diagenesis: rocas siliciclásticas y rocas carbonáticas. En A. Arche (Coord.), *Sedimentología Volumen II*, 345-430, Consejo Superior de Investigaciones Científicas, Madrid.
- Marshall, W. L. i Warakomski , J. J.**, 1980. Amorphous silica solubilities. II-Effects of aqueous salt solutions at 25°C. *Geochim. Cosmochim. Acta*, 44, 915-924.

- Mátyás, J.**, 1998. Carbonate cements in the Tertiary sandstones of the Swiss Molasse basin: relevance to palaeohydrodynamic reconstruction. En Carbonate Cementation in Sandstones (S. Morad ed.). Blackwell Science. Spec. Publs int. Ass. Sediment., 26, 141-162.
- Maureta, J. i Thos, S.**, 1881. Descripción física, geológica y minera de la provincia de Barcelona. Mem. Com. Mapa Geol. Esp., IX, 487.
- McArthur J. M., Turner, J. V., Lyons, W. B., Osborn, A. O. i Thirlwall, M.F.**, 1991. Hydrochemistry on the Yilgarn Block, Western Australia: Ferrolysis and mineralisation in acidic brines. *Geochim. Cosmochim. Acta*, 55, 1273-1288.
- McBride, E.F.**, 1985. Diagenetic processes that affect provenance determinations in sandstone. En G. G. Zuffa (ed.). Provenance of arenites. NATO-ASI Ser. C, 148, 95-113, D. Reidel, Dordrecht.
- McBride, E.F., Diggs, T.N. i Wilson, J.C.**, 1991. Compaction of Wilcox and Carrizo sandstones (Paleocene-Eocene) to 4420 m, Texas Gulf Coast. *Jour. Sed. Petrol.*, 61 (1), 73-85.
- McIntire, W.L.**, 1963. Trace element partition coefficients – a review of theory and applications to geology. *Geochim. Cosmochim. Acta*, 27, 1209-1264.
- Medialdea Vega, J. i Solé Sabaris, Ll.**, 1973. Mapa Geológico de España. E. 1:50000, nº 420, Hospitalet de Llobregat. IGME, Madrid, Serv. Publ. Ministerio Industria, 55 p., 1 map.
- Menéndez Amor, J.**, 1950. Flora fanerogámica del terciario y su extensión en la Península. *Bol. R. Soc. Esp. Hist. Nat.*, 48, 155-166.
- Meyer, R. i Pena dos Reis, R.B.**, 1985. Paleosols and alunite silcretes in continental cenozoic of western Portugal. *Jour. Sed. Petrol.*, 55 (1), 76-85.
- Michaelsen, P. i Henderson, R.A.**, 2000. Sandstone petrofacies expressions of multiphase basinal tectonics and arc magmatism: Permian-Triassic north Bowen Basin, Australia. *Sed. Geol.*, 136, 113-136.
- Milliken, K.L.**, 1998. Carbonate diagenesis in non-marine foreland sandstones at the western edge of the Alleghanian overthrust belt, southern Appalachians. En Carbonate Cementation in Sandstones (S. Morad ed.). Blackwell Science. Spec. Publs int. Ass. Sediment., 26, 87-105.
- Millot, G.**, 1964. Géologie des argiles. Masson, Paris, 499p.
- Millot, G. i Bonifas, M.**, 1955. Transformations isovolumétriques dans les phénomènes de latéritisation et de bauxitisation. *Bull. Serv. Carte Géol. Alsace Lorraine*, 8 (1), 3-20.
- Milnes, A.R., Fitzpatrick, R.W., Self, P.G., Fordham, A.W. i McClure, S.G.**, 1992. Natural iron precipitates in a mine retention pond near Jabiru, Northern Territory, Australia. En H.G.W. Skinner i R.W. Fitzpatrick (eds.). Biomineralization. Processes of iron and manganese -Modern and Ancient environments. 233-261. Catena supplement 21.
- Molina, E., García, G. i Vicente, M.A.**, 1997. Estudio de perfiles silicificados en el borde de la cuenca terciaria del Duero. Una nueva interpretación genética de la silicificación. *Rev. Soc. Geol. España*, 10 (3-4), 327-338.
- Morad, S.**, 1998. Carbonate cementation in sandstones: distribution patterns and geochemical evolution. En Carbonate Cementation in Sandstones (S. Morad ed.). Blackwell Science. Spec. Publs int. Ass. Sediment., 26, 1-26.
- Morad, S., Marfil, R. i De la Peña, J.A.**, 1989. Diagenetic K-feldspar pseudomorphs in the Triassic Buntsandstein sandstones of the Iberian Range, Spain. *Sedimentology*, 36, 635-650.
- Morad, S., Ben Ismail, H.N., De Ros, L.F., Al-Aasm, I.S. i Serrhini, N-E.**, 1994. Diagenesis and formation water chemistry of Triassic reservoir sandstones from southern Tunisia. *Sedimentology*, 41, 1253-1272.
- Morad, S., Al-Aasm, I.S., Longstaffe, F.J., Marfil, R., De Ros, L.F., Johansen, H. i Marzo, M.**, 1995. Diagenesis of a mixed siliciclastic/evaporitic sequence of the Middle Muschelkalk (Middle Triassic), the Catalan Coastal Range, NE Spain. *Sedimentology*, 42, 749-768.
- Morad, S., De Ros, L.F., Nystuen, J.P. i Bergan, M.**, 1998. Carbonate diagenesis and porosity evolution in sheet-flood sandstones: evidence from the Middle and Lower Lunde Members (Triassic) in the Snorre Field, Norwegian North Sea. En Carbonate Cementation in Sandstones (S. Morad ed.). Blackwell Science. Spec. Publs int. Ass. Sediment., 26, 53-85.

- Morad, S., Ketzer, J.M. i De Ros, L.F.**, 2000. Spatial and temporal distribution of diagenetic alterations in siliciclastic rocks: implications for mass transfer in sedimentary basins. *Sedimentology*, 47 (1), 95-120.
- Morse, J.W. i Bender, M.L.**, 1990. Partition coefficients in calcite: Examination of factors influencing the validity of experimental results and their application to natural systems. *Chem. Geol.*, 82, 265-277.
- Mucci, A.**, 1987. Influence of temperature on the composition of magnesium calcite overgrowths precipitated from seawater. *Geochim. Cosmochim. Acta*, 51, 1977-1984.
- Mucci, A. i Morse, J.W.**, 1983. The incorporation of Mg<sup>+2</sup> and Sr<sup>+2</sup> into calcite overgrowths: influences of growth rate and solution composition. *Geochim. Cosmochim. Acta*, 47, 217-233.
- Murray, R.C.**, 1990. Diagenetic silica stratification in a paleosilcrete, north Texas. *Jour. Sed. Petrol.*, 60 (5), 717-720.
- Nahon, D.B.**, 1991. Introduction to the petrology of soils and chemical weathering. Wiley Interscience, New York, 313 p.
- Nemec, W. i Steel, R.J.**, 1988. What is a fan delta and how do we recognize it?. En W. Nemec i R.J. Steel (eds.). *Fan Deltas: Sedimentology and Tectonic Settings*. Blackie and Son.
- Nesbitt, H.W. i Young, G.M.**, 1982. Early Proterozoic climates and plate motions inferred from major element chemistry of lutites. *Nature*, 299, 715-717.
- Nordstrom, D.K. i Munoz, J.L.**, 1986. Geochemical thermodynamics. Blackwell Scientific Publications, UK. 475p.
- Oberhänsli, H. i Allen, P.A.**, 1987. Stable isotopic signatures of Tertiary lake carbonates, Eastern Ebro Basin, Spain. *Palaeogeo. Palaeoclimatol. Palaeoecol.*, 60, 59-75.
- Ordóñez, S., González Martin, J.A. i García del Cura, M.A.**, 1997. Tipología y génesis de depósitos tobáceos fluvio-lacustres: el sistema tobáceo de Las Lagunas de Ruidera (Ciudad Real-Albacete). *Cuad. Geol. Ibérica*, 22, 333-348.
- Parcerisa D.** 1999. El Miocè de la muntanya de Montjuïc : Estratigrafia, Sedimentologia, Petrologia i Diagènesi. Treball de recerca. Universitat Autònoma de Barcelona, 112 p.
- Parcerisa, D., Thiry, M., Gómez-Gras, D. i Calvet, F.** 2001. Proposition d'un modèle de silicification superficielle des grès néogènes de Montjuïc, Barcelone (Espagne): paragenèses minérales, environnements géochimiques et circulation des fluides. *Bull. Soc. Geol. France.*, 172 (6), 751-764.
- Parente, G., Boni, M., De Vivo, B. i Spiro, B.**, 1998. Fluid inclusions and stable isotopes evidence of a late-Hercynian hydrothermal fluid flow in SW Sardinia (Italy). En J.C. Cañaveras, M.A. García del Cura i J. Soria (eds.). XV International Sedimentological Congress, Libro de comunicaciones (Sedimentology at the dawn of the third millennium. 600-601, Alicante, Publicaciones de la Universidad de Alicante.
- Parize, O.**, 1988. Sills et dykes gréseux sédimentaires: Paléomorphologie, fracturation précoce, injection et compaction. *École Nationale Supérieure des Mines de Paris, Mem. Sc. De la Terre*, 7, 335 p.
- Parize, O. i Beaudoin, B.**, 1986. Les filons gréseux du Numidien des régions de Tabarka (Tunisie) et de Geraci Siculo (Sicile): fracturation précoce et paléomorphologie. *Mem. Soc. Geol. It.*, 36, 243-253.
- Parize, O. i Beaudoin, B.**, 1987. Les filons gréseux sédimentaires dans leur cadre paléomorphologique (Sicile et Tunisie). *C.R. Acad. Sc. Paris*, 304 (série II), 129-134.
- Pedley, H.M.**, 1990. Classification and environmental models of cool freshwater tufas. *Sed. Geol.*, 68, 143-154.
- Person, M. i Garven, G.**, 1994. A sensitivity study of the driving forces on fluid flow during continental-rift basin evolution. *Geol. Soc. Amer. Bull.*, 106, 461-475.
- Pettijohn, F.J., Potter, P.E. i Siever, R.**, 1973. Sand and sandstones. Springer-Verlag, New York-Heidelberg-Berlin. 618p.
- Pingitore, N.E.J. i Eastman, M.P.**, 1986. The coprecipitation of Sr<sup>+2</sup> with calcite at 25°C and 1 atm. *Geochim. Cosmochim. Acta*, 50, 2195-2203.
- Pipujol, M.D. i Buurman, P.**, 1994. The distinction between ground-water gley and surface-water gley phenomena in Tertiary paleosols of the Ebro basin, NE Spain. *Palaeogeogr. Palaeoclimatol. Palaeoecol.*, 110, 103-113.

- Pipujol, M.D. i Buurman, P.**, 1997. Dynamics of iron and calcium carbonate redistribution and palaeohydrology in middle Eocene alluvial paleosols of the southeast Ebro Basin margin (Catalonia, northeast Spain). *Palaeogeogr. Palaeoclimatol. Palaeoecol.*, 134, 87-107.
- Platt, N.H.**, 1992. Fresh-water carbonates from the Lower Freshwater Molasse (Oligocene, western Switzerland): sedimentology and stable isotopes. *Sed. Geol.*, 72, 81-99.
- Plaziat, J.C. i Purser, B.H.**, 1998. The tectonic significance of seismic sedimentary deformations within the syn- and post-rift deposits of the north-western (Egyptian) Red Sea coast and Gulf of Suez. En Purser, B.H. i Bosence, D.W.J. (eds.). *Sedimentation and Tectonics in Rift Basins. Red Sea - Gulf of Aden*. Chapman & Hall, London, 347-366.
- Quade, J., Cerling, T.E., Bowman, J.R.**, 1989. Systematic variations in the carbon and oxygen isotopic composition of pedogenetic carbonate along elevation transects in the southern Great Basin, United States. *Geol. Soc. Am. Bull.*, 101, 464-475.
- Quinby-Hunt, M.S. i Wilde, P.**, 1996. Chemical depositional environments of calcic marine black shales. *Econ. Geol.*, 91, 4-13.
- Ramsay, J.G.**, 1980. The crack-seal mechanism of rock deformation. *Nature*, 284, 135-139.
- Ramsay, J.G. i Hubber, M.I.**, 1983. Strain analysis. *The Techniques of Modern Structural Geology Vol. 1*. Academic Press, London, 307 pp.
- Rayot, V.**, 1994. Altérations du centre de l'Australie: rôle des solutions salines dans la genèse des silcrètes et des profils blanchis. *ENSMP Mém. Sc. De la Terre*, 22, 142 p.
- Rayot, V., Self, P. i Thiry, M.**, 1992. Transition of clay minerals to opal-CT during ground-water silicification. En J. M. Schmitt i Q. Gall (eds.). *Mineralogical and geochemical records of palaeoweathering*, ENSMP Mém. Sc. De la Terre, 18, p. 47-59.
- Read, J.F.**, 1974. Calcrete deposits and Quaternary sediments, Edel Province, Shark Bay, Western Australia. *AAPG Memoir*, 22, 250-282.
- Ridgway, K.D., Trop, J.M. i Jones, D.E.**, 1999. Petrology and provenance of the Neogene Usibelli Group and Nenana Gravel: Implications for the denudation history of the Central Alaska Range. *Jour. Sed. Research*, 69 (6), 1262-1275.
- Risacher, F., Alonso, H. i Salazar, C.**, 2002. Hydrochemistry of two adjacent acid saline lakes in the Andes of northern Chile. *Chem. Geol.*, 187, 39-57.
- Roca, E.**, 1994. La evolución geodinámica de la Cuenca Catalano-Balear y áreas adyacentes desde el Mesozoico hasta la actualidad. *Acta Geol. Hisp.*, 29, 3-25.
- Roca, E. i Desegaulx, P.**, 1992. Analysis of the geological evolution and vertical movements in the Valància Trough area, (Western Mediterranean). *Mar. Petrol. Geol.*, 9, 167-185.
- Roca, E. i Guimerà, J.**, 1992. The Neogene structure of the eastern Iberian margin: structural constraints on the crustal evolution of the Valencia trough (western Mediterranean). *Tectonophysics*, 203, 203-218.
- Roca, E., Sans, M., Cabrera, L. i Marzo, M.**, 1999. Oligocene to Middle Miocene evolution of the central Catalan margin (northwestern Mediterranean). *Tectonophysics*, 315, 209-233.
- Roca, J.L. i Casas, A.**, 1981. Gravimetria en zona urbana. Mapa gravimétrico de la ciudad de Barcelona.
- Rodríguez-Pascua, M. A.**, 1998. Paleosismicidad en emplazamientos nucleares. Estudio en relación con el cálculo de la peligrosidad sísmica. Consejo de seguridad nuclear, Madrid, 286 p.
- Rodríguez-Pascua, M. A.**, 2001. Paleosismicidad y sismotectónica de las cuencas lacustres neógenas del prebético de Albacete. Instituto de Estudios Albacetenses "Don Juan Manuel", Albacete, 285 p.
- Rodríguez-Pascua, M. A., Calvo, J.P., De Vicente, G. i Gómez-Gras, D.**, 2000. Soft-sediment deformation structures interpreted as seismites in lacustrine sediments of the Prebetic Zone, SE Spain, and their potential use as indicators of earthquake magnitudes during the Late Miocene. *Sed. Geol.*, 135, 117-135.
- Rodríguez-Pascua, M. A., Sánchez-Moya, Y. i Sopeña, A.**, 2000. Inyecciones de conglomerados en el Triásico de Pálmaces de Jadraque (Guadalajara). *Geotemas*, 1(4), 349-353.

- Rosell, J., Obrador, A. i Robles Orozco, S.**, 1973. Sedimentología del Mioceno del Vallés occidental. *Acta Geol. Hisp.*, 8, 25-29.
- Rossi, C. i Cañaveras, J.C.**, 1999. Pseudospherulitic fibrous calcite in paleo-groundwater, unconformity-related diagenetic carbonates (Paleocene of the Áger basin and miocene of the Madrid basin, Spain). *J. Sedim. Research*, 69 (1), 224-238.
- Roulin, F., Boudeulle, M. i Truc, G.**, 1986. Transformation argile-opale dans les silcrètes Éocènes du bassin d'Apt (Vaucluse). *Bull. Miner.*, 109, 349-357.
- Saavedra, J. i Sanchez Camazano, M.**, 1981. Origen de niveles continentales silicificados con alunita en el Preluteciente de Salamanca España. *Clay Minerals*, 16, 163-171.
- Salas, R., Guimerà, J., Mas, R., Martín-Closas, C., Meléndez, A. i Alonso, A.**, 2000. Evolution if the Mesozoic Central Iberian Rift System and its Cenozoic inversion (Iberian Chain). En *Perytethyan Rift/Wrench Basins and Passive Margins*. (W. Cavazza, A.H.F. Robertson i P.A. Siegler, eds.), Paris.
- San Miguel de la Cámara, M.**, 1912. Datos para la Estratigrafía de Montjuic. *Bol. R. Soc. Esp. Hist. Nat.*, 12, 311-314.
- San Miguel de la Cámara, M.**, 1929. Las pizarras cristalinas de silicato cálcico de la zona metamórfica del Tibidabo. *Mem. R. Acad. CC. y AA. Barcelona*, 31, nºXXI, 513-530.
- San Miguel de la Cámara, M., Sierra, A., Marçet Riba, J. i Cerero, R.**, 1928. Memoria explicativa de la Hoja nº 421. Barcelona. Diputación Provincial de Barcelona. Instituto Geológico y Minero de España. Madrid. 84p.
- San Miguel, A. i Masriera, A.**, 1970. Contribución al estudio Petrológico de los niveles de areniscas de Montjuic (Barcelona). *Publ. Inst. Inv. Geol. Dip. Prov.*, 24, 11-34.
- Sans, M., Roca, E., Cabrera, Ll. i Marzo, M.**, 1998. Geometric analysis of the Barcelona Graben infill: Constraints on the cenozoic evolution of the Catalan margin (western Mediterranean). En J.C. Cañaveras, M.A. García del Cura i J. Soria (eds.). *XV International Sedimentological Congress, Libro de comunicaciones (Sedimentology at the dawn of the third millennium*. 695, Alicante, Publicaciones de la Universidad de Alicante.
- Santafé, J.V., Calzada, S. i Casanova, M.L.**, 1979. Precisiones a la estratigrafía del Vallesiense terminal de los alrededores de Terrassa (Barcelona). *Est. Geol.*, 35, 291-298.
- Santarelli, A.**, 1997. Dinoflagellate Cysts and Astronomical Forcing in the Mediterranean Upper Miocene. *LPP Contributions Series*, 6, 1-139.
- Sanz de Siria, A.**, 1994. La evolución de las paleofloras en las cuencas cenozoicas catalanas. *Acta Geol. Hisp.*, 29, 169-189.
- Sanz-Rubio, E., Hoyos, M., Cañaveras, J.C., Sánchez-Moral, S. i Calvo, J.P.**, 1996. Caracterización sedimentológica de los sistemas fluviolacustres y tobáceos del Mioceno Superior-Plioceno de la Cuenca de Calatayud (Zaragoza). *Geogaceta*, 20 (2), 277-280.
- Schäfer, A. i Staps, K.R.G.**, 1978. Permian Saar-Nahe Basin and Recent Lake Constance (Germany): two environments of lacustrine algal carbonates. En: A. Matter i M.E. Tucker (eds.) *Modern and Ancient Lake Sediments*. Blackwell Scientific Publications, Oxford. Spec. Publ. Int. Ass. Sediment., 2, 83-107.
- Schmitt, J.M.**, 1999. Weathering, rainwater and atmosphere chemistry: axample and modelling of granite weathering in present conditions in a CO<sub>2</sub>-rich, and in an anoxic palaeoatmosphere. En *Palaeoweathering, Palaeosurfaces and Related Continental Deposits* (M. Thiry i R. Simon-Coinçon, eds.), Blackwell Science, Oxford, Spec. Publs int Ass. Sediment., 27, 21-41.
- Schmidt, V. i McDonald, D.A.**, 1979. The role of secondary porosity in the course of sandstone diagenesis. *E.E.M.P.*, Special Pub., 26, 175-207.
- Schreiber, M.E., Simo, J.A. i Freiberg, P.G.**, 2000. Stratigraphic and geochemical controls on naturally occurring arsenic in groundwater, eastern Wisconsin, USA. *Hydrogeology Journal*, 8, 161-176.
- Servei Cartogràfic de la Generalitat de Catalunya**, 1996a. Cartografía geológica de l'àrea d'influència de Barcelona. Full de Martorell (420-2-1).

- Servei Cartogràfic de la Generalitat de Catalunya**, 1996b. Cartografía geológica de l'àrea d'influència de Barcelona. Full de Rubí (420-3-1).
- Smykatz-Kloss, W. i Joachim, H.**, 1990. Kaolin and silica minerals of south african silcretes. *Chem. Geol.*, 84, 128-129.
- Solé, J., Delaloye, M. i Enrique, P.**, (1994). Edades aparentes K-Ar de las biotitas y feldespatos potásicos del batolito granítico hercínico del Montnegre (Cadenas Costeras Catalanas). Evidencias de un calentamiento regional durante el límite Triásico-Jurásico. *Bol. Soc. Esp. Min.*, 17 (1), 68.
- Solé Sabarís, Ll.**, 1963. Ensayo de interpretación del Cuaternario barcelonés. *Miscellanea Barcinonensis*, 3, 7-54.
- Stévaux, J. i Winnock, É.**, 1974. Les bassins du Trias et du Lias inférieur d'Aquitaine et leurs épisodes évaporitiques. *Bull. Soc. Géol. France*, XVI (7 série, 6), 679-695.
- Stoessel, R.K., Klimentidis, R.E. i Prezbindowski, D.R.**, 1987. Dedolomitization in Na-Ca-Cl brines from 100° to 200°C at 300 bars. *Geochim. Cosmochim. Acta*, 51, 847-855.
- Stoffregen, R.E., Alpers, C.N. i Jambor, J.L.**, 2000. Alunite-Jarosite Crystallography, Thermodinamics, and Geochronology. En C.N. Alpers, J.L. Jambor i D.K. Nordstrom (eds.) *Sulfate Minerals. Crystallography, Geochemistry and Environmental Significance. Reviews in Mineralogy & Geochemistry*, 40, Mineralogical Society of America, Washington, DC, 467-498.
- Stucki, J.W.**, 1997. Redox Processes in Smectites: Soil Environmental Significance. *Advances in GeoEcology*, 30, 395-406.
- Summerfield, M.A.**, 1983. Petrography and diagenesis of silcrete from the Kalahari basin and Cape Coastal zone, southern Africa. *Jour., Sed., Petrol.*, 53 (3), 895-909.
- Talbot, M.R.**, 1990. A review of the palaeohydrological interpretation of carbon and oxygen isotopic ratios in primary lacustrine carbonates. *Chem. Geol. (Isotope Geoscience Section)*, 80, 261-279.
- Thiry, M.**, 1997. Continental silicifications: a review. En H. Paquet i N. Clauer (eds.). *Soils and sediments, Mineralogy and Geochemistry*. 191-221. Springer-Verlag.
- Thiry, M.**, 2000. Paleoclimatic interpretation of clay minerals in marine deposits: an outlook from the continental origin. *Earth Sci. Reviews*, 49, 201-221.
- Thiry, M. i Ben Brahim, M.**, 1997. Silicifications de nappe dans les formations carbonatées tertiaires du piedmont atlasique (Hamada du Guir, Maroc). *Geodinamica acta (Paris)*, 10 (1), 12-29.
- Thiry, M. i Millot, G.**, 1986. Mineralogical forms of silica and their sequence of formation in silcretes. *Jour. Sed. Petrol.*, 57 (2), 343-352.
- Thiry, M. i Milnes, A.R.**, 1991. Pedogenic and groundwater silcretes al Stuart Creek Opal Field, South Australia. *Jour. Sed. Petrol.*, 61, 111-127.
- Thiry, M. i Ribet, I.**, 1999. Groundwater silification in Paris Basin limestones: Fabrics, mechanisms, and modeling. *Jour. Sed. Petrol.*, 69 (1), 183-195.
- Thiry, M., Schmitt, J.M., Rayot, V. i Milnes, A.R.**, 1995. Géochimie des altérations des profils blanchis du régolithe tertiaire de l'intérieur de l'Australie. *CR. Acad. Sci. Paris*, 320 (IIa), 279-285.
- Tobin, K.J. i Walker, K.R.**, 1998. Diagenetic calcite from the Chazy Group (Vermont): an example of aragonite alteration in a greenhouse ocean. *Sed. Geol.*, 121, 277-288.
- Torrent, J. i Cabedo, A.**, 1986. Sources of iron oxides in reddish brown soil profiles from calcarenites in southern Spain. *Geoderma*, 37, 57-66.
- Torrent, J. i Schwertmann, U.**, 1987. Influence of hematite on the color of red beds. *Jour. Sed. Petrol.*, 57 (4), 682-686.
- Travé, A. i Calvet, F.**, 2001. Syn-rift geofluids in fractures related to the early-middle Miocene evolution of the Vallès-Penedès half-graben (NE Spain). *Tectonophysics*, 336, 101-120.
- Travé, A., Calvet, F., Soler, A. i Labaume P.**, 1998. Fracturing and fluid migration during Palaeogene compression and Neogene extension in the Catalan Coastal Ranges, Spain. *Sedimentology*, 45, 1063-1082.

- Travé, A., Calvet, F., Sans, M., Vergés, J. i Thirlwall, M.**, 2000. Fluid history related to the Alpine compression at the margin of the south-Pyrenean Foreland basin: the El Guix anticline. *Tectonophysics*, 321, 73-102.
- Tucker, M.E. i Wright, P.V.**, 1990. *Carbonate Sedimentology*. Blackwell, Oxford, 482 p.
- Tullborg, E.L., Landström, O. i Wallin, B.**, 1999. Low-temperature trace element mobility influenced by microbial activity-indications from fracture calcite and pyrite in crystalline basement. *Chem. Geol.*, 157, 199-218.
- Van der Lee, J. i Windt, L. de**, 1999. CHESS Tutorial and Cookbook. Updated for version 2.4. Technical report LHM/RD/99/5. École des Mines de Paris. Centre d'Informatique Géologique. Fontainebleau. France. 77 p.
- Van Houten, F.B.**, 1972. Iron and clay in tropical savanna alluvium, northern Colombia: a contribution to the origin of red beds. *Geol. Soc. Amer. Bull.*, 83, 2761-2772.
- Van Houten, F.B.**, 1973. Origin of Red Beds. A review-1961-1972. *Annu. Rev. Earth Planet. Sci.*, 1, 39.61.
- Van Wagoner, J.C., Mitchum, R.M., Campion, K.M. i Rahmanian, V.D.**, 1990. Siliciclastic sequence stratigraphy in well logs, cores, and outcrops. *AAPG Methods in Exploration series*, 7, 55.
- Vaquer, R.**, 1973. El metamorfismo y las rocas plutónicas y filonianas de la Sierra de Collcerola (Tibidabo), Barcelona. Tesis Doctoral, Dpt. de Petrología, Universitat de Barcelona, 362 p.
- Véizer, J.**, 1983. Chemical diagenesis of carbonates: theory and application of the trace element technique. En *Stable Isotopes in Sedimentary Geology* (M.A. Arthur Org.). Soc. Econ. Paleontol. Mineral., Short Course, 10 (3), 1-100.
- Vézian, A.**, 1856. Du terrain post-pyrénéen des environs de Barcelone et de ses rapports avec les formations correspondants du basin de la Méditerranée. Thèse de Géologie. Montpellier. 116p.
- Vía, L. i Padreny, J.**, 1972. Historia bibliografica sobre geología de Montjuic (Barcelona). *Publ. Inst. Inv. Geol. Dip. Prov.*, 27, 5-63.
- Vicente, J.**, 1964. Contribución al estudio de la flora fosil del Turó de Montgat. *Not. Com. Inst. Geol. Min. España*, 74, 5-24.
- Vicente, J.**, 1971. Nueva contribución al conocimiento de la flora miocénica del Turó de Montgat (Barcelona). *Puig Castellar*, 14, 338-344.
- Vicente, J.**, 1988. La flora fòssil de Montjuïc (Barcelona). *Soc. Hist. Nat., Série Monogràfica nº 1.*, Sta Coloma de Gramenet. 93p.
- Villalta, J.F. de i Rosell, J.**, 1965. Contribución al conocimiento de la estratigrafia de Montjuic. *Publ. Inst. Inv. Geol. Dip. Prov.*, 19, 83-104.
- Wahab, A.A.**, 1998. Diagenetic history of Cambrian quartzarenites, Ras Dib-Zeit Bay area, Gulf of Suez, eastern desert, Egypt. *Sed. Geol.*, 121, 121-140.
- Walkden, G.M. i Berry, J.R.**, 1984. Natural calcite in cathodoluminescence: crystal growth during diagenesis. *Nature*, 308, 525-527.
- Walker, T.R.**, 1967a. Color of recent sediments in tropical Mexico: A contribution to the origin of red beds. *Geol. Soc. Amer. Bull.*, 78, 917-920.
- Walker, T.R.**, 1967b. Formation of Red Beds in Modern ans Ancient Deserts. *Geol. Soc. Amer. Bull.*, 78, 353-368.
- Walker, T.R.**, 1974. Formation of Red Beds in Moist Tropical Climates: A Hypothesis. *Geol. Soc. Amer. Bull.*, 85, 633-638.
- Ward, W.C.**, 1975. Petrology and Diagenesis of Carbonate Eolianites of Northeastern Yucatán Peninsula, Mexico. En: Belize shelf – carbonate sediments, clastic sediments and ecology. *Studies in geology* 2, 500-571.
- Wilson, M.D. i Pittman, E.D.**, 1977. Authigenic clays in sandstones: Recognition and influence on reservoir properties and palaeoenvironmental analysis. *Jour. Sedim. Petrol.*, 47, 3-31.
- Wollast, R.**, 1967. Kinetics of the alteration of K-feldspar in buffered solutions at low temperature. *Geochim. Cosmochim. Acta*, 31, 635-648.

- Wright, V.P.**, 1994. Paleosols in shallow marine carbonate sequences. *Earth-Science Reviews* 35, 367-395.
- Zamarreño, I., Anadón, P. i Utrilla, R.**, 1997. Sedimentology and isotopic composition of Upper Palaeocene to Eocene non-marine stromatolites, eastern Ebro Basin, NE Spain. *Sedimentology*, 44, 159-176.
- Zuffa, G.G.**, 1985. Optical analyses of sandstones: influence of methodology on compositional results. En G. G. Zuffa (ed.). *Provenance of arenites*. NATO-ASI Ser. C, 148, 165-189, D. Reidel, Dordrecht.
- Zuffa, G.G.**, 1987. Unravelling hinterland and offshore paleogeography from deep-water arenites. En *Deep-Marine Clastic Sedimentology. Concepts and Case Studies* (Leggett, J.K. i Zuffa, G.G., eds.), London, Graham & Trotman, 39-61.