
REFERENCIAS

REFERENCIAS

- AB (1991). “Estadística Municipal, El teixil immobiliari de Barcelona”, *Departament d’Estadística amb la col.laboració del Gabinet d’Estudis Urbanistics*, Ayuntamiento de Barcelona.
- AB (2002). “Anuari Estadístic de la Ciutat de Barcelona”, Ayuntamiento de Barcelona.
- AE-88 (1988). “Acciones en la Edificación”, *Norma Básica de la Edificación*, Ministerio de Fomento.
- Aktan, A. E. and Ho, I-K (1990). “Seismic vulnerability evaluation of existing buildings”, *Earthquake Spectra*, **6(3)**, 439-471.
- Anagnos, T. Bouabid, J., Lawson, S. and Bouhafs, M. (1996). “Application of an integrated GIS loss estimation methodology to emergency response preparedness”, *Proceedings of the Eleventh World Conference on Earthquake Engineering*, Acapulco, Mexico, (CD-ROM) Paper No. 884.
- Angeletti, P., Bellina, A., Grandori, E. G., Moretti, A. and Petrini, V. (1988). “Comparison between vulnerability assessment and damage index, some results”, *Proceedings of the Ninth World Conference on Earthquake Engineering*, Kyoto, Japan.

- Arnori, C. "The Nature of Ground Motion and Its Effect on Buildings", *National Information Service for Earthquake Engineering*, University of California, Berkeley. <http://www.eerc.berkeley.edu/>.
- ATC-13 (1985). "Earthquake damage evaluation data for California". *Federal Emergency Management Agency*, 555 Twin Dolphin Drive, Suite 550, Redwood City, CA 94065.
- ATC-25 (1991). "Seismic vulnerability and impact of disruption of lifelines in the conterminous United States". *Federal Emergency Management Agency*, 555 Twin Dolphin Drive, Suite 550, Redwood City, CA 94065.
- Barbat, A. H., Yépez, F. and Canas, J. A. (1996). "Damage scenarios simulation for seismic risk assessment in urban zones", *Earthquake Spectra*, **12(3)**, 371-394.
- Benedetti, D., Benzoni, G. and Parisi, M. A. (1988). "Seismic vulnerability and risk evaluation for old urban nuclei", *Earthquake Engineering and Structural Dynamics*, **16**, 183-201.
- Benedetti, D. and Petrini, V. (1984). "Sulla vulnerabilità sismica di edifici in muratura i proposte di un metodo di valutazione", *L'industria delle Costruzioni*, **149**, 66-74.
- Blais, N. C., Seligson, H.A. and Petrow, A. J. (1996). "Use of rapid damage assessment and geographic information systems for emergency response in the Northridge earthquake", *Proceedings of the Eleventh World Conference on Earthquake Engineering*, Acapulco, Mexico, (CD-ROM) Paper No. 439.
- Bolt, B. A. (1999). "Earthquakes", *W. H. Freeman and Company*, Fourth Edition, New York.
- Bracci, J. M., Reinhorn, A. M., Mander, J. B. and Kunnath, S. K. (1989). "Deterministic model for seismic damage evaluation of RC structures", *Technical report NCEER-89-0033*, National Center for Earthquake Engineering Research, State University of New York, Buffalo, N. Y.
- Caicedo, C. (1993). "Vulnerabilidad Sísmica en Zonas Urbanas. Aplicación a un Sector de Eixample de Barcelona". *Tesis Doctoral*, Escuela Técnica Superior de Ingenieros de Caminos, Canales y Puertos, Universidad Politécnica de Cataluña, Barcelona.
- Canas, J. A. y Banda, E. (1988). "Sismicidad y peligrosidad sísmica". Escola Tècnica Superior d'Enginyers de Camins, Canals i Ports, Barcelona.
- Canas, J. A. Pujades, L. y Banda, E., (1994). "Sismicidad y peligrosidad sísmica". *Centro Internacional de Métodos Numéricos en Ingeniería, CIMNE*. Barcelona, España, monografía **IS-11**.
- Cella, F., Grimaz, S., Meroni, F., Petrini, V., Tomasoni, R. and Zonno, G. (1994). "A case study for seismic vulnerability assessment using GIS connected to expert system". *Conférence Utilisateurs Européenne*, Paris France.
- Chang, T. S., Pezeshk, S., Yiak, K. C. and Kung, H. T. (1995). "Seismic Vulnerability

- Evaluation of Essential Facilities in Memphis and Shelby County”, *Earthquake Spectra*, Vol. 11 (4), November.
- Chávez, J. (1998). “Evaluación de la vulnerabilidad y el riesgo sísmico a escala regional: Aplicación a Cataluña”, *Tesis doctoral*, Universidad Politécnica de Cataluña, Barcelona.
- Chung, Y. S. and Shinozuka, M. (1988). “Automatic Seismic Design of Reinforced Concrete Buildings”, *National Center for Earthquake Engineering Research*, NCEER-88-0024, State University of New York at Buffalo, Buffalo.
- Cid, J. (1998). “Zonación sísmica de la ciudad de Barcelona basada en la simulación numérica de efectos locales”. *Tesis doctoral*. Universidad Politécnica de Cataluña, Barcelona.
- CSSC (1999). “Earthquake Risk Management: A Toolkit for Decision – Makers”. *California Seismic Safety Commission*, State of California.
- Dolce, M., Kappos, A., Zuccaro, G. and Coburn, A. W. (1994). “Report of the EAEE Working Group 3: Vulnerability and risk analysis”. *Proceedings of the Tenth European Conference on Earthquake Engineering*. Vienna, 4, 3049-3077.
- Dowrick, D. J. (1997). “Earthquake Resistant Design For Engineers and Architects”. *John Wiley & Sons*, 2nd Edition.
- EERI Committee on Seismic Risk (1989). “The basics of seismic risk analysis”, *Earthquake Spectra*, 5(4), 675-702.
- EERI (1996). “Post-Earthquake Investigation Field guide. Learning from Earthquakes”, *Earthquake Engineering Research Institute*, Publication No. 96-1.
- EMS (1998). “European Macroseismic Scale”, *Centre Européen de Géodynamique et de Séismologie*, Musée National d'Histoire Naturelle Section Astrophysique et Géophysique, Luxembourg.
- Espinoza, F., Canas, J. A., Pujades, L., Caselles, O. y Mena, U. (2000). “Utilización de la vibración ambiental como fuente de excitación para el cálculo de períodos fundamentales de edificios”, *Dirección General del Instituto Geográfico Nacional*, Ministerio de Fomento.
- ESRI (1994). “ARC/INFO, Map Book 1993”, *Environmental Systems Research Institute, Inc.*, Redlands, California.
- ESRI (1995). “Understanding GIS: The ARC/INFO Method”, *Environmental Systems Research Institute, Inc.*, Redlands, California.
- Estruch, M. (1996). “Cartografía Minera”, *Edicions UPC*, Universitat Politècnica de Catalunya, Barcelona.

- Fleta, J. Estruch, I y Goula, X. (1998). "Geotechnical characterization for the regional assessment of seismic risk in Catalonia". *IV Meeting of the Environmental and Engineering Geophysical Society (European Section)*, Barcelona, p. 669-702.
- GeoSystems Global Corp. "Map projections", <http://www.geosys.com>.
- GIS Develoment. "GIS Tutorial", <http://www.gisdevelement.net>.
- GNDT (1993). "Rischio sismico di edifici pubblici", *Consiglio Nazionale delle Ricerche*, Gruppo Nazionale per la Difesa dai Terremoti, Roma.
- González, M. (2000). "Simulación post-evento de los efectos de un terremoto", *Informe técnico*, núm.: GS-128/00, Institut Cartogràfic de Catalunya.
- Grimaz, S. (1994). "Vulnerabilità sismica di edifici isolati in muratura", *Dipartimento di Georisorse e Territorio*, Università degli Studi di Udini, Rapporto n. 13/ I.
- Grünthal, G., (1998). "European Macroseismic Scale 1998, (EMS-98)", *CONCEIL DE L'EUROPE, Cahiers du Centre Européen de Géodynamique et de Séismologie*, Volume 15, Luxembourg.
- GSHAP (1999). "Global Seismic Hazard Assessment Program". <http://seismo.ethz.ch/gshap/>.
- Gülkan, P. Sozen, M. A., Semir, S. and Ersoy, U. (1996). "An alternative evaluation for determining seismic vulnerability of building structures". *Proceedings of the Eleventh World Conference on Earthquake Engineering*, Acapulco, Mexico, (CD-ROM) Paper No. 1763.
- Hassan, A. F. and Sozen, M. A. (1997). "Seismic vulnerability assessment of low-rise buildings in regions with infrequent earthquake". *ACI Structural Journal*, **94(1)**, 31-39.
- HMC (1997). "Earthquake damage mitigation guidelines", *Hughes McNaughton Consultants Pty Ltd.*, Department of public works and housing, Built environment research unit, Queensland, Australia. <http://home.pacific.net.au/>.
- Hwang, H. H. M. & Huo, J. R. (1994). "Generation of hazard-consistent fragility curves", *Soil Dynamics and Earthquake Engineering*, Vol. **13**, pp. 345-254.
- IAG. "Imágenes de efectos del terremoto de 25-12-1884", *Instituto Andaluz de Geofísica*, Universidad de Granada. <http://www.ugr.es>.
- ICC. "Institut Cartogràfic de Catalunya", *Generalitat de Catalunya*. <http://www.icc.es>.
- ICC (2000). "Mapa Geotècnic de Barcelona", *Generalitat de Catalunya*, Institut Cartogràfic de Catalunya.
- INFOCCA (2002). "Producto interno de la Subdirección de Información de Base y

- Cartografia, antes centro de Cartografia Automática (CCA) del Instituto Municipal de Informática”, Ayuntamiento de Barcelona.
- JMA “Seismic Intensity Scale”, *Japan Meteorological Agency*. <http://www.kishou.go.jp>.
- Kappos, A., Pitilakis, K., Stylianidis, K., Morfidis, K. and Asimakopoulus, N. (1995). “Cost-benefit analysis for the seismic rehabilitation of buildings in Thessaloniki, based on a hybrid method of vulnerability assessment”. *Proceedings of the Fifth International Conference on Seismic Zonation*, Nice, France, **1**, 406-413.
- Kappos, A. J., Stylianidis, K. C. and Michailidis, C. N. (1996). “A methodology for developing loss scenarios, with an application to the city of Thessaloniki”. *Proceedings of the Eleventh World Conference on Earthquake Engineering*, Acapulco, Mexico, (CD-ROM) Paper No. 2057.
- Katafygiotis, L. S. and Papadimitriou, C. (1996). “Dynamic response variability of structures with uncertain properties”. *Earthquake Engineering and Structural Dynamics*, **25**, 775-793.
- King, S. A., Kiremidjian, A. S., Rojahn, C. and Scholl, R. F. (1994). “Earthquake hazards and loss estimation using Geographic Information Systems. *Proceedings of the Tenth European Conference on Earthquake Engineering*. Vienna, **2**, 1135-1140.
- King, S. A. and Rojahn, C. (1996). “A comparison of earthquake damage and loss estimation methodologies”. *Proceedings of the Eleventh World Conference on Earthquake Engineering*, Acapulco, Mexico, (CD-ROM) Paper No. 1482.
- Kunnath, S. K., Reinhorn, A. M. and Park, Y. J. (1990). “Analytical modeling of Inelastic Seismic Response of R/C structures. *Journal of Structural Engineering*, Vol. (116), No 4, April, pp. 996- 1017.
- Lenhardt, W. A. (1996). “Quick disaster estimation”, *Proceedings of the Eleventh World Conference on Earthquake Engineering*, Acapulco, Mexico, (CD-ROM) Paper No. 1844.
- Lopes, M. S. (1996). “Evaluation of the seismic performance of an old masonry building in Lisbon”, *Proceedings of the Eleventh World Conference on Earthquake Engineering*, Acapulco, Mexico, (CD-ROM) Paper No. 1484.
- LOSAN (1978). “Mapa geotécnico de Barcelona”, *LOSAN, S. A. Mecánica de Suelo*, Barcelona.
- MacRae, G. A. (1996). “P-D effects on single-degree-of freedom structures in earthquakes”. *Earthquake Spectra*, **11(1)**, 539-568.
- Maña, F. (1997). “Vulnerabilitat sísmica dels edificis de la ciutat de Barcelona”, *Institut de Tecnologia de la Construcció de Catalunya*, Barcelona.
- Martí, J. O. (1999). “Anàlisi del risc sísmic en la ciutat de Barcelona. Aspectes relacionats amb l’evolució espai temporal del risc sísmic”, *Tesina d’Especialitat*, Universidad

- Politécnica de Cataluña.
- Mena, U. (1993). “Análisis dinámico tridimensional paso a paso por el método de Newmark”, *Tesis de grado*. Universidad Popular Autónoma del Estado de Puebla, Puebla, México, 1993.
- Mena, U. (1997a). “Implementación del método del índice de Vulnerabilidad en el Sistema de Información Geográfica, ARCINFO”, *Tesis de Master*, Departamento de Ingeniería del Terreno y Cartográfica. Universidad Politécnica de Cataluña (UPC). Barcelona.
- Mena, U., Alfaro, A. Pujades, L. G., Canas, J. A., López-Almanza, F., Navarro, M. and Sanchez, J. (1997b). “Building vulnerability utilization in Barcelona”. *International Post-SMIRT conference seminar on seismic isolation, passive energy dissipation and active control of seismic vibration of structures*. Taormina, Italy.
- Mena, U., Moliner, C., Pujades, L. G., y Canas, J. A. (1999). “Análisis de daño en edificios dañados por el terremoto del 2 de febrero de 1999, en la región de Murcia”. *Reporte Interno*, Departamento de Ingeniería del Terreno y Cartográfica, UPC.
- Mena, U., Pujades, L. G y Canas, J. A. (2001). “Automatización de los resultados del estudio de Riesgo Sísmico en la Ciudad de Barcelona”, *2º Congreso de Iberoamericano de Ingeniería Sísmica*, CD-ROM, Paper 024.1, Madrid, España.
- Miranda E. (1996). “Assessment of the seismic vulnerability of existing buildings”, *Proceedings of the Eleventh World Conference on Earthquake Engineering*, Acapulco, Mexico, (CD-ROM) Paper No. 513.
- Mosalam, K. M., Ayala, G., White, R. N. and Roth, C. (1997). “Seismic fragility of LRC frames with and without masonry infill walls”. *Journal of Earthquake Engineering*, Vol. 1, No 4, October, pp. 693-720.
- Mucciarelli, M. & Magri, L. (1992). “For an adequate use of intensity data in site hazard estimates: Mixing theoretical and observed intensities. *Proceedings of the Tenth World Conference on Earthquake Engineering*, Madrid, 1, 345-350.
- Musson, R. “A short history of intensity and intensity scales”. *National Geophysical Data Center*, Colorado, USA. <http://www.ngdc.noaa.gov>.
- Nassar, A. A., Williams, C., R., Romer, M. E., Vandermarck, P. and Bendimerad, F. (1996). “Seismic risk analysis model for Mexico City using spectral accelerations”, *Proceedings of the Eleventh World Conference on Earthquake Engineering*, Acapulco, Mexico, (CD-ROM) Paper No. 1904.
- National Geophysical Data Center, Colorado, USA. <http://www.ngdc.noaa.gov>.
- Natural Resources Canada. “Map projections”, <http://atlas.gc.ca>
- NCSE-94 (1994). “Norma de Construcción Sismorresistente, Parte General y de Edificación, Comisión Permanente de Normas Sismorresistentes”, *Real Decreto 2543/1994 del 29 de*

- Diciembre de 1994.
- NHRC. "Risk Frontiers", *Natural Hazards Research Centre*, Macquarie University, Sydney Australia, <http://www.es.mq.edu.au/NHRC>.
- NOAA. "GIS Tutorial", *Coastal Services Center*. <http://www.csc.noaa.gov>
- Nocevski, N. and Petrovski, J. (1994). "Analytical vulnerability functions of earthquake resistant and nonresistant buildings". *Proceedings of the Tenth European Conference on Earthquake Engineering*. Vienna, **2**, 1099-1103.
- Nyffenegger, P., (1997). "Earthquake Basics". University of Texas Institute For Geophysics, <http://wadati.ig.utexas.edu:8000/earthquake/EQFAQ/eqfaq.html>
- OEA (1993). "Manual sobre el manejo de peligros naturales en la planificación para el desarrollo regional integrado", Washington, D. C., <http://www.oas.org>.
- OPS/OMS (1999). "Fundamentos para la mitigación de desastres en establecimientos de salud", *Organización Panamericana de la Salud / Oficina Regional de la Organización Mundial de la Salud*, Washington. <http://www.paho.org/spanish/ped/pedsres.htm>.
- Park, Y.-J., Ang, A. H.-S. and Wen, Y. K. (1985). "Seismic damage analysis of reinforced concrete buildings". *Journal of Structural Engineering*, **111**(4), 740-757.
- Park, Y. J., Reinhorn, A. M. and Kunnath, S. K. (1987). "IDARC: Inelastic damage analysis of RC frame-shear wall structures", *Technical report NCEER-87-0008*, National Center for Earthquake Engineering Research, State University of New York, Buffalo, N. Y.
- Person, W. (1999). "1999 Earthquake Summary", *US Geological Survey, National Earthquake Information Center*. http://neic.usgs.gov/neis/bulletin/99_EVENTS/summary.html.
- Petrovski, J., Ristic, D. and Nocevski, N. (1992). "Evaluation of vulnerability and potential seismic risk level of buildings". *Proceedings of the Tenth World Conference on Earthquake Engineering*, Madrid, **1**, 509-514.
- Polovinchik, I. F., Klyachko, M. A. and Koff, G. L. (1994). "Development of Geoinformational (GIS) for analysis and management of seismic risk on the urban areas". *Proceedings of the Tenth European Conference on Earthquake Engineering*. Vienna, **2**, 1141-1146.
- Powell, G. H. and Allahabadi, R. (1988). "Seismic damage prediction by deterministic methods: concepts and procedures". *Earthquake Engineering and Structural Dynamics*, **16**, 719-734.
- Pujades, L. G., Canas, J. A., Mena, U., Espinoza, F., Alfaro, A. and Caselles, J. (2000). "Seismic risk evaluation in Barcelona, Spain", *12th World Conference on Earthquake Engineering*, Auckland, New Zealand, Paper No. 2810.

- Rad, F. N. and McCormack, T. C. (1996). "A methodology for estimating earthquake losses for buildings in urban areas", *Proceedings of the Eleventh World Conference on Earthquake Engineering*, Acapulco, Mexico, (CD-ROM) Paper No. 1776.
- Roufaiel, M. S. L. and Meyer, C. (1987). "Reliability of Concrete Frames Damaged by Earthquakes", *Journal of Structural Engineering*, Vol. **113**, No 3, March. pp. 445-457.
- Sandi, H. (1986). "Vulnerability and risk analysis for individual structures and systems", *Proceedings of the eighth European Conference on Earthquake Engineering*, Lisbon, 7, 11-60.
- Sauter, F. (1996). "Redefining terms in the field on seismic safety and risk mitigation". *Earthquake Spectra*, **12(2)**, 315-326.
- Singhal, A. and Kiremidjian, A. S. (1996). "Method for probabilistic evaluation of seismic structural damage". *Journal of Structural Engineering*, **122(12)**, 1459-1467.
- Secanell, R. (1999). "Avaluació de la perillositat sísmica a Catalunya: anàlisi de sensibilitat per a diferents models d'ocurrència i paràmetres sísmics", Tesis de Doctorado, Universidad de Barcelona.
- SERGISAI Group ((1998). "SEismic Risk evaluation through integrated use of Geographical Information Systems and Artificial Intelligence techniques: Final Report of the SERGISAI Project". *European Commission Directorate General XII for Science, Research and Development. Environment and Climate 1994-1998- Climatology and Natural Hazard. Contract number ENV4-CT96-0276*, March, 1996 – February, 1998. <http://ade.irrs.mi.cnr.it/SERGISAI/sergisai.html>.
- Sommerville, P. (2000). "Seismic Hazard Evaluation. State of the art". *Proceedings of the 12th World Conference on Earthquake Engineering*, Auckland, New Zealand, Paper No. 2833.
- Tatsumi, Y., Sugimoto, M. and Seya, H. (1992). "A seismic damage evaluation system for buildings". *Proceedings of the Tenth World Conference on Earthquake Engineering*, Madrid, **1**, 515-520.
- The Geographer's Craft. "Map Projections Overview", <http://www.colorado.edu>.
- Thibault, C. and Velkov, P. (1995). "Evaluation of seismic vulnerability of an urban neighborhood in Nice". *Proceedings of the Fifth International Conference on Seismic Zonation*, Nice, France, **1**, 92-100.
- Villacis, C. A., Cardona, C. N. and Tucker, B. (2000). "Implementation of fast earthquake scenarios for risk management in developing countries". *Proceedings of the 12th World Conference on Earthquake Engineering*, Auckland, New Zealand, Paper No. 0796.

- Villaverde, R. (1997). "Seismic design of secondary structures: State of the Art". *Journal of Structural Engineering*. **123(8)**, 1011-1019.
- USGS. "National Earthquake Information Center, World Data Center a for Seismology", <http://wwwneic.cr.usgs.gov/>.
- Williams, M. S. and Sexsmith, R. G., (1995). "Seismic damage indices for concrete structures: A state-of-the-art Review". *Earthquake Spectra*, Vol. II, No 2., pp. 319-349.
- Wilson, E. L. (1992). "SADDAP. Static and dynamic structural analysis programs (With nonlinear, damping and Isolation elements). *Structural analysis programs, Inc.* California.
- Wilson, E. L. and Habibullah, A. (1992). "SAP90. Structural Analysis Program". *Computers & Structural, Inc.* Berkeley, California.
- Woo, G. (1992). "Calibrated expert judgement in seismic hazard analysis", *Proceedings of the Tenth World Conference on Earthquake Engineering*, Madrid, **1**, 333-338.
- Xie, Li-Li, Xiabin, T. and Huiqiang, Z. (1996). "An AI-GIS based seismic hazard assessment system for urban area", *Proceedings of the Eleventh World Conference on Earthquake Engineering*, Acapulco, Mexico, (CD-ROM) Paper No. 128.
- Yépez, F. (1994). "Vulnerabilidad Sísmica de Edificios de Mampostería para Estudios de Riesgo Sísmico". *Tesis de Master*, Escuela Técnica Superior de Ingenieros de Caminos, Canales y Puertos, Universidad Politécnica de Cataluña, Barcelona.
- Yépez, F., Barbat, A. H. y Canas, J. A. (1995). "Simulación de escenarios de daño para estudios de riesgo sísmico", *Centro Internacional de Métodos Numéricos en Ingeniería, CIMNE*. Barcelona, monografía **IS-14**.
- Yépez, F. (1996). "Metodología para la evaluación de la vulnerabilidad y riesgo sísmico de estructuras aplicando técnicas de simulación". *Tesis Doctoral*, Escuela Técnica Superior de Ingenieros de Caminos, Canales y Puertos, Universidad Politécnica de Cataluña, Barcelona.