

Sequence Stratigraphy as a tool for water resources management in alluvial coastal aquifers: application to the Llobregat delta (Barcelona, Spain)

Desiré Gàmez Torrent

December 2007

BIBLIOGRAPHY

PhD Thesis

Department of Geotechnical Engineering and Geo-Sciences (ETCG)
Technical University of Catalonia (UPC)

Supervisors:

Dr. J. Antonio Simó Marfà

Dr. Jesús Carrera Ramírez

Tutor:

Daniel Fernández García



HYDROGEOLOGY GROUP
TECHNICAL UNIVERSITY OF CATALONIA



geomodels
centre mixt d'investigació

Hydrogeochemistry
group



Bibliography

Abarca, E., Carrera, J., Sanchez-Vila, X. and Voss, C.I., 2007a. Quasi-horizontal circulation cells in 3D seawater intrusion. *Journal of Hydrology*, 339: pp. 118-129.

Abarca, E., Carrera, J., Sanchez-Vila, X. and Dentz, M., 2007b. Anisotropic dispersive Henry problem. *Advances in water resources*, 30(4): pp. 913-926.

Abarca, E., Vázquez-Suñé, E., Carrera, J., Capino, B., Gámez, D. and Batlle, F., 2006. Optimal design of measures to correct seawater intrusion. *Water resources research*, 42: doi: 10.1029/2005WR004524.

Abdulah, K.C., Anderson, J.B., Snow, J.N. and Holdford-Jack, L., 2004. The Late Quaternary Brazos and Colorado deltas, offshore Texas, U.S.A.-Their evolution and the factors that controlled their deposition. *Late Quaternary Stratigraphic Evolution of the Northern Gulf of Mexico Margin*, SEPM Special Publication., 79, pp. 237-269.

Aguzzi, M., Amorosi, A., Castorina, F., Ricci Lucchi, M., Sarti, G. and Vaiani, S., 2006. Stratigraphic architecture and aquifer systems in the eastern Valdarno Basin, Tuscany. *GeoActa*, 5: pp. 30-60.

Aksu, A.E., Piper, D.J.W. and Konuk, T., 1987. Late Quaternary tectonic and sedimentary history of outer Izmir and Candarli bays, western Turkey. *Marine Geology*, 76: pp. 89-104.

Aksu, A.E., Ulug, A., Piper, D.J.W., Konuk, Y.T. and Turgut, S., 1992. Quaternary sedimentary history of Adana, Cilicia and Iskenderun basins: northeast Mediterranean Sea. *Marine Geology*, 104(1-4): pp. 55-71.

Almera, J., 1891. Mapa geológico-topográfico de la provincia de Barcelona. Región I o de contornos de la capital. Escala 1:40.000. 1ª, Barcelona.

Amblàs, D., Canals, M., Urgeles, R., Lastrasa, G., Liqueste, C., Hughes-Clarke, J.E., Casamor, J.L. and Calafat, A.M., 2006. Morphogenetic mesoscale analysis of the northeastern Iberian margin, NW Mediterranean Basin. *Marine Geology*, 234 (1-4): pp. 3-20.

Amorosi, A., Colalongo, M.L., Fiorini, F., Fusco, F., Pasini, G., Vaiani, S.C. and Sarti, G., 2004. Palaeogeographic and palaeoclimatic evolution of the Po Plain from 150-ky core records. *Global and Planetary Change*, 40(1-2): pp. 55-78.

Amorosi, A., Colalongo, M.L., Pasini, G. and Preti, D., 1999. Sedimentary response to Late Quaternary sea-level changes in the Romagna coastal plain (northern Italy). *Sedimentology*, 46(1): pp. 99-121.

Amorosi, A. and Milli, S., 2001. Late Quaternary depositional architecture of Po and Tevere river deltas (Italy) and worldwide comparison with coeval deltaic successions. *Sedimentary Geology*, 144(3-4): pp. 357-375.

Anadón, P., Colombo, F., Esteban, M., Marzo, M., Robles, S., Santanach, P. and Solé-Sugrañes, L., 1982. Evolución tectonoestratigráfica de los Catalánides. *Acta Geol. Hispánica*, 14: pp. 242-270.

Anderson, J.B., Abdulah, K.C., Sarzalejo, S., Siringan, F. and Thomas, M.A., 1996. *Geology of Siliciclastic Shelf Seas*, Geological Society, London, Special Publication. Late Quaternary sedimentation and high-resolution sequence stratigraphy of the east Texas shelf, 117, pp. 95-124.

Anderson, J.B., Rodriguez, A., Abdulah, K.C., Fillon, R.H., Banfield, L.A., McKeown, H.A. and Wellner, J.S., 2004. Late Quaternary stratigraphic evolution of the northern Gulf of Mexico margin: a synthesis. *Late Quaternary Stratigraphic Evolution of the Northern Gulf of Mexico Margin*, SEPM Special Publication, 79, pp. 1-23.

Ariztegui, D., Asioli, A., Lowe, J.J., Trincardi, F., Vigliotti, L., Tamburini, F., Chondrogianni, C., Accorsi, C.A., Bandini Mazzanti, M., Mercuri, A.M., Van Der Kaars, S., McKenzie, J.A. and Oldfield, F., 2000. Palaeoclimate and the formation of sapropel S1: Inferences from Late Quaternary lacustrine and marine sequences in the central Mediterranean region. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 158(3-4): pp. 215-240.

Banfield, L.A. and Anderson, J.B., 2004. Late Quaternary evolution of the Rio Grande delta: complex response to eustasy and climate change. *Late Quaternary Stratigraphic Evolution of the Northern Gulf of Mexico Margin*, SEPM Special Publication., 79, pp. 289-306.

Barrera, A., Barriendos, M. and Llasat, M.C., 2005. Extreme flash floods in Barcelona County. *Advances in Geosciences*, 2: pp. 111-116.

Barriendos, M. and Martin-Vide, J., 1998. Secular climatic oscillations as indicated by catastrophic floods in the Spanish Mediterranean coastal area (14th-19th centuries). *Climatic Change*, 38: pp. 473-491.

Bart, P.J. and Anderson, J.B., 2004. Late Quaternary stratigraphic evolution of the Alabama and west Florida outer continental shelf. *Late Quaternary Stratigraphic Evolution of the Northern Gulf of Mexico Margin*, SEPM Special Publication, 79, pp. 43-53.

Bartrina, M.T., Cabrera, L., Jurado, M.J., Guimerà, J. and Roca, E., 1992. Evolution of the central Catalan margin of the Valencia trough (western Mediterranean). *Tectonophysics*, 203: pp. 219-247.

Bayó, A., Batista, E. and Custodio, E., 1977. Sea water encroachment in Catalonia coastal aquifers, General Assembly IAH, Int., Assoc. of Hydrogeol., Birmingham U. K, Vol. XIII.1 pp. F.1-14.

Bayó, A., Custodio, E. and Loaso, C., 1997. Las aguas subterráneas en el Delta del Ebro. *Revista de Obras Públicas*, 3368: pp. 47-65.

Bellotti, P., Milli, S., Tortora, P. and Valeri, P., 1995. Physical stratigraphy and sedimentology of the Late Pleistocene-Holocene Tiber Delta depositional sequence. *Sedimentology*, 42: pp. 617-634.

Blockley, S.P.E., Lowe, J.J., Walker, M.J.C., Asioli, A., Trincardi, F., Coope, G.R., Donahue, R.E. and Pollard, A.M., 2004. Bayesian analysis of radiocarbon chronologies: Examples from the European Late-glacial. *Journal of Quaternary Science*, 19(2): pp. 159-176.

Bown, P.R., 1998. *Calcareous nannofossil biostratigraphy*. British Micropalaeontological Society Publications Series. Chapman & Hall, Dordrecht, The Netherlands, 314 pg.

Boyer, J., Duvail, C., Le Strat, P., Gensous, B. and Tesson, M., 2005. High resolution stratigraphy and evolution of the Rhône delta plain during Postglacial time, from subsurface drilling data bank. *Marine Geology*, 222-223(1-4): pp. 267-298.

Browne, G.H. and Naish, T.R., 2003. Facies development and sequence architecture of a late Quaternary fluvial-marine transition, Canterbury Plains and shelf, New Zealand: implications for forced regressive deposits. *Sedimentary Geology*, 158(1-2): pp. 57-86.

Burjachs, F. and Riera, S., 1995. Canvis vegetals i climàtics durant el neolític a la façana mediterrània ibèrica, I Congrés del neolític a la Península Ibèrica. *Rubricatum*, Gava-Bellaterra, pp. 21-24.

Cacho, I., Grimalt, J.O., Canals, M., Saffi, L., Shackleton, N.J., Schofield, J. and Zahn, R., 2001. Variability of the Western Mediterranean sea surface temperature during the

last 25,000 years and its connection with the Northern Hemisphere climatic changes. *Paleoceanography*, 16(1): pp. 40-52.

Cacho, I., Grimalt, J.O. and M., C., 2002. Response of the Western Mediterranean Sea to rapid climatic variability during the last 50,000 years: a molecular biomarker approach. *Journal of Marine Systems*, 33- 34: pp. 253- 272.

Campmany, J., 2001. Jaciments iberics i romans, Jornades divulgatives Roma a Gava. Associacio dels amics del museu de Gava, Gava, pp. 6-7.

Canals, M. et al., 2004. The Role of Canyons in Strata Formation. *Oceanography*, 17(4): pp. 80-91.

Cantalamesa, G. and Di Celma, C., 2004. Sequence response to syndepositional regional uplift: Insights from high-resolution sequence stratigraphy of late Early Pleistocene strata, Periadriatic Basin, central Italy. *Sedimentary Geology*, 164(3-4): pp. 283-309.

Cassasas, L. and Riba, O., 1992. Morfologia de la rambla Barcelonina. *Treballs de la Societat Catalana de Geografia*, 33-34(VII): pp. 9-23.

Cattaneo, A., Correggiari, A., Langone, L. and Trincardi, F., 2003. The late-Holocene Gargano subaqueous delta, Adriatic shelf: Sediment pathways and supply fluctuations. *Marine Geology*, 193(1-2): pp. 61-91.

Catuneanu, O., 2002. Sequence stratigraphy of clastic systems: concepts, merits, and pitfalls. *Journal of African Earth Sciences*, 35: pp. 1-43.

Cearreta, A. and Murray, J.W., 2000. AMS 14C dating of Holocene estuarine deposits: consequences of high-energy and reworked foraminifera. *The Holocene*, 10: pp. 155-159.

Checa, A., Díaz, J.I., Farrán, M. and Maldonado, A., 1988. Sistemas deltaicos holocenos de los ríos Llobregat, Besós y Foix: modelos evolutivos transgresivos. *Acta Geol. Hispánica*, 23: pp. 241-255.

Chiocci, F.L., Ercilla, G. and Torres, J., 1997. Stratal architecture of Western Mediterranean Margins as the result of the stacking of Quaternary lowstand deposits below 'glacio-eustatic fluctuation base-level'. *Sedimentary Geology*, 112(3-4): pp. 195-217.

Chiocci, F.L., 2000. Depositional response to Quaternary fourth-order sea-level fluctuations on the Latium margin (Tyrrhenian Sea, Italy). *Sedimentary Responses to Forced Regressions*, Geological Society, London, Special Publications., 172, pp. 271-289.

Correggiari, A., Cattaneo, A. and Tricandi, F., 2005. Depositional patterns in the Late Holocene Po delta system. In: 365-392 (Editor), *River deltas-Concepts, models and examples*. SEPM Special Publication.

Custodio, E., Cacho, F. and Peláez, M., 1976. Problemática de la intrusión marina en los acuíferos del Delta del Llobregat, Segunda Asamblea Nacional de Geodesia y Geofísica, Barcelona. Inst. Geof. y Catastral Madrid, Madrid, pp. 2069- 2101.

Custodio, E., 1981. Sea water encroachment in the Llobregat delta and Besós areas, near Barcelona (Catalonia, Spain), Sea Water Intrusion Meeting: Intruded and Fossil Groundwater of Marine Origin, Rapp. Meddelanden, U. S. G. Undersökning, Sveriges Geologiska Undersökning, Upsala, Sweden, pp. 120 - 152.

Custodio, E., Glorioso, L., Manzano, M. and Skupien, E., 1989. Evolución y alternativas de un acuífero sobreexplotado: El Delta del Llobregat, Sobreexplotación de acuíferos. Instituto Tecnológico y Minero de España, Granada, Spain., pp. 207- 227.

Custodio, E., Edmunds, W.M. and Travi, Y., 2001. Management of coastal palaeowaters. Geological Society, London, Special Publications, 189: pp. 313-327.

Custodio, E., 2002. Coastal aquifers as important natural hydrogeological structures. En: Groundwater and human development. 1 ed. Barcelona: Bocanegra, Martines, Massone (editores). pp. 1905-1918.

Dabrio, C.J. et al., 2000. Depositional history of estuarine infill during the last postglacial transgression (Gulf of Cadiz, Southern Spain). *Marine Geology*, 162(2-4): pp. 381-404.

De Kaenel, E., Siesser, W.G. and Murat, A., 1999. Pleistocene calcareous nannofossil biostratigraphy and the western mediterranean sapropels, sites 974 to 977 and 9791. Proceedings of the Ocean Drilling Program. Scientific results Ocean Drilling Program, 161: pp. 159-183.

Demarest II, J.M. and Kraft, J.C., 197. Stratigraphic record of Quaternary sea levels: implications for more ancient strata. *Sea-Level Fluctuation and Coastal Evolution*, Soc. Econ. Paleontol. Mineral., Spec. Publ., 41, pp. 223–239.

Diaz, J.I. and Maldonado, A., 1990. Transgressive sand bodies on the Maresme continental shelf, Western Mediterranean. *Marine Geology*, 91: pp. 53-73.

Diaz, J.I. and Ercilla, G., 1993. Holocene depositional history of the Fluvia-Muga prodelta, northwestern Mediterranean Sea. *Marine Geology*, 111(1-2): pp. 83-92.

Diaz, J.I., Palanques, A., Nelson, C.H. and Guillen, J., 1996. Morpho-structure and sedimentology of the Holocene Ebro prodelta mud belt (Northwestern Mediterranean Sea). *Continental Shelf Research*, 16(4): pp. 435-456.

Doménech, J., Batista, E., Bayo, A. and Custodio, E., 1983. Some aspects of sea water intrusion in Catalonia (Spain). 8th SWIM. Bari. Instituto di Geología Applicata e Geotecnica. Bari. 15 pp.

Dörfliger, 2003. The state of the French Mediterranean coastal aquifers. In: IGME (Editor), *Tecnología de la intrusión de mar en acuíferos costeros: Países Mediterráneos*, Alicante, Spain, pp. 187-206.

Eckles, B.J., Fassell, M.L. and Anderson, J.B., 2004. Late Quaternary evolution of the wave-storm-dominated central Texas shelf. *Late Quaternary Stratigraphic Evolution of the Northern Gulf of Mexico Margin*, SEPM Special Publication, 79, pp. 271-287.

Edwards, B.D. and Evans, K.R., 2002. Saltwater intrusion in Los Angeles area coastal aquifers: the marine connection, Geological Survey (U.S.). *Water Replenishment District of Southern California*; Los Angeles County (Calif.).

Edwards, B.D., Ponti, D.J., Ehmann, K.D., Tinsley, J.C. and Reicherdt, E.G., 2002. Offshore Stratigraphic Controls on Saltwater Intrusion in Los Angeles Area Coastal Aquifers (abs), AGU Fall Meeting, San Francisco, CA. EOS, pp. 47.

Ehman, K.D., Cramen, R.S. and Jackson, W., 2000. Sequence stratigraphy evaluation of fresh water aquifer of Domingez Gap region; implication for sea water intrusion into the Los Angeles groundwater basin. *AAPG Bulletin*, 84(6): pp. 867.

Ercilla, G., 1992. *Sedimentación en Márgenes Continentales y Cuencas del Mediterráneo Occidental durante el Cuaternario (Península Iberica)*, Universitat Politècnica de Catalunya, Barcelona, Spain.

Ercilla, G., Farran, M., Alonso, B. and Diaz, J.I., 1994. Pleistocene progradational growth pattern of the northern Catalonia continental shelf (northwest Mediterranean). *Geo Mar. Lett.*, 14: pp. 264-271.

Ercilla, G. and Alonso, B., 1996. Quaternary siliciclastic sequence stratigraphy of western Mediterranean passive and tectonically active margins: the role of global versus local controlling factors. *Geology of Siliclastic Shelf Seas*, 117. Geological Society Special Publication, pp. 125-137.

Falgàs, E., 2007. *Hydrogeophysics as a Multidisciplinary Tool on Aquifer Appraisal: Focus on AMT capabilities*. Tesi Doctoral, Universitat de Barcelona, 237 pp.

Farrán, M. and Maldonado, A., 1990. The Ebro continental shelf: Quaternary seismic stratigraphy and growth patterns. *Marine Geology*, 95: pp.289-312.

Fernandez-Salas, L.M., Lobo, F.J., Hernandez-Molina, F.J., Somoza, L., Rodero, J., Diaz Del Rio, V. and Maldonado, A., 2003. High-resolution architecture of late Holocene highstand prodeltaic deposits from southern Spain: The imprint of high-frequency climatic and relative sea-level changes. *Continental Shelf Research*, 23(11-13): pp. 1037-1054.

Field, M.E. and Trincardi, F., 1991. Regressive coastal deposits on quaternary continental shelves: preservation and legacy. From Shoreline to Abyss. SEPM Special Publication, 46, pp. 107-122.

Foyle, A.M. and Oertel, G.F., 1997. Transgressive systems tract development and incised-valley fills within a Quaternary estuary-shelf system: Virginia inner shelf, USA. *Marine Geology*, 137(3): pp. 227-249.

Frigola, J., Moreno, A., Cacho, I., Canals, M., Sierro, F.J., Flores, J.A., Grimalt, J.O., Hodell, D.A. and Curtis, J.H., 2007. Holocene climate variability in the western Mediterranean region from a deepwater sediment record. *Paleoceanography*, 22(In press): doi:10.1029/2006PA001307.

Gani, M.R. and Bhattacharya, J.P., 2006. Lithostratigraphy versus chronostratigraphy in facies correlations of Quaternary deltas: Application of bedding correlation. *River Deltas – Concepts, Models and Examples*. SEPM Special Publication, 83. 1-18, pp. 31-47.

Garcia, J.L., Cruz, J.J. and Hidalgo, M.C., 2003. Control de la intrusión marina y modelación de los acuíferos de vélez (Malaga, España). In: IGME (Editor), *Tecnología de la intrusión de mar en acuíferos costeros: Países Mediterráneos*, Alicante, Spain, pp. 261-270.

Gaspar-Escribano, J.M., García-Castellanos, D., Roca, E. and Cloetingh, S., 2004. Cenozoic vertical motions of the Catalan Coastal Ranges (NE Spain): The role of tectonics isostasy, and surface transport. *Tectonics*, 23: doi:10.1029/2003TC001511

Gaswirth, S.B., Ashley, G.M. and Sheridan, R.E., 2002. Use of Seismic Stratigraphy to Identify Conduits for Saltwater Intrusion in the Vicinity of Raritan Bay, New Jersey. *Environmental and Engineering Geoscience*, 8(3): pp. 209-218.

Gensous, B. and Tesson, M., 1996. Sequence stratigraphy, seismic profiles, and cores of Pleistocene deposits on the Rhône continental shelf. *Sedimentary Geology*, 105 (3-4): pp. 183-190.

Ghyben, B.W., 1889. Nota in verband met de voorgenomen put boring nabij Amsterdam. The Hague. K. Inst. Ing. Tydschrift: pp. 8–22.

Gimenez, D., Riera, G. and Riera, S., 1994. Restes paleovegetals de l'extraccio d'Arids Garrigosa (Santa Coloma de Cervello, Baix Llobregat). *Direccio General del Patrimoni Cultural. Servei d'Arqueologia*, 20 pg.

Gómez, J.D., López, J.A. and Garrido, E., 2003. The state of Seawater Intrusion in Spain. In: IGME (Editor), *Tecnología de la intrusión de agua de mar en acuíferos costeros: países mediterráneos*, Alicante, Spain, pp. 169-185

Goodfriend, G.A., 1991. Patterns of racemization and epimerization of amino acids in land snail shells over the course of the Holocene. *Geochimica et Cosmochimica Acta*, 55: pp. 293-302.

Goodfriend, G.A., 1992. Rapid racemization of aspartic acid in mollusc shells and potential for dating over recent centuries. *Nature*, 357: pp. 399-401.

Goodfriend, G.A., Hare, P.E. and Druffel, E.R.M., 1992. Aspartic acid racemization and protein diagenesis in corals over the last 350 years. *Geochimica et Cosmochimica Acta*, 56: pp. 3847-3850.

Goodfriend, G.A., Kashgarian, M. and M.G., H., 1995. Use of aspartic acid racemization and post-bomb ¹⁴C to reconstruct growth rate and longevity of the deep-water slit shell *Entemnotrochus adansonianus*. *Geochimica et Cosmochimica Acta*, 59 (6): pp. 1125-1129.

Goodfriend, G.A. and Mitterer, R.M., 1988. Late Quaternary land snails from the north coast of Jamaica: local extinctions and climatic change. *Palaeogeography, Palaeoclimatology, Palaeoclimatology*, 63: pp. 293-311.

Goodfriend, G.A. and Stanley, D.J., 1996. Reworking and discontinuities in Holocene sedimentation in the Nile Delta: Documentation from amino acid racemization and stable isotopes in mollusk shells. *Marine Geology*, 129(3-4): pp. 271-283.

Goy, J.L., Zazo, C. and Dabrio, C.J., 2003. A beach-ridge progradation complex reflecting periodical sea-level and climate variability during the Holocene (Gulf of Almeria, Western Mediterranean). *Geomorphology*, 50(1-3): pp. 251-268.

Goy, J.L., Zazo, C., Dabrio, C.J., Lario, J., Borja, F., Sierro, F.J., Flores, J.A., 1996. Global and regional factors controlling changes of coastlines in southern Iberia (Spain) during the Holocene. *Quaternary Science Reviews* 15, pp. 773-780.

Guillaume, M.C., Peypouquet, J.P. and Tertart, J., 1985. Quaternaire et Actuel. In: *Atlas des Ostracodes de France*. Bulletin Centres Recherches Exploration Production Elf-Aquitaine, Mémoires 9, pp. 337-377.

Guimera, J., 1984. Paleogene evolution of deformation in the northeastern Iberian Peninsula. *Geological Magazine*, 121: pp. 413-420.

Haq, B., J. Hardenbol, and P. Vail. (1987). "Chronology of fluctuating sea levels since the Triassic". *Science* 235 (4793): pp. 1156-1167

Hernandez-Molina, F.J. et al., 2000a. The infralittoral prograding wedge: A new large-scale progradational sedimentary body in shallow marine environments. *Geo-Marine Letters*, 20(2): pp. 109-117.

Hernandez-Molina, F.J., Somoza, L. and Lobo, F., 2000b. Seismic stratigraphy of the Gulf of Cadiz continental shelf: a model for Late Quaternary very high-resolution sequence stratigraphy and response to sea-level fall. *Sedimentary Responses to Forced Regressions*. Geological Society Special Publication, 172, pp. 329-362.

Herzberg, A. and 44, 1901. Die Wasserversorgung einiger Nordseebäder. *J. Gasbeleuchtung Wasserversorgung*, 44: 815-819, pp. 842-844.

Hübscher, C. and Spieß, V., 2005. Forced regression systems tracts on the Bengal Shelf. *Marine Geology*, 219(4): pp. 207-218.

Ibañez, C. Pont, D., and Prat, N., 1997. Characterization of the Ebre and Rhone estuaries: A basis for defining and classifying salt-wedge estuaries. *Limnology and Oceanography* 42: pp. 89-101.

ICC, 2005. Mapa geològic de Catalunya. Barcelonès. 1:50 000. Institut Cartogràfic de Catalunya, Barcelona.

Iribar, V., Carrera, J., Custodio, E. and Medina, A., 1997. Inverse modelling of sea water intrusion in the Llobregat delta deep aquifer. *Journal of Hydrology*, 198(1- 4): pp. 226-244.

Izquierdo, P., 1985. Les Sorres, un punt d'ancoratge íbero-púnic i romà al delta occidental del Llobregat. *Observació preliminar (i II)*. *La Sentiu*, 8: pp. 11-24.

Izquierdo, P., 1987a. Algunes consideracions sobre l'ancoratge de Les Sorres al delta del riu Llobregat. *El Vi a l'Antiguitat: Economia, Producció i Comerç al Mediterrani Occidental*: pp. 133-139.

Izquierdo, P., 1987b. Calamot-Can Valls del Racó-Les Sorres. Elements per a una reconstrucció de la Història Antiga de Gavà. *La Sentiu*, 13: pp. 19-27.

Izquierdo, P., 1987c. L'ancoratge de Les Sorres, sota el delta del Llobregat, dins l'economia antiga. Unpublished Thesis, Universitat de Barcelona.

Izquierdo, P., 1992. L'ancoratge antic de les Sorres: aportacions a la història econòmica de la costa del Llobregat. *Fonaments*, 8: pp. 53-78.

Izquierdo, P., 1997. Presència humana i formació del Delta del Llobregat. Un enfocament arqueològic, I Curs d'Història del Prat. *Amics d'El Prat, Prat del Llobregat*, pp. 1-24.

Izquierdo, P., Menendez, F.X. and Solias, J.M., 1998. Els antecedents iberics i romans. *Arxiu Històric de la ciutat de Viladecans, Viladecans*, pp. 1-187.

Izquierdo, P., 2001. Les paradoxes d'un jaciment gavanenc: l'ancoratge de les Sorres, Jornades divulgatives de Roma a Gava. Associació d'Amics del Museu de Gavà, pp. 25-38.

Izquierdo, P. and Solias, J.M., In press. Two bronze helmets from a wreck found at Les Sorres anchorage (Gavà, Catalonia). *The International Journal of Nautical Archaeology and Underwater Exploration*.

Jalut, G., Esteban Amat, A., Bonnet, L., Gauquelin, T. and Fontugne, M., 2000. Holocene climatic changes in the Western Mediterranean, from south-east France to south-east Spain. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 160(3-4): pp. 255-290.

Kaufman, D.S. and Manley, W.F., 1998. A new procedure for determining DL amino acid ratios in fossils using reverse phase liquid chromatography. *Quaternary Geochronology*, 17: pp. 987-1000.

Kaufman, D.S., 2000. Amino acid racemization in ostracodes, in *Perspectives in Amino Acid and Protein Geochemistry*. Oxford University Press, New York, pp. 145-160.

Kindinger, J.L., 1988. Seismic stratigraphy of the Mississippi-Alabama shelf and upper continental slope. *Marine Geology*, 83: pp. 79-94.

Kolla, V., Biondi, P., Long, B. and Fillon, R., 2000. Sequence stratigraphy and architecture of the Late Pleistocene Lagniappe delta complex, northeast Gulf of Mexico. *Sedimentary Responses to Forced Regressions*, Geological Society, London, Special Publication, 172, pp. 291-327.

Krantz, D.E., Manheim, F.T., Bratton, J.F. and Phelan, D.J., 2004. Hydrogeologic Setting and Ground Water Flow Beneath a Section of Indian River Bay, Delaware. *Ground-Water*, 42(7): pp. 1035-1051.

Labaune, C., Tesson, M. and Gensous, B., 2005a. Integration of High and Very High-resolution Seismic Reflection Profiles to Study Upper Quaternary Deposits of a Coastal Area in the Western Gulf of Lions, SW France. *Marine Geophysical Researches*, 26(2-4): pp. 109-122.

Labaune, L. et al., 2005b. Seismic stratigraphy of the Deglacial deposits of the Rhône prodelta and of the adjacent shelf. *Marine Geology* vol 222-223: 299-311.

Lafuerza, S., Canals, M., Casamor, J.L. and Devincenzi, J.M., 2005. Characterization of deltaic sediment bodies based on in situ CPT/CPTU profiles: A case study on the Llobregat delta plain, Barcelona, Spain. *Marine Geology*, vol 222-223(1-4): 497-510.

Lario, J. et al., 2002. Changes in sedimentation trends in SW Iberia Holocene estuaries (Spain). *Quaternary International*, vol. 93-94: 171-176.

Lastras, G. et al., 2007. Slope instability along the northeastern Iberian and Balearic continental margins. *Geologica Acta*, 5(1): pp. 35-47.

Liquete, C., Canals, M., Arnau, P., Urgeles, R., Durrieu de Madron, X., 2004. The impact of humans on strata formation along Mediterranean margins. *Oceanography*, 17(4): pp. 70-79.

Liquete, C., Canals, M., Lastras, G., Amblas, D., Urgeles, R., De Mol, B., De Batist, M. and Hughes-Clarke, J.E., 2007. Long-term development and current status of the Barcelona continental shelf: A source-to-sink approach. *Continental Shelf Research*, 27: pp. 1779-1800.

Llasat, M.C., Barriendos, M., Barrera, A. and Rigo, T., 2005. Floods in Catalonia (NE Spain) since the 14th century. Climatological and meteorological aspects from historical documentary sources and old instrumental records. *Journal of Hydrology*, 313(1-2): pp. 32-47.

Llopis, N., 1942a. Los terrenos cuaternarios del llano de Barcelona. *Publicaciones de la Diputación Provincial de Barcelona*, 6: 52pg.

Llopis, N., 1942b. Tectomorfoloía del Macizo del Tibidabo y valle inferior del Llobregat. *Estudios Geograficos*, III(7): pp. 321-383.

Llopis, N., 1946. Los movimientos verticales intracuaternarios del NE de España. *Estudios Geologicos*, II: pp. 181-236.

Lobo, F.J., Hernandez-Molina, F.J., Somoza, L. and Diaz Del Rio, V., 1999. Palaeoenvironments, relative sea-level changes and tectonic influence on the Quaternary seismic units of the Huelva continental shelf (Gulf of Cadiz, southwestern Iberian Peninsula). *Boletin - Instituto Espanol de Oceanografia*, 15(1-4): pp. 161-180.

Lobo, F.J., Hernandez-Molina, F.J., Somoza, L., Diaz del Rio, V. and Dias, J.M.A., 2002. Stratigraphic evidence of an upper Pleistocene TST to HST complex on the Gulf of Cadiz continental shelf (south-west Iberian Peninsula). *Geo-Marine Letters*, 22(2): pp. 95-107.

Lobo, F.J., Tesson, M. and Gensous, B., 2004. Stratral architectures of late Quaternary regressive-transgressive cycles in the Roussillon Shelf (SW Gulf of Lions, France). *Marine and Petroleum Geology*, 21(9): pp. 1181-1203.

Lobo, F.J., Dias, J.M.A., Hernandez-Molina, F.J., Gonzalez, R., Fernandez-Salas, L.M. and Diaz del Rio, V., 2005a. Late Quaternary shelf-margin wedges and upper slope progradation in the Gulf of Cadiz margin (SW Iberian Peninsula). *Geological Society Special Publication*, 244 (1), pp. 7-25 .

Lobo, F.J., Fernandez-Salas, L.M., Hernandez-Molina, F.J., Gonzalez, R., Dias, J.M.A., Diaz Del Rio, V. and Somoza, L., 2005b. Holocene highstand deposits in the Gulf of

Cádiz, SW Iberian Peninsula: A high-resolution record of hierarchical environmental changes. *Marine Geology*, 219(2-3): pp. 109-131.

Luque, J.A. and Julià, R., 2007. U/Th dating of Quaternary travertines at the middle River Llobregat (NE Iberian Peninsula, Northwestern Mediterranean). Correlation with sea-level changes. *Geologica Acta*, 5(1): pp. 109-117.

Magné, J. 1978. Etudes microstratigraphiques sur le Néogène de la Méditerranée Nord-occidentale. Les bassins néogènes catalans. Editions du Centre National de la Recherche Scientifique. Paris. 260 pp

Maillard, A. and Mauffret, A., 1999. Crustal structure and riftogenesis of the Valencia Trough (north-western Mediterranean Sea). *Basin Research*, 11: pp. 357-379.

Manzano, M., 1986. Estudio sedimentológico del prodelta holoceno del Llobregat., MSc University of Barcelona, Barcelona.

Manzano, M., Pelaez, M.D. and Serra, J., 1986-1987. Sedimentos prodeltaicos en el Delta emergido del Llobregat. *Acta Geologica Hispánica*, 21-22: pp. 205-211.

Manzano, M., Custodio, E. and Carrera, J., 1992. Fresh and salt water in the Llobregat delta aquifer: Application of ion chromatography to the field data. In: E.C.a.A. Galofre (Editor), *SWIM Study and Modelling of Saltwater Intrusion Into Aquifers*. Int. Cent. for Numer. Methods in Eng., Barcelona, Barcelona, Spain, pp. 207- 228.

Manzano, M., 1993. Génesis del agua intersticial del acuitardo del delta del Llobregat: origen de los solutos y transporte interactivo con el medio sólido, Ph'D Technical University of Catalonia, Barcelona, 273 pg.

Marques, M.A., 1984. Las formaciones cuaternarias del delta del Llobregat, LXXI. Institut d'Estudis Catalans, Barcelona, 280 pg.

Mas-Pla, J., J. Montaner, J. and J. Solà, J., 1999. Groundwater resources and quality variations caused by gravel mining in coastal streams. *Journal of Hydrology*, 216: pp. 197-213.

Massari, F., Sgavetti, M., Rio, D., D'Alessandro, A. and Prosser, G., 1999. Composite sedimentary record of falling stages of Pleistocene glacio-eustatic cycles in a shelf setting (Croton basin, south Italy). *Sedimentary Geology*, 127(1-2): pp. 85-110.

McKeown, H.A., Bart, P.J. and Anderson, J.B., 2004. High-resolution stratigraphy of a sandy, ramp-type margin-Apalachicola, Florida, U.S.A. Late Quaternary Stratigraphic Evolution of the Northern Gulf of Mexico Margin, *SEPM Special Publication*, 79, pp. 25-41.

Medialdea, J., Maldonado, A., Alonso, B., Diaz, J.I., Farrán, M., Giró, S., Vazquez, A., Saonz-Amor, E., Martínez, A. and Medialdea, T., 1986. Mapa geológico de la

plataforma continental española y zonas adyacentes. E 1:200000. Tarragona. Memoria. Hojas 41 and 442. Instituto Geológico y Minero de España (IGME), Madrid.

Medialdea, J., Maldonado, A., Diaz, J.I., Escutia, C., Ferran, M., Giro, S., Serra, M., Medialdea, T. and Vazquez, J.T., 1989. Mapa geológico de la plataforma continental española y zonas adyacentes. E 1:200000. Barcelona. Memoria. Hojas 35 and 42. Instituto Geológico y Minero de España (IGME), Madrid.

Ministerio de Obras Públicas (MOP), 1966. Estudio de los recursos hidráulicos totales de las cuencas de los ríos Besós y Bajo Llobregat. Comisaria de Aguas del Pirineo Oriental y Servicio Geológico de Obras Públicas, 4.

Mitchum, R.M., Vail, P.R. and Thompson, S., 1977. Seismic stratigraphy and global changes in sea-level, part 2: the depositional sequences as a basic unit for stratigraphic analysis. *Seismic Stratigraphy: Application to Hydrocarbon Exploration*, AAPG, Mem., 26, pp.53-62.

Monaco, A., Thommeret, J. and Thommeret, Y., 1972. L'âge des dépôts quaternaires sur le plateau du Rossillon. *SC. R. Ac. Sc. Paris, sér.*, 274: pp. 2280-2283.

Montaner, J., Solà, J., Mas-Pla, J., Teixidó, N. and Boixadera, J., 1996. Diagnóstico hidrogeológico sintético de los acuíferos de los acuíferos aluviales del Baix Ter y Baix Fluvià. In: A.I.d. Hidrogeólogos (Editor), *Las aguas subterráneas en las cuencas del Ebro, Júcar e Internas de Catalunya y su papel en la Planificación Hidrogeológica*, Lleida (Spain), pp. 429-435

Montaner, J. and Solà, J., 2004. Reconstrucció d'estadis paleogeogràfics recents a la plana del Baix Ter. *Els aiguamolls del Baix Ter*, 23, Torroella de Mongrís, pp. 9-26

Mukherjee, S., Mohammad, E.A. and Worden, R.H., 2005. Satellite data interpretation of causes and controls on groundwater-seawater flow directions, Merseyside, UK: implications for assessing saline intrusions. *Hydrology and Earth System Sciences Discussions*, 2: pp. 887-916.

Mulligan, A.E., Evans, R.L. and Lizarralde, D., 2007. The role of paleochannels in groundwater/seawater exchange. *Journal of Hydrology*, 335: pp. 313-329.

Murray, J.W., 1991. *Ecology and Paleoecology of Benthic Foraminifera*. Longman Scientific and Technical Publishers, Harlow, Essex, UK, 397 pg.

Murray-Wallace, C., 1995. Aminostratigraphy of Quaternary coastal sequences in southern Australia an overview. *Quaternary International*, 26(18): pp. 69-86.

Murray-Wallace, C. and Goede, A., 1995. Aminostratigraphy and electron spin resonance dating of Quaternary coastal neotectonism in Tasmania and the Bass Strait islands. *Australian Journal of Earth Sciences*, 42: pp. 51-67.

Murray-Wallace, C.V., Ferland, M.A., Roy, P.S. and Sollar, A., 1996. Unravelling patterns of reworking in lowstand shelf deposits using amino acid racemisation and radiocarbon dating. *Quaternary Science Reviews*, 15(7): pp. 685-697.

Noell, U. and Panteleit, B., 2004. Geophysical detection and hydrochemical analysis of an isolated shallow salt water body near Cuxhaven, lower Saxony, Germany. In: E.C.a.M.M. L. Araguás (Editor), 18th Salt Water Intrusion Meeting, Cartagena, Spain, pp. 417-434.

Nummedal, D. and Swift, D.J.P., 1987. Transgressive stratigraphy at sequence-bounding unconformities: some principles derived from Holocene and Cretaceous examples. *Sea-level Fluctuation and Coastal Evolution SEPM Special Publication*, 42, pp. 358-370.

Ortiz, J.E., Torres, T., Delgado, A., Julià, R., Lucini, M., Llamas, F.J., Reyes, E., Soler, V. and Valle, M., 2004a. The palaeoenvironmental and palaeohydrological evolution of Padul Peat Bog (Granada, Spain) over one million years, from elemental, isotopic, and molecular organic geochemical proxies. *Organic Geochemistry*, 35(11-12): pp. 1243-1260.

Ortiz, J.E., Torres, T., Julià, R., Delgado, A., Llamas, F.J., Soler, V. and Delgado, J., 2004b. Numerical dating algorithms of amino acid racemization ratios from continental ostracodes. Application to the Guadix-Baza Basin (southern Spain). *Quaternary Science Reviews*(23): pp. 717-730.

Osterberg, E.C., 2006. Late Quaternary (marine isotope stages 6-1) seismic sequence stratigraphic evolution of the Otago continental shelf, New Zealand. *Marine Geology*, 229(3-4): pp. 159-178.

Palet, J.M. and Riera, G., 1997. Changements du paysage dans la plaine de Barcelone (Catalogne) de la Protohistoire au Moyen Âge. In: S.A. APDCA (Editor), *La Dynamique des Paysages Protohistoriques, Antiques, Médiévaux et Modernes*. XVII Recontres Internationales d'Archéologie et d'Histoire d'Antibes, pp. 259-270.

Parcerisa, D., 2002. Petrologia i diagènesi en sediments de l'Oligocè superior i del Miocè inferior i mitjà de la Depressió del Vallès i del Pla de Barcelona. Evolució de l'àrea font i dinàmica dels fluids. Ph'D Universitat Autònoma de Barcelona, Bellaterra, 274 pp.

Pèlach, A., 2004. Deu mil anys de geohistòria ambiental al Pirineu central català. Aplicació de tècniques paleogeogràfiques per a l'estudi del territori i el paisatge a la Coma de Burg i a la Vallferrera, Universitat Autònoma de Barcelona, Bellaterra, 581 pg.

Perea, H., 2006. Falles actives i perillositat sísmica al marge nord-occidental del solc de València, Ph'D. University of Barcelona, Barcelona, 332 pp.

Pérez-Obiol, R. and Julià, R., 1996. Els dipòsits lacustres de la zona de la Draga: anàlisis radiomètriques i palinològiques. Quaderns del Centre d'Estudis Comarcals de Banyoles, 17: pp. 89-98.

Plan Hidrológico del Pirineo Oriental (PHPO), 1985. Modelo de simulación de los acuíferos del delta del Bajo Llobregat. Plan Hidrológico Nacional. Confederación Hidrográfica del Pirineo Oriental -Comisaria de Aguas del Pirineo Oriental.

Plan Blue, 2004. Programme des nations unies pour l'environnement plan d'action pour la méditerranée. L'eau des méditerranéens: situation et perspectives. MAP Technical Report Series No. 158.

Plint, A.G. and Nummedal, D., 2000. The falling stage systems tract: recognition and importance in sequence stratigraphic analysis. Sedimentary Responses to Forced Regressions. Geological Society, London, Special Publications, 172, 1-17 pp.

Porebski, S.J. and Steel, R.J., 2003. Shelf-margin deltas: their stratigraphic significance and relation to deepwater sands. Earth-Science Reviews, 62(3-4): pp.283-326.

Porebski, S.J. and Steel, R.J., 2006. Deltas and Sea-Level Change. Journal of Sedimentary Research, 76(3): pp.390-403.

Posamentier, H.W. and Allen, G.P., 1999. Siliciclastic sequence stratigraphy: concepts and applications. SEPM Concepts in Sedimentology and Paleontology, 7, 210pg.

Rabineau, M., Berne, S., Ledrezen, E., Lericolais, G., Marsset, T. and Rotunno, M., 1998. 1998. 3D architecture of lowstand and transgressive Quaternary sand bodies on the outer shelf of the Gulf of Lion, France. Marine and Petroleum Geology, 15(5): pp. 439-452.

Rabineau, M., 2001. Un modele geometrique et stratigraphique des sequences de depôts quaternaires sur la marge du golfe du lion: enregistrement des cycles climatiques de 100 000 ans, l'Université de Rennes. Ph'D, 441 pp.

Rabineau, M., Berne, S., Aslanian, D., Olivet, J.-L., Joseph, P., Guillocheau, F., Bourillet, J.-F., Ledrezen, E. and Granjeon, D., 2005. Sedimentary sequences in the Gulf of Lion: A record of 100,000 years climatic cycles. Marine and Petroleum Geology, The Gulf of Lions: an overview of recent studies within the French "Margins" Programme, 22(6-7): pp. 775-804.

Raurich, X. et al., 1992. Les Sorres X. Un vaixell medieval al canal olímpic de rem (Castelldefels, Baix Llobregat). Meomories d'Intervencions Arqueologiques a Catalunya, 1: pp. 7-55.

- Ricci Lucchi, M., Fiorini, F., Colalongo, M.L. and Curzi, P.V., 2006. Late-Quaternary paleoenvironmental evolution of Lesina lagoon (southern Italy) from subsurface data. *Sedimentary Geology*, 183(1-2): pp. 1-13.
- Ridente, D. and Trincardi, F., 2002. Eustatic and tectonic control on deposition and lateral variability of quaternary regressive sequences in the Adriatic basin (Italy). *Marine Geology*, 184(3-4): pp. 273-293.
- Ridente, D. and Trincardi, F., 2005. Pleistocene "muddy" forced-regression deposits on the Adriatic shelf: A comparison with prodelta deposits of the late Holocene highstand mud wedge. *Marine Geology*, 222-223(1-4): pp. 213-233.
- Ridente, D. and Trincardi, F., 2006. Active foreland deformation evidenced by shallow folds and faults affecting late Quaternary shelf-slope deposits (Adriatic Sea, Italy). *Basin Research*, 18(2): pp. 171-188.
- Riera, S., 1994a. Anàlisi pol.línica de les Mines de Can Tintorer: Evolució del paisatge vegetal al sector sud de la Plana Barcelona durant el Neolític Mitjà, Barcelona, pp. 1-30.
- Riera, S., 1994b. Paleogeografia, perturbacions i acció antropica durnat l'holoce mitja al delta del riu Llobregat: l'anàlisi pol.línica del sondatge Mercabarna (MBA). *Rubricatum*, 0: pp. 195-213.
- Riera, S. and Esteban, A., 1994a. Vegetation history and human activity during the last 6000 years on the central Catalan coast (northeastern Iberian Peninsula). *Vegetation History and Archaeobotany*, 3: pp. 7-23.
- Riera, S. and Palet, J.M., 1994b. Landscape dynamics from Iberian-Roman (2nd-1st centuries BC) to Early Medieval times (12th. century) in the Montiuïc-El Port sector (Plain of Barcelona, NE Iberian Peninsula). *Archeologia Medievale*, XXI: pp. 517-540.
- Riera, S., Wansard, G. and Julià, R., 2004. 2000-year environmental history of a karstic lake in the Mediterranean Pre-Pyrenees: the Estanya lakes (Spain). *Catena*, 55 (3): pp. 293-324.
- Ritchie, B., Gawthorpe, R.L. and Hardy, S., 2004. Three-dimensional numerical modeling of deltaic depositional sequences 2: influence of local controls. *Basin Research*, 74(2): pp. 221-238.
- Roberts, H.H. and Sydow, J., 2003. Late Quaternary stratigraphy and sedimentology of the offshore Mahakam delta, east Kalimantan (Indonesia). *Tropical Deltas of Southeast Asia-Sedimentology, Stratigraphy, and Petroleum Geology*. SEPM Special Publication, pp. 125-145.

Roca, E. and Guimerà, J., 1992. The Neogene structure of the eastern Iberian margin: structural constraints on the crustal evolution of the Valencia trough (western Mediterranean). *Tectonophysics*, 203: pp. 203-218.

Roca, E., 1994. La evolución geodinámica de la cuenca Catalano-Balear y áreas adyacentes desde el Mesozoico hasta la actualidad. *Acta Geol. Hispánica*, 29: pp. 3-26.

Rodriguez, A.B., Anderson, J.B., Banfield, L.A., Taviani, M., Abdulah, K. and Snow, J.N., 2000. Identification of a -15 m Wisconsin shoreline on the Texas inner continental shelf. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 158(1-2): pp. 25-43.

Saito, Y., Nishimura, A. and Eiji, M., 1989. Transgressive sand sheet covering the shelf and upper slope off Sendai, Northeast Japan. *Marine Geology*, 89(3-4): pp. 185-371.

Sánchez-Cabeza, J.A., Masqué, P., Ani-Ragolta, I., Merino, J., Alvisi, F., Palanques, A. and Puig, P., 1999. Sediment accumulation rates in the southern Barcelona continental margin (NW Mediterranean Sea) derived from ²¹⁰Pb and ¹³⁷Cs chronology. *Progress in Oceanography*, 44: pp. 313-332.

Serra, J., Valois, X. and Parra, D. 2007. Estructura del prodelta de la Tordera (costa del Maresme, NO Mediterráneo) a partir del análisis sísmico de alta resolución. *Geogaceta*, 41: pp. 211-213

Shamsudduha, M. and Ashraf Uddin, A., 2007. Quaternary shoreline shifting and hydrogeologic influence on the distribution of groundwater arsenic in aquifers of the Bengal Basin. *Journal of Asian Earth Sciences*, In Press.

Simó, J.A., Gàmez, D., Salvany, J.M., Vázquez-Suñé, E., Carrera, J., Barnolas, A. and Alcalà, F.J., 2005. Arquitectura de facies de los deltas cuaternarios del río Llobregat, Barcelona, España. *Geogaceta*, 38: pp.171-174.

Solé-Sabaris, L., Virgili, C. and I., Z., 1957. Livret guide d'excursions: Environs de Barcelone et Montserrat. In: INQUA (Editor), V Congress Inter INQUA, Barcelona, 38pg.

Solé-Sabarís, L., 1963. Ensayo de interpretación del Cuaternario Barcelonés. *Miscel. Barcilonensia*, II: pp.7-54.

Somoza, L. et al., 1998. Architectural stacking patterns of the Ebro delta controlled by Holocene high-frequency eustatic fluctuations, delta-lobe switching and subsidence processes. *Sedimentary Geology*, 117(1-2): pp. 11-32.

Stanley, D.J. and Warne, A.G., 1994. Worldwide initiation of holocene marine deltas by deceleration of sea-level rise. *Science*, 265(5169): pp. 228-231.

Stanley, J.D., 2001. Dating modern deltas: Progress, problems, and prognostics. *Annual Review of Earth and Planetary Sciences*, 29: pp. 257-293.

Stefani, M. and Vincenzi, S., 2005. The interplay of eustasy, climate and human activity in the late Quaternary depositional evolution and sedimentary architecture of the Po Delta system. *Marine Geology*, 222-223: pp. 19-48.

Stuiver, M., Pearson, G. and Braziunas, T.F., 1986. Radiocarbon age calibration of marine samples back to 9000 cal yr BP. *Radiocarbon*, 28(2B): pp. 980-1021.

Stuiver, M., Reimer, P.J., Bard, E., Beck, J.W., Burr, G.S., Hughen, K.A., Kromer, B., McCormac, G., Van Der Plicht, J. and Spurk, M., 1998. INTCAL98 radiocarbon age calibration, 24,000-0 cal BP. *Radiocarbon*, 40(3): pp. 1041-1083.

Stuiver, M. and Braziunas, T.F., 1993. Modeling atmospheric ^{14}C influences and ^{14}C ages of marine samples to 10 000 BC. *Radiocarbon*, 35(1): pp. 137-189.

Suter, J.R. and Berryhill, H.L.J., 1985. Late Quaternary Shelf-Margin Deltas, Northwest Gulf of Mexico. *American Association of Petroleum Geologists Bulletin*, 69(1): pp. 77-91.

Suter, J.R., Berryhill, H.L.J. and Penland, S., 1987. Late Quaternary sea-level fluctuations and depositional sequences, southwest Louisiana continental shelf. Sea-level fluctuation and coastal evolution, SEPM Special Publication, pp. 199-222.

Sydow, J. and Roberts, H.H., 1994. Stratigraphic Framework of a Late Pleistocene Shelf-Edge Delta, Northeast Gulf of Mexico. *American Association of Petroleum Geologists Bulletin*, 78(8): pp. 1276-1312.

Tesson, M.R., Gensous, B., Allen, G.P. and Ravenne, C., 1990. Late Quaternary Deltaic Lowstand Wedges on the Rhône Continental Shelf, France. *Marine Geology*, 91: pp.325-332.

Tesson, M., Posamentier, H.W. and Gensous, B., 2000. Stratigraphic Organization of Late Pleistocene Deposits of the Western Part of the Golfe du Lion Shelf (Languedoc Shelf), Western Mediterranean Sea, Using High-Resolution Seismic and Core Data. *AAPG Bulletin*, 84(1): pp.119-150.

Tesson, M., Labaune, C. and Gensous, B., 2005. Small rivers contribution to the Quaternary evolution of a Mediterranean littoral system: The western gulf of Lion, France. *Marine Geology*, 222-223: pp.313-334.

Thorndycraft, V.R., Benito, G., Rico, M., Sopena, A., Sanchez-Moya, Y. and Casas, A., 2005a. A long-term flood discharge record derived from slackwater flood deposits of the Llobregat River, NE Spain. *Journal of Hydrology*, 313(1-2): pp.16-31.

Thorndycraft, V.R., Benito, G., Walling, D.E., Sopena, A., Sanchez-Moya, Y., Rico, M. and Casas, A., 2005b. Caesium-137 dating applied to slackwater flood deposits of the Llobregat River, NE Spain. *Catena*, 59(3): pp.305-318.

- Thorndycraft, V.R. and Benito, G., 2006a. The Holocene fluvial chronology of Spain: Evidence from a newly compiled radiocarbon database. *Quaternary Science Reviews*, 25(3-4): pp.223-234.
- Thorndycraft, V.R. and Benito, G., 2006b. Late Holocene fluvial chronology of Spain: The role of climatic variability and human impact. *Catena*, 66(1-2): pp.34-41.
- Thorndycraft, V.R., Barriendos, M., Benito, G., Rico, M. and Casas, A., 2006c. The catastrophic floods of AD 1617 in Catalonia (northeast Spain) and their climatic context. *Hydrological Sciences Journal*, 51(5): pp.899-912.
- Thouveny, N. and Berne, S., 2006. Magnetism and paleomagnetism of core PROMESS PRGL1-4: chronostratigraphic inferences on pleistocene sedimentation on the Gulf of Lion Margin. *Geophysical Research Abstracts*, 8: 10510.
- Torres, T., Ortiz, J.E., Llamas, J.F., Canoira, L., Díaz, A. and García, M.J., 2005. Intercalibrado del análisis de racemización de aminoácidos en fósiles por GC/HPLC., IX Congreso de Geoquímica de España. V Congreso Ibérico de Geoquímica.
- Trincardi, F. and Correggiari, A., 2000. Quaternary forced regression deposits in the Adriatic basin and the record of composite sea-level cycles. *Sedimentary Responses to Forced Regressions*, Geological Society, London, Special Publications, 172pg.
- Trincardi, F., Cattaneo, A. and Correggiari, A., 2004. Mediterranean Prodelta Systems: Natural Evolution and Human Impact Investigated by EURODELTA. *Oceanography*, 17(4): pp.34-45.
- Urgeles, R., Mol, B., Liqueste, C., Canals, M., Batist, J. and Hughes-Clarke, J.E., 2007. Sediment undulation on the Llobregat prodelta: Signs of early slope instability or sedimentary bedforms? *Journal of Geophysical Research*: in press.
- Usera, J., Sánchez, E.J. and Faura, M., 1991. El género *Aubignyna* Margerel, 1970 (Foraminifera) en el Mioceno, Plioceno, Cuaternario y actual de algunas localidades del Mediterráneo occidental. *Revista Española de Paleontología*, nº Extraordinario: El estudio de la Forma Orgánica y sus consecuencias en Paleontología Sistemática, Paleoecología y Paleontología evolutiva: pp.163-171.
- Usera, J., Blázquez, A., Guillem, J. and Alberola, C., 2002. Biochronological interest of foraminifera lived in restricted environments: Application to the study of the Western Mediterranean Holocene. *Quaternary international*, 93-94: pp.139-147.
- Vail, P.R., Mitchum, R.M. and Thompson, S., 1977. Seismic stratigraphy and global changes in sea level, part 3: relative changes of sea level from coastal onlap. *Seismic Stratigraphy applications to hydrocarbon exploration AAPG, Memoir*, 26, Tulsa, pp.63-97.

Vail, P.R., Hardenbol, J. and Todd, R.G., 1984. Jurassic unconformities, chronostratigraphy, and sea-level changes from seismic stratigraphy and biostratigraphy. *Interregional Unconformities and Hydrocarbon Accumulation* American Association of Petroleum Geologists Memoir, 36, pp.129-144.

Van Wagoner, J.C., Mitchum, R.M.J., Campion, K.M. and Rahmanian, V.D., 1990. *Siliciclastic Sequence Stratigraphy in Well Logs, Cores, and Outcrops: Concepts for High-Resolution Correlation of Time and Facies. Methods in Exploration Series, 7*, Tulsa.

Vázquez-Suñé, E., Abarca, E., Carrera, J., Capino, B., Gámez, D., Pool, M., Simó, T., Batlle, F., Niñerola, J.M. and Ibáñez, X., 2006. Groundwater modelling as a tool for the European Water Framework Directive (WFD) application: The Llobregat case. *Physics and chemistry of the earth*, 31(17): pp.1015-1029.

Vella, C., Fleury, T.J., Raccasi, G., Provansal, M., Sabatier, F. and Bourcier, M., 2005. Evolution of the Rhône delta plain in the Holocene. *Marine Geology*, 222-223(1-4): pp.235-265

Ventayol, A., Palau, J. and Roca, A., 2002. *El Contexto Geotécnico de la Ciudad de Barcelona, Proyectos*. E.T.S.I. Minas. U.P.M. Madrid., Barcelona. Report.

Walker, R.G. and Wiseman, T.R., 1995. Lowstand shorefaces, transgressive incised shorefaces, and forced regressions: examples from the Viking Formation Joarcam area, Alberta. *Journal of Sedimentary Research*, 65: pp.132-141.

Wehmiller, J.F., York, L.L. and Bart, M.L., 1995. Amino acid racemization geochronology of reworked Quaternary mollusks on US Atlantic coast beaches: implications for chronostratigraphy, taphonomy, and coastal sediment transport. *Marine Geology*, 124(1-4): pp.303-337.

Weimer, R.J., 1984. Relation of unconformities, tectonics, and sea-level changes, Cretaceous of Western Interior, U.S.A. *Interregional Unconformities and Hydrocarbon Accumulation*, American Association of Petroleum Geologists Memoir, 36, pp.7-36.

Wellner, J.S., Sarzalejo, S., Lagoe, M. and Anderson, J.B., 2004. Late Quaternary stratigraphic evolution of the west Louisiana east Texas continental shelf. *Late Quaternary Stratigraphic Evolution of the Northern Gulf of Mexico Margin*, SEPM Special Publication, 79, pp.217-235.

WFD, 2000. Directive 2000/60/EC of the European Parliament and of the 776 Council of 23 October 2000 establishing a framework for Community 777 action in the field of water policy. Available: http://europa.eu.778int/eur-lex/pri/es/oj/dat/2000/l_327/l_32720001222es00010072.pdf.

Zazo, C., Goy, J.L., Dabrio, C.J., Bardaji, T., Hillaire-Marcel, C., Ghaleb, B., Gonzalez-Delgado, J.A. and Soler, V., 2003. Pleistocene raised marine terraces of the Spanish Mediterranean and Atlantic Coasts: Records of coastal uplift, sea-level highstands and climate changes. *Marine Geology*, 194(1-2): pp.103-133.

Zazo, C., Goy, J.L., Lario, J. and Silva, P.G., 1996. Littoral zone and rapid climatic changes during the last 20000 yr. the Iberian study case. *Zeitschrift für Geomorphologie*, 102: pp.119-134.

Zecchin, T., 2005. Relationships between fault-controlled subsidence and preservation of shallow-marine small-scale cycles: example from the lower pliocene of the Crotona basin (Southern Italy). *Journal of Sedimentary Research*, 75: pp.300-312.