

Abril, A.M., Marco, S., Carrascosa, J.L., Salas, M. i Hermoso, J.M. (1999) Oligomeric structures of the phage φ29 histone-like protein p6. *J. Mol. Biol.* **292**: 581-588.

Abril, A.M., Salas, M. i Hermoso, J.M. (2000) Identification of residues within two regions involved in self-association of viral histone-like protein p6 from phage φ29. *J. Biol. Chem.* **275**: 26404-26410.

Aiba, H. (1983) Autoregulation of the *Escherichia coli* *crp* gene: CRP is a transcriptional repressor for its own gene. *Cell* **32**: 141-149.

Archambault, J. i Friesen, J.D. (1993) Genetics of RNA polymerases I, II and III. *Microbiol. Rev.* **57**: 703-724.

Bar-Nahum, G. i Nudler, E. (2001) Isolation and characterization of sigma70-retaining transcription elongation complexes from *Escherichia coli*. *Cell* **106**: 443-451.

Barne, K.A., Bown, J.A., Busby, S.J.W. i Michin, S.D. (1997) Region 2.5 of the *Escherichia coli* RNA polymerase σ70 subunit is responsible for the recognition of the “extended -10” motif at promoters. *EMBO J.* **16**: 4034-4040.

Barthelemy, I., Lázaro, J.M., Méndez, E., Mellado, R.P. i Salas, M. (1987) Purification in an active form of the phage φ29 protein p4 that controls the viral late transcription. *Nucl. Acids Res.* **15**: 7781-7793.

Barthelemy, I. i Salas, M. (1989) Characterization of a new prokaryotic transcriptional activator and its DNA recognition site. *J. Mol. Biol.* **208**: 225-232.

Benoff, B., Yang, H., Lawson, C.L., Parkinson, G., Liu, J., Blatter, E., Ebright, Y.W., Berman, H.M. i Ebright, R.H. (2002) Structural basis of transcription activation: the CAP-αCTD-DNA complex. *Science* **297**: 1562-1566.

Blanco, L., Gutiérrez, J., Lázaro, J.M., Bernad, A. i Salas, M. (1986) Replication of phage φ29 DNA *in vitro*: role of the viral protein p6 in initiation and elongation. *Nucl. Acids Res.* **14**: 4923-4937.

Blanco, L., Bernad, A. i Salas, M. (1988) Transition from initiation to elongation in protein-primed φ29 DNA replication: salt-dependent stimulation by the viral protein p6. *J. Virol.* **62**: 4167-4172.

Blatter, E., Ross, W., Tang, H., Gourse, R. i Ebright, R. (1994) Domain organization of RNA polymerase alpha subunit: C-terminal 85 amino acids constitute a domain capable of dimerization and DNA binding. *Cell* **78**: 889-896.

Bradford, M.M. (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* **72**: 248-254.

Bravo, A., Hermoso, J.M. i Salas, M. (1994) A genetic approach to the identification of functional amino acids in protein p6 of *Bacillus subtilis* phage φ29. *Mol. Gen. Genet.* **245**: 529-536.

Brünger, A.T., Adams, P.D., Clore, G.M., DeLano, W.L., Gros, P., Grosse-Kunstleve, R.W., Jiang, J.S., Kuszewski, J., Nilges, M., Pannu, N.S., Read, R.J., Rice, L.M., Simonson, T. and Warren, G.L. (1998) Crystallography & NMR System: A New Software Suite for Macromolecular Structure Determination. *Acta Cryst. D* **54**: 905-921.

Busby, S. i Ebright, R. (1994) Promoter structure, promoter recognition, and transcription activation in prokaryotes. *Cell* **79**: 743-746.

Calles, B., Salas, M. i Rojo, F. (2002) The φ29 transcriptional regulator contacts the nucleoid protein p6 to organize a repression complex. *EMBO J.* **21**(22): 6185-6194.

Camacho, A. i Salas, M. (2000) Pleiotropic effect of protein p6 on the viral cycle of bacteriophage  $\phi$ 29. *J. Bacteriol.* **182**: 6927-6932.

Camacho, A. i Salas, M. (2001a) Repression of bacteriophage  $\phi$ 29 early promoter C2 by viral protein p6 is due to impairment of closed complex. *J. Biol. Chem.* **276**: 28927-28932.

Camacho, A. i Salas, M. (2001b) Mechanism for the switch of  $\phi$ 29 DNA early to late transcription by regulatory protein p4 and histone-like protein p6. *EMBO J.* **20**(21): 6060-6070.

Camacho, A. i Salas, M. (2004) Molecular interplay between RNA polymerase and two transcriptional regulators in promoter switch. *J. Mol. Biol.* **336**: 357-368.

Camarero, J.A., Shekhtman, A., Campbell, E.A., Chlenov, M., Gruber, T.M., Bryant, D.A., Darst, S.A., Cowburn, D. i Muir, T.W. (2002) Autoregulation of a bacterial sigma factor explored using segmental isotropic labeling and NMR. *Proc. Natl. Acad. Sci. U.S.A.* **99**: 8536-8541.

Campbell, E.A., Muzzin, O., Chlenov, M., Sun, J.L., Olson, C.A., Weinman, O., Trester-Zedlitz, M.L. i Darst, S.A. (2002) Structure of the bacterial RNA polymerase promoter specificity  $\sigma$  factor. *Mol. Cell* **9**: 527-539.

Chamberlin, M. (1976). RNA polymerase - an overview. In *RNA Polymerase* (Losick, R. & Chamberlin, M., eds), pp. 17-67, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY.

Choy, H., Park, S.W., Aki, T., Parrack, P., Fujita, N., Ishihama, A. i Adhya, S. (1995) Repression and activation of transcription by Gal and Lac repressors: involvement of alpha subunit of RNA polymerase. *EMBO J.* **14**:4523-4529.

Cramer, P., Bushnell, D.A., Fu, J., Gnatt, A.L., Maier-Davis, B., Thompson, N.E., Burgess, R.R., Edwards, A.M., David, P.R. i Kornberg, R.S. (2000) Architecture of RNA polymerase II and implications for the transcription mechanism. *Science* **288**: 640-649.

Dickerson, R.E. (1998) DNA bending: the prevalence of kinkiness and the virtues of normality. *Nucleic Acids Res.* **26**: 1906-1926.

Dombroski, A.J., Walter, W.A., Record, M.T., Siegele, D.A. i Gross, C.A. (1992) Polypeptides containing highly conserved regions of transcription initiation factor  $\sigma$ 70 exhibit specificity of binding to promoter DNA. *Cell* **70**: 501-512.

Ebright, R. i Busby, S. (1995) Escherichia coli RNA polymerase alpha subunit: structure and function. *Curr.Opin. Genet. Dev.* **5**: 197-200.

Elías-Arnanz, M. i Salas, M. (1999) Functional interactions between a phage histone-like protein and a transcriptional factor in regulation of  $\phi$ 29 early-late transcriptional switch. *Genes & Develop.* **13**: 2502-2513.

Emsley, P. and Cowtan, K. (2004) Coot: Model-Building Tools for Molecular Graphics. *Acta Cryst. D* **60**: 2126-2132.

Evans, P.R. (1993) Data reduction. In Proceedings of CCP4 Study Weekend, 1993, on Data Collection & Processing, pp. 114-122.

Freire, R., Salas, M. i Hermoso, J.M. (1994) A new protein domain for binding to DNA through the minor groove. *EMBO J.* **13**: 4353-4360.

Gaal, T., Ross, W., Blatter, E., Tang, H., Jia, X., Krishnan, V., Assa-Munt, N., Ebright, R. i Gourse, R. (1996) DNA-binding determinants of the alpha subunit of RNA polymerase: novel DNA-binding domain architecture. *Genes Dev.* **10**: 16-26.

Gentry, D., Xiao, H., Burgess, R. i Cashel, M. (1991) The omega subunit of *Escherichia coli* K-12 RNA polymerase is not required for stringent RNA control in vivo. *J. Bacteriol.* **173**: 3901–3903.

González-Huici, V., Alcorlo, M., Salas, M. i Hermoso, J.M. (2004) Binding of phage φ29 architectural protein p6 to the viral genome: evidence for topological restriction of the phage linear DNA. *Nucl. Acids Res.* **32**: 3493-3502.

Gruber, T.M. i Bryant, D.A. (1997) Molecular systematic studies of eubacteria, using σ70-type sigma factors of group 1 and group 2. *J. Bacteriol.* **179**: 1734-1747.

Guo, P., Erikson, S. i Anderson, D. (1987) A small viral RNA is required for in vitro packaging of bacteriophage φ29 DNA. *Science* **236**: 690-694.

Horcajadas, J.A., Monsalve, M., Rojo, F. i Salas, M. (1999) The switch from early to late transcription in phage GA-1: characterization of the regulatory protein p4G. *J. Mol. Biol.* **290**: 917-928.

Holm, L. i Sander, C. (1993) Protein structure comparison by alignment of distance matrices. *J. Mol. Biol.* **233**: 123-38.

Huber, R. (1965) Die automatisierte faltemolekulemethode. *Acta Crystallogr. A* **19**: 353-356.

Ishizuka, H., Hanamura, A., Inada, T. i Aiba, H. (1994) Mechanism of the down-regulation of cAMP receptor protein by glucose in *Escherichia coli*: role of autorregulation of the *crp* gene. *EMBO J.* **13**: 3077-3082.

Jones, T.A., Zou, J.Y., Cowan, S.W. i Kjeldgaard (1991) Improved methods for building protein models in electron density maps and the location of errors in these models. *Acta Crystallogr A* **47**: 110-119.

Kabsch, W. (1993) Automatic processing of rotation diffraction data from crystals of initially unknown symmetry and cell constants. *J. Appl. Cryst.* **26**: 795-800.

Laskowski, R.A., MacArthur, M.W., Moss, D.S. i Thornton, J.M. (1993) PROCHECK: a program to check the stereochemical quality of protein structures. *J. Appl. Cryst.* **26**: 283-291.

Lavery, R. i Sklenar, H. (1988) The definition of generalized helicoidal parameters and of axis curvature for irregular nucleic acids. *J. Biomol. Struc. & Dyn.* **6**: 63-91.

Leslie, A. (1988) Solvent flattening vs. additional derivative data in the improvement of M.I.R. phases. In *Proceedings of the CCP4 Daresbury Study Weekend*. Warrington: Daresbury Laboratory, pp. 13-25.

Leslie, A. (1991) Macromolecular data processing. In Crystallographic Computing V (Moras D, Podjarni AD & Thierry JC, eds), pp. 27-38, Oxford University Press, Oxford.

Lonetto, M., Gribskov, M. i Gross, C.A. (1992) The σ70 family: sequence conservation and evolutionary relationships. *J. Bacteriol.* **174**: 3843-3849.

Lu, X.J. i Olson, W.K. (2003) 3DNA: a software package for the analysis, rebuilding and visualization of three-dimensional nucleic acid structures. *Nucleic Acids Res.* **31**: 5108-21.

Marr, M.T. i Roberts, J.W. (1997) Promoter recognition as measured by binding of polymerase to nontemplate strand oligonucleotide. *Science* **276**: 1258-1260.

Matthews, B.W. (1968) Solvent content of protein crystals. *J. Mol. Biol.* **33**: 491-497.

McRee, D.E. (1999) XtalView/Xfit - A Versatile Program for Manipulating Atomic Coordinates and Electron Density. *J. Structural Biology* **125**: 156-165.

Meijer, W.J.J. i Salas, M. (2004) Relevance of UP elements for three strong *Bacillus subtilis* phage φ29 promoters. *Nucl. Acids Res.* **32**: 1166-1176.

Mekler, V., Kortkhonja, E., Mukhopadhyay, J., Knight, J., Revyakin, A., Kapanidis, A.N., Niu, W., Ebright, Y.W., Levy, R. i Ebright, R.H. (2002) Structural organization of bacterial RNA polymerase holoenzyme and the RNA polymerase-promoter open complex. *Cell* **108**: 599-614.

Mellado, R.P., Moreno, F., Viñuela, E., Salas, M., Reilly, B.E. i Anderson, D.L. (1976) Genetic analysis of bacteriophage φ29 of *Bacillus subtilis*: integration and mapping of reference mutants of two collections. *J. Virol.* **19**: 495-500.

Mellado, R.P., Barthelemy, I. i Salas, M. (1986) *In vitro* transcription of bacteriophage φ29 DNA. Correlation between *in vitro* and *in vivo* promoters. *Nucl. Acids Res.* **14**: 4731-4741.

Mencía, M., Monsalve, M., Rojo, F. i Salas, M. (1996) Transcription activation by phage φ29 protein p4 is mediated by interaction with the alpha subunit of *Bacillus subtilis* RNA polymerase. *Proc. Natl. Acad. Sci. U.S.A.* **93**: 6616-6620.

Miller, A.D.W., Ebright, R. i Rothman-Denes, L. (1997) RNA polymerase beta' subunit: a target for DNA binding-independent activation. *Science* **275**: 1655-1657.

Minakhin, L., Bhagat, S., Brunning, A., Campbell, E.A., Darst, S.A., Ebright, R.H. i Severinov, K. (2001) Bacterial RNA polymerase subunit omega and eukaryotic RNA polymerase subunit RPB6 are sequence, structural, and functional homologs and promote RNA polymerase assembly. *Proc. Natl. Acad. Sci. U.S.A.* **98**: 892-897.

Monsalve, M., Mencía, M., Rojo, F., Salas, M. (1995) Transcriptional regulation in *Bacillus subtilis* phage φ29: expression of the viral promoters throughout the infection cycle. *Virology* **207**: 23-35.

Monsalve, M., Mencia, M., Rojo, F., Salas, M. (1996) Activation and repression of transcription at two different phage  $\phi$ 29 promoters are mediated by interaction of the same residues of regulatory protein p4 with RNA polymerase. *EMBO J.* **15**: 383-391.

Monsalve, M., Calles, B., Mencía, M., Salas, M. i Rojo, F. (1997) Transcription activation or repression by phage  $\phi$ 29 protein p4 depends on the strength of the RNA polymerase-promoter interactions. *Mol. Cell* **1**: 99-107.

Monsalve, M., Calles, B., Mencía, M., Rojo, F. i Salas, M. (1998) Binding of phage  $\phi$ 29 protein p4 to the early A2c promoter: recruitment of the repressor by the RNA polymerase. *J. Mol. Biol.* **283**: 559-569.

Mukherjee, K. i Chatterji, D. (1997) Studies on the omega subunit of Escherichia coli RNA polymerase--its role in the recovery of denatured enzyme activity. *Eur. J. Biochem.* **247**: 884–889.

Murakami, K.S., Masuda, S. i Darst, S.A. (2002) Structural basis of transcription initiation: RNA polymerase holoenzyme at 4 Å resolution. *Science* **296**: 1280-1284.

Murakami, K.S. i Darst, S.A. (2003) Bacterial RNA polymerases: the whole story. *Curr. Opin. Struct. Biol.* **13**: 31-39.

Navaza, J. (1994) AMoRe: An automated package for molecular replacement. *Acta Cryst. A* **50**: 157-163.

Nechaev, S. i Severinov, K. (1999) Inhibition of Escherichia coli RNA polymerase by bacteriophage T7 gene 2 protein. *J. Mol. Biol.* **289**: 815-826.

Negishi, T., Fujita, N. i Ishihama, A. (1995) Structural map of the alpha subunit of Escherichia coli RNA polymerase: structural domains identified by proteolytic cleavage. *J. Mol. Biol.* **248**: 723-728.

Nicholls, A., Sharp, K. i Honig, B. (1991) Protein folding and association: insights from the interfacial and thermodynamic properties of hydrocarbons. *Proteins* **11**: 281-296.

Nuez, B., Rojo, F., Barthelemy, I. i Salas, M. (1991) Identification of the sequences recognized by phage phi 29 transcriptional activator: possible interaction between the activator and the RNA polymerase. *Nucleic Acids Res.* **19**: 2337-2342.

Nuez, B., Rojo, F. i Salas, M. (1992) Phage phi29 regulatory protein p4 stabilizes the binding of the RNA polymerase to the late promoter in a process involving direct protein-protein contacts. *Proc. Natl. Acad. Sci. U.S.A.* **89**: 11401-11405.

Pastrana, R., Lázaro, J.M., Blanco, L., García, J.A., Méndez, E. i Salas, M. (1985) Overproduction and purification of protein p6 of *Bacillus subtilis* phage φ29: role in initiation of DNA replication. *Nucl. Acids Res.* **13**: 3083-3100.

Pérez-Lago, L., Salas, M. i Camacho, A. (2005) A precise DNA bend angle is essential for the function of the phage φ29 transcriptional regulator. *Nucl. Acids Res.* **33**: 126-134.

Perrakis, A., Morris, R. i Lamzin, V.S. (1999) Automated protein model building combined with iterative structure refinement. *Nature Struct. Biol.* **6**: 458-463.

Prieto, I., Serrano, M., Lázaro, J.M., Salas, M. i Hermoso, J.M. (1988) Interaction of the bacteriophage φ29 protein p6 with double-stranded DNA. *Proc. Natl. Acad. Sci. U.S.A.* **85**: 314-318.

Ramachandran, G.N. i Sasisekharan, V. (1968). Conformation of polypeptides and proteins. *Adv. Protein Chem.* **23**: 283-438.

Rojo, F., Zaballos, A. i Salas, M. (1990) Bend induced by the phage φ29 transcriptional activator in the viral late promoter is required for activation. *J. Mol. Biol.* **211**: 713-725.

Rojo, F. i Salas, M. (1991) A DNA curvature can substitute phage  $\phi$ 29 regulatory protein p4 when acting as a transcriptional repressor. *EMBO J.* **10**: 3429-3438.

Ross, W., Gosink, K., Salomon, J., Igarashi, K., Zou, C., Ishihama, A., Severinov, K. i Gourse, R. (1993) A third recognition element in bacterial promoters: DNA binding by the alpha subunit of RNA polymerase. *Science* **262**: 1407-1413.

Rossmann, M.G. i Blow, D.M. (1962) The detection of sub-units within the crystallographic asymmetric unit. *Acta Crystallogr.* **15**: 24-31.

Roussel, A. i Cambilleau, C. (1989). TURBO-FRODO. pp. 77-79, Silicon Graphics, Mountain View, CA.

Salas, M. (1991) Protein-priming of DNA replication. *Annu. Rev. Biochem.* **60**: 39-71.

Serrano, M., Gutierrez, C., Prieto, I., Hermoso, J.M. i Salas, M. (1989) Signals at the bacteriophage  $\phi$ 29 DNA replication origins required for p6 binding and activity. *EMBO J.* **8**: 1879-1885.

Serrano, M., Salas, M. i Hermoso, J.M. (1993a) Multimeric complexes formed by DNA-binding proteins of low sequence-specificity. *Trends Biochem. Sci.* **18**: 202-206.

Serrano, M., Gutierrez, C., Salas, M. i Hermoso, J.M. (1993b) Superhelical path of the DNA in the nucleoprotein complex that activates the initiation of phage  $\phi$ 29 DNA replication. *J. Mol. Biol.* **230**: 248-259.

Serrano, M., Gutierrez, C., Freire, R., Bravo, A. i Hermoso, J.M. (1994) phage  $\phi$ 29 protein p6: a viral histone-like protein. *Biochimie* **76**: 981-991.

Severinov, K., Kashlev, M., Severinova, E., Bass, I., McWilliams, K., Kutter, E., Nikiforov, V., Snyder, L. i Goldfarb, A. (1994) A non-essential domain of *Escherichia coli* RNA polymerase required for the action of the termination factor *Alc*. *J. Biol. Chem.* **269**: 14254-14259.

Sogo, J.M., Inciarte, M.R., Corral, J., Viñuela, E. i Salas, M. (1979) RNA polymerase binding sites and transcription map of the DNA of *Bacillus subtilis* phage φ29. *J. Mol. Biol.* **127**: 411-436.

Spassky, A., Rimsky, S., Buc, H. i Busby, S. (1988) Correlation between the conformation of *Escherichia coli* -10 hexamer sequences and promoter strength: use of orthophenanthroline cuprous complex as a structural index. *EMBO J.* **7**: 1871-1879.

Tang, H., Severinov, K., Goldfarb, A., Fenyo, D., Chait, B. i Ebright, R. (1994) Location, structure, and function of the target of a transcriptional activator protein. *Genes Dev.* **8**: 3058-3067.

Terwilliger, T.C. i Berendzen, J. (1999) Automated MAD and MIR structure solution. *Acta Crystallographica D* **55**: 849-861.

Terwilliger, T.C. (2000) Maximum likelihood density modification. *Acta Cryst. D* **56**: 965-972.

Terwilliger, T.C. (2002) Automated main-chain model-building by template-matching and iterative fragment extension. *Acta Cryst. D* **59**: 34-44.

Vagin, A. i Teplyakov, A. (1997) MOLREP: an automated program for molecular replacement. *J. Appl. Cryst.* **30**: 1022-1025.

Vassylyev, D.G., Sekine, S., Laptenko, O., Lee, J., Vassylyeva, M.N., Borukhov, S. i Yokohama, S. (2002) Crystal structure of a bacterial RNA polymerase holoenzyme at 2.6 Å resolution. *Nature* **417**: 712-719.

Vuthoori, S., Bowers, C.W., McCracken, A., Dombroski, A.J. i Hinton, D.M. (2001) Domain 1.1 of the  $\sigma$ 70 subunit of *Escherichia coli* RNA polymerase modulates the formation of stable polymerase/promoter complexes. *J. Mol. Biol.* **309**: 561-572.

Voskuil, M. i Chambliss, G. (2002) The TRTGn motif stabilizes the transcription initiation open complex. *J. Mol. Biol.* **322**: 521-532.

Wang, B.C. (1985) Resolution of phase ambiguity in macromolecular crystallography. *Methods Enzymol.* **115**: 90-112.

Zhang, G., Campbell, E.A., Minakhin, L., Richter, C., Severinov, K. i Darst, S.A. (1999) Crystal structure of *Thermus aquaticus* core RNA polymerase at 3.3 Å resolution. *Cell* **98**: 811-824.