

## 7. BIBLIOGRAFIA

---

A 1 de Setembre de 2003, la cerca de fibrosi quística en MEDLINE baixa més de 21.000 cites. Forçosament, les que apareixen en aquest apartat són una petita pero rellevant selecció dels punts recollits a la memòria.

Abeliovich D, Lavon IP, Lerer I, Cohen T, Springer C, Avital A, Cutting GR.

Screening for five mutations detects 97% of cystic fibrosis (CF) chromosomes and predicts a carrier frequency of 1:29 in the Jewish Ashkenazi population. Am J Hum Genet 1992, 51: 951-956.

Accurso FJ. Early pulmonary disease in cystic fibrosis. Curr Opin Pulm Med 1997, 3: 400-403.

Amaral MD, Pacheco P, Beck S, Farinha CM, Penque D, Nogueira P, Barreto C, Lopes B, Casals T, Dapena J, Gartner S, Vasquez C, Perez-Frias J, Olveira C, Cabanas R, Estivill X, et al. Cystic fibrosis patients with the 3272-26A>G splicing mutation have milder disease than F508del homozygotes: a large European study. J Med Genet 2001, 38: 777-783.

Anderson D. Cystic fibrosis of the pancreas and its relation to celiac disease: a clinical and pathological study. Am J Dis Child 1938, 56: 344-399.

Anderson DH, Hodges RG: Celiac Syndrome. V. Genetics of cystic fibrosis of the pancreas with a consideration of etiology. Am J Dis Child 1946, 72: 62.

Anderson MP, Gregory RJ, Thompson S, Souza DW, Paul S, Mulligan RC, Smith AE, Welsh MJ. Demonstration that CFTR is a chloride channel by alteration of its anion selectivity. Science 1991, 253: 202-205.

Anguiano A, Oates RD, Amos JA, Dean M, Gerrard B, Stewart C, Maher TA, White MB, Milunsky A. Congenital bilateral absence of the vas deferens. A primarily genital form of cystic fibrosis. JAMA 1992, 267: 1794-1797.

- Annereau JP, Wulbrand U, Vankeerberghen A, Cuppens H, Bontems F, Tummler B, Cassiman JJ, Stoven V. A novel model for the first nucleotide binding domain of the cystic fibrosis transmembrane conductance regulator. *FEBS Lett* 1997, 407: 303-308.
- Arduino C, Gallo M, Brusco A, Garnerone S, Piana MR, Di Maggio S, Gerbino Promis G, Ferrone M, Angeli A, Gaia E. Polyvariant mutant CFTR genes in patients with chronic pancreatitis. *Clin Genet* 1999, 56: 400-404.
- Ballard ST, Trout L, Bebok Z, Sorscher EJ, Crews A. CFTR involvement in chloride, bicarbonate, and liquid secretion by airway submucosal glands. *Am J Physiol* 1999, 277: 694-699.
- Bauernfeind A, Bertele RM, Harms K, Horl G, Jungwirth R, Petermüller C, Przyklenk B, Weisslein-Pfister C. Qualitative and quantitative microbiological analysis of sputa of 102 patients with cystic fibrosis. *Infection* 1987, 15: 270-277.
- Baukowitz T, Hwang TC, Nairn AC, Gadsby DC. Coupling of CFTR Cl<sup>-</sup> channel gating to an ATP hydrolysis cycle. *Neuron* 1994, 12: 473-482.
- Beaudet A, Bowcock A, Buchwald M, Cavalli-Sforza L, Farral M, King M, Klinger K, Lalouel J, Lathrop G, Naylor S, Ott J, Tsui L-C, Wainwright B, Watkins P, White R, Williamson R. Linkage of cystic fibrosis to two tightly linked DNA markers: Joint report from a collaborative study. *Am J Hum Genet* 1986, 39: 681-693.
- Berger M. Lung inflammation early in cystic fibrosis: bugs are indicted, but the defense is guilty. *Am J Respir Crit Care Med* 2002, 165: 857-858.
- Berger W, Hein J, Gedschold J, Bauer I, Speer A, Farrall M, Williamson R, Coutelle C. Crossovers in two German cystic fibrosis families determine probe order for MET, 7C22 and XV-2c/CS.7. *Hum Genet* 1987, 77: 197-199.
- Berlin BM, Norton ME, Sugarman EA, Tsipis JE, Allitto BA. Cystic fibrosis and chromosome abnormalities associated with echogenic fetal bowel. *Obstet Gynecol* 1999, 94: 135-138.

- Biwersi J, Verkman AS. Functional CFTR in endosomal compartment of CFTR-expressing fibroblasts and T84 cells. Am J Physiol 1994, 266: C149-156.
- Bodas E, Aleu J, Pujol G, Martin-Satue M, Marsal J, Solsona C. ATP crossing the cell plasma membrane generates an ionic current in xenopus oocytes. J Biol Chem 2000, 275: 20268-20273.
- Bombieri C, Luisetti M, Belpinatti F, Zuliani E, Beretta A, Baccheschi J, Casali L, Pignatti PF. Increased frequency of CFTR gene mutations in sarcoidosis: a case/control association study. Eur J Hum Genet 2000, 8: 717-720.
- Borrego S, Casals T, Dapena J, Fernández E, Giménez J, Cabeza JC, Sánchez J, Antiñolo G. Molecular and clinical analyses of cystic fibrosis in the south of Spain. Clin Genet 1994, 46: 287-290.
- Bossi A, Battistini F, Braggion C, Magno EC, Cosimi A, de Candussio G, Gagliardini R, Giglio L, Giunta A, Grzincich GL, La Rosa M, Lombardo M, Lucidi V, et al. Italian Cystic Fibrosis Registry: 10 years of activity. Epidemiol Prev 1999, 23: 5-16.
- Bush A, Wallis C. Time to think again: cystic fibrosis is not an "all or none" disease. Pediatr Pulmonol 2000, 30: 139-144.
- Cantiello HF, Jackson GR Jr, Grosman CF, Prat AG, Borkan SC, Wang Y, Reisin IL, O'Riordan CR, Ausiello DA. Electrodiffusional ATP movement through the cystic fibrosis transmembrane conductance regulator. Am J Physiol 1998, 274: C799-809.
- Carbarns NJB, Gosden D, Brock DJH. Microvillar peptidase activity in amniotic fluid: possible use in the prenatal diagnosis of the cystic fibrosis. Lancet 1983, 1: 329-331.
- Carlin RW, Quesnell RR, Zheng L, Mitchell KE, Schultz B. Functional and molecular evidence for Na<sup>+</sup>-HCO<sub>3</sub><sup>-</sup> cotransporter in porcine vas deferens epithelia. Am J Physiol Cell Physiol 2002, 283: 1033-1044.
- Cashman SM, Patino A, Garcia Delgado M, Byrne L, Denham B, De Arce M. The Irish cystic fibrosis database. J Med Genet 1995, 32: 972-975.

CFGAC. The Cystic Fibrosis Genetic Analysis Consortium. Population variation of common CF mutations. *Hum Mutat* 1994, 4: 167-177.

CFGAC. The Cystic Fibrosis Genetic Analysis Consortium. Worldwide survey of the ΔF508 mutation -report from the Cystic Fibrosis Genetic Analysis Consortium. *Am J Hum Genet* 1990, 47: 354-359.

CFMDB. Cystic Fibrosis Mutation Data Base, Hospital for Sick Children, Toronto, <http://www.genet.sickkids.on.ca>

Chao A, de Sauvage F, Dong Y, Wagner J, Goeddel D, Gardner P. Activation of intestinal CFTR Cl<sup>-</sup> channel by heat-stable enterotoxin and guanine via cAMP-dependent protein-kinase. *EMBO J* 1994, 13: 1065-1072.

Cheng SH, Gregory RJ, Marshall J, Paul S, Souza DW, White GA, O'Riordan CR, Smith AE. Defective intracellular transport and processing of CFTR is the molecular basis of most cystic fibrosis. *Cell* 1990, 63: 827-834.

Cheng SH, Rich DP, Marshall J, Gregory RJ, Welsh MJ, Smith AE. Phosphorylation of the R domain by cAMP-dependent protein kinase regulates the CFTR chloride channel. *Cell* 1991, 66: 1027-1036.

Chiba-Falek O, Kerem E, Shoshani T, Aviram M, Augarten A, Bentur L, Tal A, Tullis E, Rahat A, Kerem B. The molecular basis of disease variability among cystic fibrosis patients carrying the 3849+10 kb C-->T mutation. *Genomics* 1998, 53: 276-283.

Chillón M, Casals T, Mercier B, Bassas Ll, Lissens W, Silber S, Romey MC, Ruiz-Romero J, Verlingue C, Claustres M, Nunes V, Férec C, Estivill X. Cystic fibrosis mutacions in congenital absence of the vas deferens. *N Engl J Med* 1995, 332: 1475-1480.

Chillon M, Casals T, Nunes V, Gimenez J, Perez Ruiz E, Estivill X. Identification of a new missense mutation (P205S) in the first transmembrane domain of the CFTR gene associated with a mild cystic fibrosis phenotype. *Hum Mol Genet* 1993, 2: 1741-1742.

- Chillon M, Nunes V, Casals T, Gimenez FJ, Fernandez E, Benitez J, Estivill X. Distribution of the delta F508 mutation in 194 Spanish cystic fibrosis families. *Hum Genet* 1990, 85: 396-397.
- Chillon M, Palacio A, Nunes V, Casals T, Gimenez J, Estivill X. Identification of a frameshift mutation (1609delCA) in exon 10 of the CFTR gene in seven Spanish cystic fibrosis patients. *Hum Mutat* 1992, 1: 75-76.
- Choi JY, Muallem D, Kiselyov K, Lee MG, Thomas PJ, Muallem S. Aberrant CFTR-dependent HCO<sub>3</sub><sup>-</sup> transport in mutations associated with cystic fibrosis. *Nature* 2001, 410: 94-97.
- Chou J-L, Rozmahel R, Tsui L-C. Characterization of the promoter region of the cystic fibrosis transmembrane conductance regulator gene. *J Biol Chem* 1991, 266: 24471.
- Chu CS, Trapnell BC, Curristin S, Cutting GR, Crystal RG. Genetic basis of variable exon 9 skipping in cystic fibrosis transmembrane conductance regulator mRNA. *Nature Genet* 1993, 3: 151-156.
- Chu CS, Trapnell BC, Murtagh JJ Jr, Moss J, Dalemans W, Jallat S, Mercenier A, Pavirani A, Lecocq JP, Cutting GR, et al. Variable deletion of exon 9 coding sequences in cystic fibrosis transmembrane conductance regulator gene mRNA transcripts in normal bronchial epithelium. *EMBO J* 1991, 10: 1355-1363.
- Claustres M, Guittard C, Bozon D, Chevalier F, Verlingue C, Ferec C, Girodon E, Cazeneuve C, Bienvenu T, Lalau G, Dumur V, Feldmann D, Bieth E, Blayau M, et al. Spectrum of CFTR mutations in cystic fibrosis and in congenital absence of the vas deferens in France. *Hum Mutat* 2000, 16: 143-156.
- Cohn JA, Friedman KJ, Noone PG, Knowles MR, Silverman LM, Jowell PS. Relation between mutations of the cystic fibrosis gene and idiopathic pancreatitis. *N Engl J Med* 1998, 339: 653-658.
- Cole P, Flower CDR, Lavender JP. Clinical and imaging aspects of bronchiectasis. In: Potchen EJ, Grainger RG, Greene R, eds. *Pulmonary radiology: The Fleischner Society*. Philadelphia, PA: WB Saunders 1993, p. 242-258.

- Costes B, Fanen P, Goossens M, Ghanem N. A rapid, efficient, and sensitive assay for simultaneous detection of multiple cystic fibrosis mutations. *Hum Mutat* 1993, 2: 185-191.
- Coto E, Bousono C, Menendez MJ, Cue R, Toral JF, Benavides A, Hernando I, Plasencia A, Lopez-Larrea C. Cystic fibrosis in Asturias: an elevated frequency of the delta F508 mutation. *Med Clin (Barc)* 1994, 103: 681-683.
- Cremonesi L, Cainarca S, Rossi A, Padoan R, Ferrari M. Detection of a de novo R1066H mutation in an Italian patient affected by cystic fibrosis. *Hum Genet*. 1996, 98: 119-121.
- Cuppens H, Lin W, Jaspers M, Costes B, Teng H, Vankeerberghen A, Jorissen M, Droogmans G, Reynaert I, Goossens M. et al. Polyvariant mutant cystic fibrosis transmembrane conductance regulator genes. The polymorphic (TG)m locus explains the partial penetrance of the T5 polymorphism as a disease mutation. *Hum Mol Genet* 1998, 101: 487-496.
- De Braekeleer M, Allard C, Leblanc JP, Simard F, Aubin G. Genotype-phenotype correlation in cystic fibrosis patients compound heterozygous for the A455E mutation. *Hum Genet*. 1997, 101: 208-211.
- De Braekeleer M, Chaventré A, Bertorelle G, Verlingue C, Raguénès O, Mercier B, Férec C. Linkage disequilibrium between the four most common cystic fibrosis mutations and microsatellite haplotypes in the Celtic population of Brittany. *Hum Genet* 1996, 98: 223-227.
- Decaestecker K, Decaestecker E, Castellani C, Jaspers M, Cuppens H, De Boeck K. A genotype/phenotype correlation study of the G85E mutation in a large cohort of European CF patients. (sotmès).
- Den Dunnen JT, Antonarakis SE. Nomenclature for the description of human sequence variations. *Hum Genet* 2001, 109: 121-124.
- Denning CR, Sommers SC, Quigley HJ Jr. Infertility in male patients with cystic fibrosis. *Pediatrics* 1968, 41: 7-17.

- Dequeker E, Cuppens H, Dodge J, Estivill X, Goossens M, Pignatti PF, Scheffer H, Schwartz M, Schwarz M, Tümmeler B, Cassiman JJ. Recommendations for quality improvement in genetic testing for cystic fibrosis. ECACF. Eur J Hum Genet 2000, 8: S2-S24.
- Desgeorges M, Rodier M, Piot M, Demaille J, Claustres M. Four adult patients with the missense mutation L206W and a mild cystic fibrosis phenotype. Hum Genet. 1995, 96: 717-720.
- Desmarquest P, Feldmann D, Tamalat A, Boule M, Fauroux B, Tournier G, Clement A. Genotype analysis and phenotypic manifestations of children with intermediate sweat chloride test results. Chest 2000, 118: 1591-1597.
- Devoto M, Castagnola S, Saha N, Chetsanga C, Allen M, Gyllensten U, Romeo G. Screening for the major cystic fibrosis mutation in non-Caucasian populations. Am J Hum Genet 1991, 49: 903-904.
- Di Sant'Agnese PA, Darling RE, Perera GA, Shea E: Abnormal electrolytic composition of sweat in cystic fibrosis of the pancreas. Clinical significance and relationship of the disease. Pediatrics 1953, 12: 549.
- Dörk T, Dworniczak B, Aulehla-Scholz C, Wieczorek D, Bohm I, Mayerova A, Seydewitz HH, Nieschlag E, Meschede D, Horst J, Pander HJ, Sperling H, Ratjen F, et al. Distinct spectrum of CFTR gene mutations in congenital absence of vas deferens. Hum Genet 1997, 100: 365-377.
- Dörk T, Macek M Jr, Mekus F, Tümmeler B, Tzountzouris J, Casals T, Krebssová A, Koudová M, Sakmaryová I, Macek M Sr, Vávrová V, Zemková D, et al. Characterization of a novel 21-kb deletion, CFTRdelle2,3(21kb), in the *CFTR* gene: a cystic fibrosis mutation of Slavic origin common in Central and East Europe. Hum Genet 2000, 106: 259-268.
- Durno C, Corey M, Zielinski J, Tullis E, Tsui LC, Durie P. Genotype and phenotype correlations in patients with cystic fibrosis and pancreatitis. Gastroenterology 2002, 123: 1857-1864.

- Eiklid K, Tranebjaerg L, Eiken HG, Pedersen JC, Michalsen H, Fluge G, Schwartz M, Nilsen BR, Bolle R, Skyberg D, et al. Frequency of the delta F508 and exon 11 mutations in Norwegian cystic fibrosis patients. *Clin Genet* 1993, 44: 12-14.
- Elborn JS, Shale DJ, Britton JR. Cystic fibrosis: current survival and population estimates to the year 2000. *Thorax* 1991, 46: 881-885. Erratum in: *Thorax* 1992, 47: 139.
- Engelhardt JF, Yankaskas JR, Ernst SA, Yang Y, Marino CR, Boucher RC, Cohn JA, Wilson JM. Submucosal glands are the predominant site of CFTR expression in the human bronchus. *Nat Genet* 1992, 2: 240-248.
- Engelhardt JF, Zepeda M, Cohn JA, Yankaskas JR, Wilson JM. Expression of the cystic fibrosis gene in adult human lung. *J Clin Invest* 1994, 93: 737-749.
- Estivill X, Bancells C, Ramos C. for the BIOMED CF Mutation Analysis Consortium. Geographic distribution and regional origin of 272 cystic fibrosis mutations in European populations. *Hum Mutat* 1997, 10: 135-154.
- Estivill X, Farrall M, Scambler PJ, Bell G, Hawley K, Lench N, Bates G, Kruyer H, Frederick P, Stainer P, Watson E, Williamson R, Wainwright BJ. A candidate for the cystic fibrosis locus isolated by selection for methylation-free islands. *Nature* 1987a, 326: 840-845.
- Estivill X, Farrall M, Williamson R, Ferrari M, Seia M, Giunta AM, Novelli G, Potenza L, Dallapiccola B, Borgo G, Gasparini P, Pignatti PF, De Benedetti L, Vitale E, Devoto M, Romeo G. Linkage disequilibrium between cystic fibrosis and linked DNA polymorphisms in Italian families: a collaborative study. *Am J Hum Genet* 1988, 43: 23-28.
- Estivill X, McLean C, Nunes V, Casals T, Gallano P, Scambler P, Williamson R. Isolation of a New DNA marker in linkage disequilibrium with cystic fibrosis situated between D7S8 and IRP. *Am J Hum Genet* 1989, 44: 704-710.
- Estivill X, Ortigosa L, Pérez-Frias J, Dapena J, Ferrer J, Peña J, Peña L, Llevadot R, Giménez J, Nunes V, Cobos N, Vázquez C, Casals T. Clinical characteristics of 16 cystic fibrosis patients with the missense mutation R334W, a pancreatic

insufficiency mutation with variable age of onset and interfamilial clinical differences. *Hum Genet* 1995, 95: 331-336.

Estivill X, Scambler PJ, Wainwright BJ, Hawley K, Frederick P, Schwartz M, Baiget M, Kere J, Williamson R, Farrall M. Patterns of polymorphism and linkage disequilibrium for cystic fibrosis. *Genomics* 1987b, 1: 257-263.

Fanen P, Ghanem N, Vidaud M, Besmond C, Martin J, Costes B, Plassa F, Goossens M. Molecular characterization of cystic fibrosis: 16 novel mutations identified by analysis of the whole cystic fibrosis conductance transmembrane regulator (CFTR) coding regions and splice site junctions. *Genomics* 1992, 13: 770-776.

Fanen P, Labarthe R, Garnier F, Benharouga M, Goossens M, Edelman A. Cystic fibrosis phenotype associated with pancreatic insufficiency does not always reflect the cAMP-dependent chloride conductive pathway defect. Analysis of C225R-CFTR and R1066C-CFTR. *J Biol Chem* 1997, 272: 30563-30566.

Farrall M, Wainwright BJ, Feldman GL, Beaudet A, Sretenovic Z, Halley D, Simon M, Dickerman L, Devoto, M, Romeo G. Recombinations between IRP and cystic fibrosis. *Am J Hum Genet* 1988, 43: 471-475.

Fernandez E, Villamar M, Benitez J. Crossover in a Spanish cystic fibrosis family. *Hum Genet* 1990, 86: 102.

Fernández-Burriel M, Peña L, Ramos MD, Giménez J, Alvaro P, Ramos JC, Machado F, Cabrera G, Giné R, Vázquez C, Estivill X, Casals T. Análisis del gen *CFTR* en la provincia de Las Palmas: alta incidencia de la mutación R334W. IV Congreso Nacional de Fibrosis Quística, 1997.

Festini F, Taccetti G, Cioni ML, Repetto T and de Martino M. High incidence of cystic fibrosis in children born in Italy to Albanian immigrants. *Thorax* 2003, 58: 93.

Fulmer SB, Schwiebert EM, Morales MM, Guggino WB, Cutting GR. Two cystic fibrosis transmembrane conductance regulator mutations have different effects on both pulmonary phenotype and regulation of outwardly rectified chloride currents. *Proc Natl Acad Sci USA* 1995, 92: 6832-6836.

Gabriel SE, Brigman KN, Koller BH, Boucher RC, Stutts MJ. Cystic fibrosis heterozygote resistance to cholera toxin in the cystic fibrosis mouse model. *Science* 1994, 107-109.

Gan KH, Veeze HJ, van den Ouwendijk AM, Halley DJ, Scheffer H, van der Hout A, Overbeek SE, de Jongste JC, Bakker W, Heijerman HG. A cystic fibrosis mutation associated with mild lung disease. *N Engl J Med* 1995, 333: 95-99.

Gao L, Kim KJ, Yankaskas JR, Forman HJ. Abnormal glutathione transport in cystic fibrosis airway epithelia. *Am J Physiol Lung Cell Mol Physiol* 1999, 277: 113-118.

Gartner S, Cobos N, Maya A, Casals T, Séculi JL, Asensio O, Bosque M, Estivill X, Pujol M, Prats R. Neonatal screening for cystic fibrosis in Catalunya (Spain). 17<sup>th</sup> North American CF Conference 2003.

Gibson LE, Cooke RE. A test for concentration of electrolytes in sweat in cystic fibrosis of the pancreas utilizing pilocarpine and iontophoresis. *Pediatrics* 1959, 23: 549-563.

Gray MA, Pollard CE, Harris A, Coleman L, Greenwell JR, Argent BE. Anion selectivity and block of the small-conductance chloride channel on pancreatic duct cells. *Am J Physiol* 1990, 259: C752-761.

Haardt M, Benharouga M, Lechardeur D, Kartner N, Lukacs GL. C-terminal truncations destabilize the cystic fibrosis transmembrane conductance regulator without impairing its biogenesis. A novel class of mutation. *J Biol Chem* 1999, 274: 21873-21877.

Hamosh A, King TM, Rosenstein BJ, Corey M, Levison H, Durie P, Tsui LC, McIntosh I, Keston M, Brock DJ, et al. Cystic fibrosis patients bearing both the common missense mutation Gly > Asp at codon 551 and the delta F508 mutation are clinically indistinguishable from delta F508 homozygotes, except for decreased risk of meconium ileus. *Am J Hum Genet* 1992, 51: 245-250.

Hergersberg M, Balakrishnan J, Bettecken T, Chevalier-Porst F, Bragger C, Burger R, Einschenk I, Liechti-Gallati S, Morris M, Schorderet D, Thonney F, Moser H,

- Malik N. A new mutation, 3905insT, accounts for 4.8% of 1173 CF chromosomes in Switzerland and causes a severe phenotype. *Hum Genet* 1997, 100: 220-223.
- Highsmith WE, Burch LH, Zhou Z, Olsen JC, Boat TE, Spock A, Gorvoy JD, Quittell L, Friedman KJ, Silverman LM. A novel mutation in the cystic fibrosis gene in patients with pulmonary disease but normal sweat chloride concentrations. *N Engl J Med* 1994, 331: 974-980.
- Högenauer C, Santa Ana CA, Porter JL, Millard M, Gelfand A, Rosenblatt RL, Prestidge CB, Fordtran JS. Active intestinal chloride secretion in human carriers of cystic fibrosis mutations: an evaluation of the hypothesis that heterozygotes have subnormal active intestinal chloride secretion. *Am J Hum Genet* 2000, 67:1422-1427.
- Holsclaw DS, Perlmutter AD, Jockin H, Shwachman H. Genital abnormalities in male patients with cystic fibrosis. *J Urol* 1971, 106: 568-574.
- Hyde SC, Emsley P, Hartshorn MJ, Mimmack MM, Gileadi U, Pearce SR, Gallagher MP, Gill DR, Hubbard RE, Higgins CF. Structural model of ATP-binding proteins associated with cystic fibrosis, multidrug resistance and bacterial transport. *Nature* 1990, 346: 362-365.
- Ikuma M, Welsh MJ. Regulation of CFTR Cl<sup>-</sup> channel gating by ATP binding and hydrolysis. *Proc Natl Acad Sci USA* 2000, 97: 8675-8680.
- Ismailov I, Berdiev BK, Shlyonsky VG, Fuller CM, Prat AG, Jovov B, Cantiello HF, Ausiello DA, Benos DJ. Role of actin in regulation of epithelial sodium channels by CFTR. *Am J Physiol* 1997, 272: C1077-1086.
- Jayaraman S, Song Y, Vettrivel L, Shankar L, Verkman AS. Noninvasive in vivo fluorescence measurement of airway-surface liquid depth, salt concentration and pH. *J Clin Invest* 2001, 107: 317-324.
- Jequier AM, Ansell ID, Bullimore NJ. Congenital absence of the vasa deferentia presenting with infertility. *J Androl* 1985, 6: 15-19.
- Jorde LB, Lathrop GM. A test of the heterozygote-advantage hypothesis in cystic fibrosis carriers. *Am J Hum Genet* 1988, 42: 808-815.

- Kanavakis E, Efthymiadou A, Strofalis S, Doudounakis S, Traeger-Synodinos J, Tzetis M. Cystic fibrosis in Greece: molecular diagnosis, haplotypes, prenatal diagnosis and carrier identification amongst high-risk individuals. *Clin Genet* 2003, 63: 400-409.
- Kaplan E, Shwachman H, Perlmutter AD, Rule A, Khaw KT, Holsclaw DS. Reproductive failure in males with cystic fibrosis. *N Engl J Med* 1968, 279: 65-69.
- Kere J, Estivill X, Chillón M, Morral N, Nunes V, Norio R, Savilahti E, de la Chapelle A. Cystic fibrosis in a low-incidence population: two major mutations in Finland. *Hum Genet* 1994, 93: 162-166.
- Kerem B, Rommens JM, Buchanan JA, Markiewicz DA, Cox TK, Chakravarti A, Butchwald M, Tsui L-C. Identification of the cystic fibrosis gene: genetic analysis. *Science* 1989, 245: 1073-1080.
- Kerem BS, Zielenski J, Markiewicz D, Bozon D, Gazit E, Yahav J, Kennedy D, Riordan JR, Collins FS, Rommens JM, et al. Identification of mutations in regions corresponding to the two putative nucleotide (ATP)-binding folds of the cystic fibrosis gene. *Proc Natl Acad Sci USA* 1990b, 87: 8447-8451.
- Kerem E, Corey M, Kerem BS, Rommens J, Markiewicz D, Levison H, Tsui LC, Durie P. The relation between genotype and phenotype in cystic fibrosis--analysis of the most common mutation (delta F508). *N Engl J Med* 1990a, 323: 1517-1522.
- Kerem E, Kalman YM, Yahav Y, Shoshani T, Abeliovich D, Szeinberg A, Rivlin J, Blau H, Tal A, Ben-Tur L, et al. Highly variable incidence of cystic fibrosis and different mutation distribution among different Jewish ethnic groups in Israel. *Hum Genet* 1995, 96: 193-197.
- Kiesewetter S, Macek M Jr, Davis C, Curristin SM, Chu CS, Graham C, Shrimpton AE, Cashman SM, Tsui LC, Mickle J, et al. A mutation in CFTR produces different phenotypes depending on chromosomal background. *Nat Genet* 1993, 5: 274-278.
- Kilinc MO, Ninis VN, Tolun A, Estivill X, Casals T, Savov A, Dagli E, Karakoc F, Demirkol M, Huner G, Ozkinay F, Demir E, Seculi JL, Pena J, Bousono C, et al.

- Genotype-phenotype correlation in three homozygotes for the cystic fibrosis mutation 2183AA-->G shows a severe phenotype. *J Med Genet* 2000, 37: 307-309.
- Klaassen T, Teder M, Viikmaa M, Metspalu A. Neonatal screening for the cystic fibrosis main mutation delta F508 in Estonia. *J Med Screen* 1998, 5: 16-19.
- Knowles M, Gatzky J, Boucher R. Increased bioelectric potential difference across respiratory epithelia in cystic fibrosis. *N Engl J Med* 1981, 305: 1489-1495.
- Kolchinsky A, Mirzabekov A. Analysis of SNPs and other genomic variations using gel-based chips. *Hum Mutat* 2002, 19: 343-360.
- Kollberg H. Incidence and survival curves of cystic fibrosis in Sweden. *Acta Paediatr Scand* 1982, 71: 197-202.
- Kopelman H, Durie P, Gaskin K, Weizman Z, Forstner G. Pancreatic fluid secretion and protein hyperconcentration in cystic fibrosis. *N Engl J Med* 1985, 312: 329-334.
- Kristidis P, Bozon D, Corey M, Markiewicz D, Rommens J, Tsui L-C, Durie P. Genetic determination of exocrine pancreatic function in cystic fibrosis. *Am J Hum Genet* 1992, 50: 1178-1184.
- Kunkel LM, Smith KD, Boyer SH, Borgaonkar DS, Watchel SS, Miller OJ, Breg WR, Jone HW, Rary JM. Analysis of human chromosome specific reiterated DNA in chromosome variants. *Proc Natl Acad Sci USA* 1977, 74: 1245-1249.
- Lao O, Andres AM, Mateu E, Bertranpetti J, Calafell F. Spatial patterns of cystic fibrosis mutation spectra in European populations. *Eur J Hum Genet* 2003, 11: 385-394.
- Law HY, Stanier P, Williamson R, Modell B, Ward RH, Petrou M, Old J, Farrall M. Two unusual cases of first trimester prenatal diagnosis of cystic fibrosis using DNA probes. *Prenat Diagn* 1987, 7: 215-221.
- Lázaro C, de Cid R, Sunyer J, Soriano J, Giménez J, Alvarez M, Casals T, Antó JM, Estivill X. Missense mutations in the cystic fibrosis gene in adult patients with asthma. *Hum Mutat* 1999, 14: 510-519.

- Lebecque P, Leal T, De Boeck C, Jaspers M, Cuppens H, Cassiman JJ. Mutations of the cystic fibrosis gene and intermediate sweat chloride levels in children. Am J Respir Crit Care Med 2002, 165: 757-761.
- Lerman LS, Silverstein K. Computational simulation of DNA melting and its application to denaturing gradient gel electrophoresis. Methods Enzymol 1987, 155: 482-501.
- Loirat F, Hazout S, Lucotte G. G542X as a probable Phoenician cystic fibrosis mutation. Hum Biol 1997, 69: 419-425.
- Macek M Jr, Krebsová A, Koudová M, Alánová R, Hladíková E, Macek M, Zemková D, Vávrová V. Activities of the National CF Center in Prague: integrated care for CF patients in the Czech Republic. CF European Network 2001, newsletter 5.
- Macek M Jr, Mackova A, Hamosh A, Hilman BC, Selden RF, Lucotte G, Friedman KJ, Knowles MR, Rosenstein BJ, Cutting GR. Identification of common cystic fibrosis mutations in African-Americans with cystic fibrosis increases the detection rate to 75%. Am J Hum Genet 1997, 60: 1122-1127.
- Mak V, Jarvi KA, Zielinski J, Durie P, Tsui LC. Higher proportion of intact exon 9 CFTR mRNA in nasal epithelium compared with vas deferens. Hum Molec Genet 1997, 6: 2099-2107.
- Marchand E, Verellen-Dumoulin C, Mairesse M, Delaunois L, Brancalione P, Rahier JF, Vandenplas O. Frequency of cystic fibrosis transmembrane conductance regulator gene mutations and 5T allele in patients with allergic bronchopulmonary aspergillosis. Chest 2001, 119: 762-767.
- Marino CR, Matovcik LM, Gorelick FS, Cohn JA. Localization of the cystic fibrosis transmembrane conductance regulator in pancreas. J Clin Invest 1991, 88: 712-716. Erratum in: J Clin Invest 1991, 88: 1433.
- Mateu E, Calafell F, Lao O, Bonne-Tamir B, Kidd JR, Pakstis A, Kidd KK, Bertranpetti J. Worldwide genetic analysis of the CFTR region. Am J Hum Genet 2001, 68: 103-117.

- Mateu E, Calafell F, Ramos MD, Casals T, Bertranpetit J. Can a place of origin of the main cystic fibrosis mutations be identified? *Am J Hum Genet* 2002, 70: 257-264.
- Matsui H, Grubb BR, Tarran R, Randell SH, Gatzy JT, Davis CW, Boucher RC. Evidence for periciliary liquid layer depletion, not abnormal ion composition, in the pathogenesis of cystic fibrosis airways disease. *Cell* 1998, 95: 1005-1015.
- Meindl RS. Hypothesis: a selective advantage for cystic fibrosis heterozygotes. *Am J Phys Anthropol* 1987, 74: 39-45.
- Mekus F, Laabs U, Veeze H, Tummler B. Genes in the vicinity of CFTR modulate the cystic fibrosis phenotype in highly concordant or discordant F508del homozygous sib pairs. *Hum Genet* 2003, 112: 1-11.
- Miller SA, Dykes DD, Polesky HF. A simple salting out procedure for extracting DNA from human nucleated cells. *Nucleic Acids Res*. 1988, 16: 1215.
- Monaghan KG, Feldman GL, Barbarotto GM, Manji S, Desai TK, Snow K. Frequency and clinical significance of the S1235R mutation in the cystic fibrosis transmembrane conductance regulator gene: results from a collaborative study. *Am J Med Genet* 2000, 95: 361-365.
- Morral N, Bertranpetit J, Estivill X, Nunes V, Casals T, Giménez J, Reis A, Varon-Mateeva R, Macek M, Kalaydjieva L, Angelicheva D, Dancheva R et al. The origin of the major cystic fibrosis mutation (delta F508) in European populations. *Nat Genet* 1994a, 7: 169-175.
- Morral N, Estivill X. Multiplex PCR amplification of three microsatellites within the CFTR gene. *Genomics* 1992a, 13: 1362-1364.
- Morral N, Girbau E, Zielenski J, Nunes V, Casals T, Tsui LC, Estivill X. Dinucleotide (CA/GT) repeat polymorphism in intron 17B of the cystic fibrosis transmembrane conductance regulator (CFTR) gene. *Hum Genet* 1992b, 88: 356.
- Morral N, Llevadot R, Casals T, Gasparini P, Macek M, Dörk T, Estivill X. Independent origins of cystic fibrosis mutations R334W, R347P, R1162X, and

3849+10KbC→T provide evidence of mutation recurrence in the CFTR gene. Am J Hum Genet 1994b, 55: 890-898.

Morral N, Nunes V, Casals T, Chillón M, Giménez J, Bertranpetti J, Estivill X. Microsatellite haplotypes for cystic fibrosis: mutation frameworks and evolutionary tracers. Hum Mol Genet 1993, 2: 1015-1022.

Morral N, Nunes V, Casals T, Estivill X. CA/GT microsatellite alleles within the Cystic Fibrosis Transmembrane Conductance Regulator (CFTR) gene are not generated by unequal crossingover. Genomics 1991, 10: 692-698.

Moulin DS, Smith AN, Harris A. A CA repeat in the first intron of the CFTR gene. Hum Hered 1997, 47: 295-297.

Muhlebach MS, Noah TL. Endotoxin activity and inflammatory markers in the airways of young patients with cystic fibrosis. Am J Respir Crit Care Med 2002, 165: 911-915.

Muller F, Dommergues M, Simon-Bouy B, Ferec C, Oury JF, Aubry MC, Bessis R, Vuillard E, Denamur E, Bienvenu T, Serre JL. Cystic fibrosis screening: a fetus with hyperechogenic bowel may be the index case. J Med Genet 1998, 35: 657-660.

Naren AP, Di A, Cormet-Boyaka E, Boyaka PN, McGhee JR, Zhou W, Akagawa K, Fujiwara T, Thome U, Engelhardt JF, Nelson DJ, Kirk KL. Syntaxin 1A is expressed in airway epithelial cells, where it modulates CFTR Cl(-) currents. J Clin Invest 2000, 105: 377-386.

Nielsen OH, Thomsen BL, Green A, Andersen PK, Hauge M, Schiøtz PO. Cystic fibrosis in Denmark 1945 to 1985. An analysis of incidence, mortality and influence of centralized treatment on survival. Acta Paediatr Scand 1988, 77: 836-841.

Niksic M, Romano M, Buratti E, Pagani F, Baralle FE. Functional analysis of cis-acting elements regulating the alternative splicing of human CFTR exon 9. Hum Mol Genet 1999, 13: 2339-2349.

- Novak I, Greger R. Properties of the luminal membrane of isolated perfused rat pancreatic ducts. Effect of cyclic AMP and blockers of chloride transport. *Pflugers Arch* 1988, 411: 546-553.
- Nunes V, Casals T, Gaona A, Antinolo G, Ferrer-Calvete J, Perez-Frias J, Tardio E, Molano J, Estivill X. Cystic fibrosis patients with mutation 1949del84 in exon 13 of the CFTR gene have a similar clinical severity as delta F508 homozygotes. *Hum Mutat* 1992, 1: 375-379.
- Nunes V, Chillon M, Dork T, Tummler B, Casals T, Estivill X. A new missense mutation (E92K) in the first transmembrane domain of the CFTR gene causes a benign cystic fibrosis phenotype. *Hum Mol Genet* 1993, 2: 79-80.
- Orita M, Iwahana H, Kanazawa H, Hayashi K, Sekiya T. Detection of polymorphisms of human DNA by gel electrophoresis as single-strand conformation polymorphisms. *Proc Natl Acad Sci USA* 1989, 86: 2766-2770.
- Osborne L, Santis G, Schwarz M, Klinger K, Dork T, McIntosh I, Schwartz M, Nunes V, Macek M Jr, Reiss J, et al. Incidence and expression of the N1303K mutation of the cystic fibrosis gene. *Hum Genet* 1992, 89: 653-658.
- Ostedgaard LS, Baldursson O, Vermeer DW, Welsh MJ, Robertson AD. A functional R domain from cystic fibrosis transmembrane conductance regulator is predominantly unstructured in solution. *Proc Natl Acad Sci USA* 2000, 97: 5657-5662.
- Ostedgaard LS, Baldursson O, Welsh MJ. Regulation of the cystic fibrosis transmembrane conductance regulator Cl<sup>-</sup> channel by its R domain. *J Biol Chem* 2001, 276: 7689-7692.
- Owen DA, Kelly JK. Embriology, normal anatomy and histology of the pancreas. In Pathology of the gallbladder, biliary tract and pancreas. Vol. 39 in the series Major problems in pathology. WB Saunders Company, 2001, p.1-13.
- Padoa C, Goldman A, Jenkins T, Ramsay M. Cystic fibrosis carrier frequencies in populations of African origin. *J Med Genet* 1999, 36: 41-44.

- Pagani F, Stuani C, Tzetis M, Kanavakis E, Efthymiadou A, Doudounakis S, Casals T, Baralle FE. New type of disease causing mutations: the example of the composite exonic regulatory elements of splicing in CFTR exon 12. *Hum Mol Genet* 2003, 12: 1111-1120.
- Pier GB, Grout M, Zaidi T, Meluleni G, Mueschenborn SS, Banting G, Ratcliff R, Evans MJ, Colledge WH. *Salmonella typhi* uses CFTR to enter intestinal epithelial cells. *Nature* 1998, 393: 79-82.
- Pier GB, Grout M, Zaidi TS. Cystic fibrosis transmembrane conductance regulator is an epithelial cell receptor for clearance of *Pseudomonas aeruginosa* from the lung. *Proc Natl Acad Sci USA* 1997, 94: 12088-12093.
- Pignatti PF, Bombieri C, Marigo C, Benetazzo M, Luisetti M. Increased incidence of cystic fibrosis gene mutations in adults with disseminated bronchiectasis. *Hum Mol Genet* 1995, 4: 635-639.
- Puchelle E, Bajolet O, Abély M. Airway mucus in cystic fibrosis. *Paediatric Respiratory Reviews* 2002, 3: 115-119.
- Quinton PM. Missing Cl conductance in cystic fibrosis. *Am J Physiol* 1986, 251: 649-652.
- Raghuram V, Mak DD, Foskett JK. Regulation of cystic fibrosis transmembrane conductance regulator single-channel gating by bivalent PDZ-domain-mediated interaction. *Proc Natl Acad Sci USA* 2001, 98: 1300-1305.
- Ramjeesingh M, Kidd JF, Huan LJ, Wang Y, Bear CE. Dimeric cystic fibrosis transmembrane conductance regulator exists in the plasma membrane. *Biochem J* 2003, 374: 793-797.
- Reddy MM, Light MJ, Quinton PM. Activation of the epithelial Na<sup>+</sup> channel (ENaC) requires CFTR Cl<sup>-</sup> channel function. *Nature* 1999, 402: 301-304.
- Rendine S, Calafell F, Cappello N, Gagliardini R, Caramia G, Rigillo N, Silvetti M, Zanda M, Miano A, Battistini F, Marianelli L, Taccetti G, Diana MC, et al. Genetic history of cystic fibrosis mutations in Italy. I. Regional distribution. *Ann Hum Genet* 1997, 61: 411-424.

- Riordan JR, Rommens JM, Kerem B, Alon N, Rozmahel R, Grzelczak Z, Zielenski J, Lok S, Plavsic N, Chou J-L, Drumm ML, Iannuzzi MC, Collins FS, Tsui L-C. Identification of the cystic fibrosis gene: cloning and characterization of complementary DNA. *Science* 1989, 245: 1066-1073.
- Romeo G, Devoto M, Galietta LJ. Why is the cystic fibrosis gene so frequent? *Hum Genet* 1989, 84: 1-5.
- Romey MC, Guittard C, Chazalette JP, Frossard P, Dawson KP, Patton MA, Casals T, Bazarbachi T, Girodon E, Rault G, Bozon D, Seguret F, Demaille J, Claustres M. Complex allele [-102T>A+S549R(T>G)] is associated with milder forms of cystic fibrosis than allele S549R(T>G) alone. *Hum Genet* 1999, 105: 145-150.
- Rommens JM, Iannuzzi MC, Kerem BS, Drumm ML, Melmer G, Dean M, Rozmahel R, Cole JL, Kennedy D, Hidaka N, Zsiga M, Buchwald M, Riordan JR, Tsui L-C, Collins FS. Identification of the cystic fibrosis gene: chromosome walking and jumping. *Science* 1989, 245: 1059-1065.
- Rosenstein BJ, Cutting GR. The diagnosis of cystic fibrosis: a consensus statement. Cysic Fibrosis Foundation Consensus Panel. *J Pediatr* 1998, 132: 589-595.
- Rozmahel R, Wilschanski M, Matin A, Plyte S, Oliver M, Auerbach W, Moore A, Forstner J, Durie P, Nadeau J, Bear C, Tsui L-C. Modulation of disease severity in cystic fibrosis transmembrane conductance regulator deficient mice by a secondary genetic factor. *Nature Genet* 1996, 12: 280-287.
- Schwartz M, Brandt NJ, Koch C, Lanng S, Schiotz PO. Genetic analysis of cystic fibrosis in Denmark. Implications for genetic counselling, carrier diagnosis and prenatal diagnosis. *Acta Paediatr* 1992, 81: 522-526.
- Schwarz MJ, Malone GM, Haworth A, Cheadle JP, Meredith AL, Gardner A, Sawyer IH, Connarty M, Dennis N, Seller A, Harris A, Taylor R, Dear S, Middleton-Price H, et al. Cystic fibrosis mutation analysis: Report from 22 U.K. regional genetics laboratories. *Hum Mutat* 1995, 6: 326-333.
- Schwiebert EM, Morales MM, Devidas S, Egan ME, Guggino WB. Chloride channel and chloride conductance regulator domains of CFTR, the cystic fibrosis

transmembrane conductance regulator. Proc Natl Acad Sci USA 1998, 95: 2674-2679.

Scotet V, de Braekeleer M, Roussey M, Rault G, Parent P, Dagorne M, Journel H, Lemoigne A, Codet JP, Catheline M, David V, Chaventre A, Dugueperoux I, et al. Neonatal screening for cystic fibrosis in Brittany, France: assessment of 10 years' experience and impact on prenatal diagnosis. Lancet 2000, 356: 789-794.

Seibert FS, Linsdell P, Loo TW, Hanrahan JW, Riordan JR, Clarke DM. Cytoplasmic loop three of cystic fibrosis transmembrane conductance regulator contributes to regulation of chloride channel activity. J Biol Chem 1996, 271: 27493-27499.

Sharma M, Benharouga M, Hu W, Lukacs GL. Conformational and temperature-sensitive stability defects of the delta F508 cystic fibrosis transmembrane conductance regulator in post-endoplasmic reticulum compartments. J Biol Chem 2001, 276: 8942-8950.

Sheth S, Shea JC, Bishop MD, Chopra S, Regan MM, Malmberg E, Walker C, Ricci R, Tsui LC, Durie PR, Zielenski J, Freedman SD. Increased prevalence of CFTR mutations and variants and decreased chloride secretion in primary sclerosing cholangitis. Hum Genet 2003, 113: 286-292.

Smith JJ, Travis SM, Greenberg EP, Welsh MJ. Cystic fibrosis airway epithelia fail to kill bacteria because of abnormal airway surface fluid. Cell 1996, 85: 229-236. Erratum in: Cell 1996, 87: 355.

Spalteholz W. Órganos genitales masculinos. Ed. Labor. Atlas de Anatomia Humana. 4<sup>a</sup> Ed. Barcelona; 1969, p. 712-724.

Stead RJ, Hodson ME, Batten JC, Adams J, Jacobs HS. Amenorrhoea in cystic fibrosis. Clin Endocrinol (Oxf) 1987, 26: 187-195.

Strom CM, Huang D, Chen C, Buller A, Peng M, Quan F, Redman J, Sun W. Extensive sequencing of the cystic fibrosis transmembrane regulator gene: assay validation and unexpected benefits of developing a comprehensive test. Genet Med 2003, 5: 9-14.

- Stuhrmann M, Dork T, Fruhwirth M, Golla A, Skawran B, Antonin W, Ebhardt M, Loos A, Ellemunter H, Schmidtke J. Detection of 100% of the CFTR mutations in 63 CF families from Tyrol. *Clin Genet* 1997, 52: 240-246.
- Telleria JJ, Alonso MJ, Calvo C, Alonso M, Blanco A. Spectrum of CFTR mutations in the Middle North of Spain and identification of a novel mutation (1341G->A). *Mutation in brief # 252. Online. Hum Mutat* 1999, 14: 89.
- Ten Kate LP. Cystic fibrosis in the Netherlands. *Int J Epidemiol* 1977, 6: 23-34.
- Thomas GR, Costelloe EA, Lunn DP, Stacey KJ, Delaney SJ, Passey R, McGlinn EC, McMorran BJ, Ahadizadeh A, Geczy CL, Wainwright BJ, Hume DA. G551D Cystic Fibrosis Mice Exhibit Abnormal Regulation of Inflammation in Lungs and Macrophages. *J Immunol* 2000, 164: 3870-3877.
- Thomas JW, Touchman JW, Blakesley RW, Bouffard GG, Beckstrom-Sternberg SM, Margulies EH, Blanchette M, Siepel AC, Thomas PJ, McDowell JC, Maskeri B, et al. Comparative analyses of multi-species sequences from targeted genomic regions. *Nature* 2003, 424: 788-793.
- Tsui L-C, Buchwald M, Barker D, Braman JC, Knowlton R, Schumm JW, Eiberg H, Mohr J, Kennedy D, Plasvic N, Zsiga M, Markievicz D, Akots G, Brown V, Helms C, et al. Cystic fibrosis locus defined by a genetically linked polymorphic DNA marker. *Science* 1985, 230: 1054-1057.
- Tummler B, Storrs T, Dziadek V, Dork T, Meitinger T, Golla A, Bertele-Harms RM, Harms HK, Schroder E, Claass A, Rutjes J, Schneppenheim R, Bauer I, et al. Geographic distribution and origin of CFTR mutations in Germany. *Hum Genet* 1996, 97: 727-731.
- Vazquez C, Antiñolo G, Casals T, Dapena J, Elorz J, Seculi JL, Sirvent J, Cabanas R, Soler C, Estivill X. Thirteen cystic fibrosis patients, 12 compound heterozygous and one homozygous for the missense mutation G85E: a pancreatic sufficiency/insufficiency mutation with variable clinical presentation. *J Med Genet* 1996, 33: 820-822.

- Veeze HJ, Halley DJ, Bijman J, de Jongste JC, de Jonge HR, Sinaasappel M. Determinants of mild clinical symptoms in cystic fibrosis patients. Residual chloride secretion measured in rectal biopsies in relation to the genotype. *J Clin Invest* 1994, 93: 461-466.
- Villarreal MT, Chavez M, Lezana JL, Cuevas F, Carnevale A, Codova E, del Angel RM, Orozco L. G542X mutation in Mexican cystic fibrosis patients. *Clin Genet* 1996, 49: 54-56.
- Wainwright B, Scambler P, Farrall M, Schwartz M, Williamson R. Linkage between the cystic fibrosis locus and markers on chromosome 7q. *Cytogenet Cell Genet* 1986, 41: 191-192.
- Wang X, Moylan B, Leopold DA, Kim J, Rubenstein RC, Togias A, Proud D, Zeitlin PL, Cutting GR. Mutation in the gene responsible for cystic fibrosis and predisposition to chronic rhinosinusitis in the general population. *JAMA* 2000, 284: 1814-1819.
- Wei L, Vankeerberghen A, Jaspers M, Cassiman J, Nilius B, Cuppens H. Suppressive interactions between mutations located in the two nucleotide binding domains of CFTR. *FEBS Lett* 2000, 473: 149-153.
- Welsh MJ, Ramsey BW, Accurso F, Cutting GR. Cystic Fibrosis. In: Scriver CR, Beaudet AL, Sly WS, Valle D, eds. *The metabolic and molecular bases of inherited disease*. Eighth ed. McGraw-Hill, Inc. New York; 2001, p. 5121-5188.
- Welsh MJ, Smith AE. Molecular mechanisms of CFTR chloride channel dysfunction in cystic fibrosis. *Cell* 1993, 73: 1251-1254.
- White MB, Leppert M, Nielsen D, Zielenski J, Gerrard B, Stewart C, Dean M. A de novo cystic fibrosis mutation: CGA (Arg) to TGA (stop) at codon 851 of the CFTR gene. *Genomics* 1991, 11: 778-779.
- White NL, Higgins CF, Trezise AE. Tissue-specific in vivo transcription start sites of the human and murine cystic fibrosis genes. *Hum Mol Genet* 1998, 7: 363-369.
- WHO/ICF(M)A/ECFTN. Classification of cystic fibrosis and related disorders. *J Cystic Fibrosis* 2002, 1: 5-8.

- Wilcken B, Wiley V, Sherry G, Bayliss U. Neonatal screening for cystic fibrosis: a comparison of two strategies for case detection in 1.2 million babies. *J Pediatr* 1995, 127: 965-970.
- Williams SH, Mouchel N, Harris A. A comparative genomic analysis of the cow, pig, and human CFTR genes identifies potential intronic regulatory elements. *Genomics* 2003, 81: 628-639.
- Wine JJ. The genesis of cystic fibrosis lung disease. *J Clin Invest* 1999, 103: 309-312.
- Worlitzsch D, Tarhan R, Ulrich M, Schwab U, Cekici A, Meyer KC, Birrer P, Bellon G, Berger J, Weiss T, Botzenhart K, Yankaskas JR, Randell S, Boucher RC, Doring G. Effects of reduced mucus oxygen concentration in airway *Pseudomonas*. *J Clin Invest* 2002, 109: 317-325.
- Zabner J, Smith JJ, Karp PH, Widdicombe JH, Welsh MJ. Loss of CFTR chloride channels alters salt absorption by cystic fibrosis airway epithelia in vitro. *Mol Cell* 1998, 2: 397-403.
- Zhong XB, Reynolds R, Kidd JR, Kidd KK, Jenison R, Marlar RA, Ward DC. Single-nucleotide polymorphism genotyping on optical thin-film biosensor chips. *Proc Natl Acad Sci USA* 2003, 100: 11559-11564.
- Zielenski J, Corey M, Rozmahel R, Markiewicz D, Aznarez I, Casals T, Larriba S, Mercier B, Cutting GR, Krebssova A, Macek M Jr, Langfelder-Schwind E, Marshall BC, DeCelie-Germana J, Claustres M, Palacio A, Bal J, Nowakowska A, Ferec C, Estivill X, Durie P, Tsui L-C. Detection of a cystic fibrosis modifier locus for meconium ileus on human chromosome 19q13. *Nature Genet* 1999, 22: 128-129.
- Zielenski J, Fujiwara TM, Markiewicz D, Paradis AJ, Anacleto AI, Richards B, Schwartz RH, Klinger KW, Tsui LC, Morgan K. Identification of the M1101K mutation in the cystic fibrosis transmembrane conductance regulator (CFTR) gene and complete detection of cystic fibrosis mutations in the Hutterite population. *Am J Hum Genet* 1993, 52: 609-615.

Zielenski J, Markiewicz D, Rininsland F, Rommens JM, Tsui L-C. A cluster of highly polymorphic dinucleotide repeats in intron 17B of the CFTR gene. Am J Hum Genet 1991b, 49: 1256-1262.

Zielenski J, Rozmahel R, Bozon D, Kerem BS, Grzelczak Z, Riordan JR, Rommens JM, Tsui L-C. Genomic DNA sequence of the cystic fibrosis transmembrane conductance regulator (*CFTR*) gene. Genomics 1991a, 10: 214-228.